



THE K. LIGHT CHOICE


2024
Catalogue





Index

Crystal Chandeliers & Fittings	1
Modern Day Chandeliers & Pendants	51
LED Fittings	109
Metal/Wire Pendants	179
Glass Pendants	229
Rattan, Raffia & Bamboo Pendants	283
Ceiling Fittings	293
LED Ceiling Fittings	311
Wall Lights	333
Reading Wall Lights	376
Picture Lights	383
Bathroom Fittings	389
Floor & Table Lamps	393
Rechargeable Table Lamps	424
Spotlights	435
GU10 Track Spotlights	443
LED Track Spotlights	449
Commercial Track Spotlights	451
Recessed Downlights	457
Surface Mounted Downlights	469
LED Strip Lights	475
Aluminium Profiles & Accessories	483
Steplights	493
Garden & Outdoor Wall Lights	501
Garden & Outdoor Coastal Wall Lights	523
Garden & Outdoor Bulkheads	531
Garden & Outdoor Bollards	539
Solar	544
Industrial	546
Decorative Bulbs	549
Duralamp Collection	561
Alphabetical Index	569



K. LIGHT®

K. Light fittings must be installed and connected by a licensed electrical contractor, registered with the South African Department of Labour.

There are screws, plugs / bolts and nuts included for the installation of the light fitting. However, depending on the composition of the surface onto which the light fitting is being installed, these screws and plugs / bolts and nuts may not be appropriate. In such case, it is your responsibility to ensure that the correct screws, plugs / bolts and nuts are used for installation.

All our fittings exclude bulbs, unless otherwise stated.

K. Light reserves the right to discontinue, replace or modify products without prior notice. Due to the nature of the printing process colours are an indication only and may vary from the actual product.

Although the information in this catalogue has been compiled with great care, the publisher and the author do not accept responsibility for any loss or damage that may arise out of the reliance of any person upon the information this catalogue contains.

All rights reserved. No part of this catalogue may be reproduced in any form without the prior written permission by K. Light Import.

DESIGN | SERVICE | QUALITY

CAPE TOWN Milnerton 021 552 4370

JOHANNESBURG Midrand 011 312 1247

Viewing Showrooms Only, K. Light Import supplies only to Retailers and not to the public directly.

www.klight.co.za




info@klight.co.za



[k_light_import](https://www.instagram.com/k_light_import)



[klight.co.za](https://www.facebook.com/klight.co.za)



K. LIGHT®

OVER 25 YEARS OF SERVICE & QUALITY

Looking back over more than 25 years we are proud to say that through hard work, dedication and staying focused, we have managed to achieve our target, to be market leaders of quality and service in the South African lighting industry.

Without you, our loyal customers, we would not have achieved such great heights. We would like to thank you for your continued support.

K. Light Import first opened its doors in Cape Town in 1995 with the passion for lighting and the goal of introducing the latest European models of beautiful, exclusive, and quality light fittings to the South African decorating industry.

K. Light's strength is in the decorative and splendour of our products. We are leaders in the industry and follow the latest international trends, bringing new designs, fashion and technology into South Africa. We continue to update our collections of imported light fittings which represent the most unique and stylish products available globally. In addition, K. Light offers a wide range of lighting products, from entry level to high end fixtures to a wide spectrum of lighting enthusiasts.

The K. Light brand is well known for its quality, service and design. With opulent showrooms in Johannesburg and Cape Town and several representatives throughout South Africa we are continually growing and are accessible throughout the major centres in South Africa and Africa.

To stay informed of our new and exciting ranges, keep an eye out for the K. Light brand by subscribing to our weekly informative digital newsletters, or other digital channels like Facebook and Instagram, or view us in many leading décor publications.

Looking forward to countless years of continued excellent service to you.

DESIGN | SERVICE | QUALITY

CAPE TOWN Milnerton 021 552 4370

JOHANNESBURG Midrand 011 312 1247

Viewing Showrooms Only, K. Light Import supplies only to Retailers and not to the public directly.

www.klight.co.za



info@klight.co.za



[k_light_import](https://www.instagram.com/k_light_import)



[klight.co.za](https://www.facebook.com/klight.co.za)



CRYSTAL CHANDELIERS

All fittings exclude lamps unless otherwise stated.



K. LIGHT®

DESIGN • SERVICE • QUALITY



KLCH-6003/26

230v 40W E14 Medium Diamond Crystal Chandelier
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 140 + 100 Chain Ø: 80
 Weight in kg 64
 Lamps 26 x E14
 Wattage 230v 1040W
 IP Rating IP20

KLCH-6004/26

230v 40W E14 Mermaid Crystal Chandelier
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 140 + 100 Chain Ø: 85
 Weight in kg 52
 Lamps 26 x E14
 Wattage 230v 1040W
 IP Rating IP20





KLCH-6003/51

230v 40W E14 Large Diamond Crystal Chandelier

Colour Chrome

Specifications Clear K9 Crystals

Measurement in cm H: 170 + 100 Chain Ø: 120

Weight in kg 146

Lamps 51 x E14

Wattage 230v 2040W

IP Rating IP20

**KLCH-6002/9**

230v 40W E14 Supreme Medium Crystal Chandelier

Colour Gold

Specifications Clear K9 Crystals

Measurement in cm H: 32 + 100 Chain Ø: 60

Weight in kg 18

Lamps 9 x E14

Wattage 230v 360W

IP Rating IP20





KLCH-6002/27
 230v 40W E14 Supreme Large Crystal Chandelier
 Colour Gold
 Specifications Clear K9 Crystals
 Measurement in cm H: 100 + 100 Chain Ø: 90
 Weight in kg 70
 Lamps 27 x E14
 Wattage 230v 1080W
 IP Rating IP20

**KLCH-6515/34-BL**

230v 40W E14 Grandiose Crystal Chandelier

Colour Charcoal Grey

Specifications Smoke K9 Crystals

Measurement in cm H: 200 + 100 Chain Ø: 120

Weight in kg 100

Lamps 34 x E14

Wattage 230v 1360W

IP Rating IP20





KLCH-6515/34-SG

230v 40W E14 Grandiose Crystal Chandelier	
Colour	Satin Gold
Specifications	Clear K9 Crystals
Measurement in cm	H: 200 + 100 Chain Ø: 120
Weight in kg	100
Lamps	34 x E14
Wattage	230v 1360W
IP Rating	IP20



KLCH-6515/6-BL

230v 40W E14 Large Crystal 5 Tier Chandelier
 Colour Charcoal Grey
 Specifications Smoke K9 Crystals
 Measurement in cm H: 68 + 100 Chain Ø: 55
 Weight in kg 16
 Lamps 6 x E14
 Wattage 230v 240W
 IP Rating IP20

KLCH-6515/4-BL

230v 40W E14 Small Crystal 3 Tier Chandelier
 Colour Charcoal Grey
 Specifications Smoke K9 Crystals
 Measurement in cm H: 50 + 100 Chain Ø: 40
 Weight in kg 8
 Lamps 4 x E14
 Wattage 230v 160W
 IP Rating IP20





KLCH-6515/13-BL
230v 40W E14 Extra Large Crystal 7 Tier Chandelier
Colour Charcoal Grey
Specifications Smoke K9 Crystals
Measurement in cm H: 84 + 100 Chain Ø: 80
Weight in kg 25
Lamps 13 x E14
Wattage 230v 520W
IP Rating IP20



KLCH-6515/6-SG
230v 40W E14 Large Crystal 5 Tier Chandelier
Colour Satin Gold
Specifications Clear K9 Crystals
Measurement in cm H: 68 + 100 Chain Ø: 55
Weight in kg 16
Lamps 6 x E14
Wattage 230v 240W
IP Rating IP20

KLCH-6515/4-SG
230v 40W E14 Small Crystal 3 Tier Chandelier
Colour Satin Gold
Specifications Clear K9 Crystals
Measurement in cm H: 50 + 100 Chain Ø: 40
Weight in kg 8
Lamps 4 x E14
Wattage 230v 160W
IP Rating IP20





KLCH-6515/13-SG
230v 40W E14 Extra Large Crystal 7 Tier Chandelier
Colour Satin Gold
Specifications Clear K9 Crystals
Measurement in cm H: 84 + 100 Chain Ø: 80
Weight in kg 25
Lamps 13 x E14
Wattage 230v 520W
IP Rating IP20

**KLCH-5515/SG**

230v 40W E14 Crystal Rectangular Chandelier

Colour Satin Gold

Specifications Clear K9 Crystals

Measurement in cm H: 33 + 100 Chain + 18 Rod L: 88 W: 40

Weight in kg 20

Lamps 11 x E14

Wattage 230v 440W

IP Rating IP20



**KLCH-5515/BL**

230v 40W E14 Smoke Crystal Rectangular Chandelier

Colour Charcoal Grey

Specifications Smoke K9 Crystals

Measurement in cm H: 33 + 100 Chain + 27 Rod L: 88 W: 40

Weight in kg 20

Lamps 11 x E14

Wattage 230v 440W

IP Rating IP20

**KLCH-7515/GD**

230v 40W E14 Clear Crystal Round Chandelier

Colour Electroplated Gold

Specifications Clear K9 Crystals

Measurement in cm H: 150 + 100 Chain + 16 Rod Ø: 60

Shade H: 20 Ø: 60

Lamps 9 x E14

Wattage 230v 360W

IP Rating IP20





**KLCH-89400**

230v 40W E14 Waterfall Crystal Ceiling Fitting

Colour Chrome Metal Frame

Specifications Clear Crystals

Measurement in cm H: 370 Ø: 60

Lamps 78 x E14

Wattage 230v 3120W

IP Rating IP20



KLCH-7895/25
230v 40W E27 Triangular Crystal Chandelier
Colour Chrome
Specifications Clear K9 Crystals
Measurement in cm H: 200 + 100 Chain Ø: 46
Weight in kg 36
Lamps 25 x E27
Wattage 230v 1000W
IP Rating IP20

**S-KLCH-8740/27**

230v 40W E14 Spiral Crystal Chandelier
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 204 + 80 Chain Ø: 80
 Weight in kg 32
 Lamps 27 x E14
 Wattage 230v 1080W
 IP Rating IP20



S-KLCH-8738/32

230v 40W E14 Double Basket Crystal Chandelier
Colour Chrome
Specifications Clear K9 Crystals
Measurement in cm H: 200 + 80 Chain Ø: 95
Weight in kg 85
Lamps 32 x E14
Wattage 230v 1280W
IP Rating IP20

**S-KLCH-8738/14**

230v 40W E14 Medium Crystal Chandelier

Colour Chrome

Specifications Clear K9 Crystals

Measurement in cm H: 70 + 80 Chain Ø: 61

Weight in kg 27

Lamps 14 x E14

Wattage 230v 560W

IP Rating IP20



S-KLCH-1900/17
230v 40W E14 Large Basket Crystal Chandelier
Colour Chrome
Specifications Clear K9 Crystals
Measurement in cm H: 130 + 80 Chain Ø: 80
Weight in kg 21
Lamps 17 x E14
Wattage 230v 680W
IP Rating IP20

**KLCH-6007/12**

230v 40W E14 Medium Cascading Crystal Chandelier

Colour Chrome

Specifications Clear K9 Crystals

Measurement in cm H: 124 + 100 Chain Ø: 50

Weight in kg 13

Lamps 12 x E14

Wattage 230v 480W

IP Rating IP20



**KLCH-6007/20**

230v 40W E14 Large Cascading Crystal Chandelier
Colour Chrome
Specifications Clear K9 Crystals
Measurement in cm H: 140 + 100 Chain Ø: 66
Weight in kg 20
Lamps 20 x E14
Wattage 230v 800W
IP Rating IP20

**L-KLCH-82148/CR**

230v 40W E14 Sophia Crystal Chandelier
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 56 + 60 Chain Ø: 45
 Weight in kg 12
 Lamps 8 x E14
 Wattage 230v 320W
 IP Rating IP20





L-KLCH-82148L/CR
 230v 40W E14 Sophia Large Crystal Chandelier
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 88 + 60 Chain Ø: 60
 Weight in kg 22
 Lamps 12 x E14
 Wattage 230v 480W
 IP Rating IP20

**L-KLCH-62039L/SG**

230v 40W E14 Grace Large Crystal Chandelier
 Colour Satin Gold
 Specifications Clear K9 Crystals
 Measurement in cm H: 85 + 60 Chain Ø: 26.5
 Weight in kg 19
 Lamps 12 x E14
 Wattage 230v 480W
 IP Rating IP20

**L-KLCH-62039S/SG**

230v 40W E14 Grace Small Crystal Chandelier
 Colour Satin Gold
 Specifications Clear K9 Crystals
 Measurement in cm H: 56 + 60 Chain Ø: 19.5
 Weight in kg 9
 Lamps 4 x E14
 Wattage 230v 160W
 IP Rating IP20





**L-KLCH-62038/CR**

230v 40W E14 Elizabeth Crystal Chandelier
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 50 + 60 Chain Ø: 44
 Weight in kg 12
 Lamps 12 x E14
 Wattage 230v 480W
 IP Rating IP20

**KLCH-7837/3**

230v 40W G9 Small Crystal Chandelier
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm Full Height: 22 + 140 Cord Ø: 15.5
 Shade: H: 22 Ø: 15.5
 Lamps 3 x G9
 Wattage 230v 120W
 IP Rating IP20



L-KLCH-62041/SG

230v 40W E14 Diana Amber Crystal Chandelier
 Colour Satin Gold
 Specifications Amber K9 Crystals
 Measurement in cm H: 48 + 60 Chain Ø: 24
 Weight in kg 30
 Lamps 6 x E14
 Wattage 230v 240W
 IP Rating IP20



L-KLCH-62041/CR

230v 40W E14 Diana Clear Crystal Chandelier
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 48 + 60 Chain Ø: 24
 Weight in kg 30
 Lamps 6 x E14
 Wattage 230v 240W
 IP Rating IP20

**KLCH-8061/19**

230v 40W E14 Large 19 White Arm
Crystal Chandelier

Colour White Glass with Crystal
Specifications Clear K9 Crystals
Measurement in cm H: 85 + 80 Chain Ø: 97
Weight in kg 36
Lamps 19 x E14
Wattage 230v 760W
IP Rating IP20

**KLCH-8061/8**

230v 40W E14 Medium 8 White Arm
Crystal Chandelier

Colour White Glass with Crystal
Specifications Clear K9 Crystals
Measurement in cm H: 62 + 80 Chain Ø: 73
Weight in kg 20
Lamps 8 x E14
Wattage 230v 320W
IP Rating IP20

**KLW-8061/1**

230v 40W E14 1 Arm White Glass and Crystal
Wall Light

Colour White Glass with Crystal
Specifications Clear K9 Crystals
Measurement in cm H: 33 W: 13 D: 21
Lamps 1 x E14
Wattage 230v 40W
IP Rating IP20

**KLW-8061/2**

230v 40W E14 2 Arm White Glass and Crystal
Wall Light

Colour White Glass with Crystal
Specifications Clear K9 Crystals
Measurement in cm H: 39 W: 35 D: 18
Lamps 2 x E14
Wattage 230v 80W
IP Rating IP20

**KLCH-8061/25**

230v 40W E14 Extra Large 25 White Arm
Crystal Chandelier

Colour	White Glass with Crystal
Specifications	Clear K9 Crystals
Measurement in cm	H: 90 + 80 Chain Ø: 115
Weight in kg	41
Lamps	25 x E14
Wattage	230v 1000W
IP Rating	IP20

**V-KLCH-8004/4**

230v 40W E14 4 Arm Crystal Chandelier
 Colour Clear Glass with Crystal
 Specifications Clear K9 Crystals
 Measurement in cm H: 48 + 80 Chain Ø: 47
 Weight in kg 5
 Lamps 4 x E14
 Wattage 230v 160W
 IP Rating IP20

V-KLCH-8004/6

230v 40W E14 6 Arm Crystal Chandelier
 Colour Clear Glass with Crystal
 Specifications Clear K9 Crystals
 Measurement in cm H: 63 + 80 Chain Ø: 62
 Weight in kg 8
 Lamps 6 x E14
 Wattage 230v 240W
 IP Rating IP20

**V-KLW-8004/1**

230v 40W E14 1 Arm Glass and Crystal Wall Light
 Colour Clear Glass with Crystal
 Specifications Clear K9 Crystals
 Measurement in cm H: 33 W: 12 D: 23
 Lamps 1 x E14
 Wattage 230v 40W
 IP Rating IP20

V-KLW-8004/2

230v 40W E14 2 Arm Glass and Crystal Wall Light
 Colour Clear Glass with Crystal
 Specifications Clear K9 Crystals
 Measurement in cm H: 34 W: 26 D: 23
 Lamps 2 x E14
 Wattage 230v 80W
 IP Rating IP20

**V-KLCH-8004/12+6**

230v 40W E14 12+6 Arm Crystal Chandelier
 Colour Clear Glass with Crystal
 Specifications Clear K9 Crystals
 Measurement in cm H: 76 + 80 Chain Ø: 100
 Weight in kg 21
 Lamps 18 x E14
 Wattage 230v 720W
 IP Rating IP20

**V-KLW-8816/1**

230v 40W E14 1 Arm Elegant Metal and Crystal Wall Light

Colour Chrome with Crystal
Specifications Clear K9 Crystals
Measurement in cm H: 30 W: 13 D: 23
Lamps 1 x E14
Wattage 230v 40W
IP Rating IP20

V-KLW-8816/2

230v 40W E14 2 Arm Elegant Metal and Crystal Wall Light

Colour Chrome with Crystal
Specifications Clear K9 Crystals
Measurement in cm H: 30 W: 34 D: 20
Lamps 2 x E14
Wattage 230v 80W
IP Rating IP20



**V-KLCH-8816/8**

230v 40W E14 8 Arm Elegant Crystal Chandelier

Colour Chrome with Crystal

Specifications Clear K9 Crystals

Measurement in cm H: 60 + 50 Chain Ø: 75

Lamps 8 x E14

Wattage 230v 320W

IP Rating IP20

**V-KLCH-8816/5**

230v 40W E14 5 Arm Elegant
Crystal Chandelier

Colour Chrome with Crystal
Specifications Clear K9 Crystals
Measurement in cm H: 55 + 50 Chain Ø: 60
Lamps 5 x E14
Wattage 230v 200W
IP Rating IP20

V-KLCH-8816/8+4

230v 40W E14 8+4 Arm Elegant
Crystal Chandelier

Colour Chrome with Crystal
Specifications Clear K9 Crystals
Measurement in cm H: 70 + 50 Chain Ø: 75
Lamps 12 x E14
Wattage 230v 480W
IP Rating IP20



**V-KLCH-8816/3**

230v 40W E14 3 Arm Elegant
Crystal Chandelier

Colour Chrome with Crystal
Specifications Clear K9 Crystals
Measurement in cm H: 50 + 50 Chain Ø: 48
Lamps 3 x E14
Wattage 230v 120W
IP Rating IP20

V-KLCH-8816/10+5

230v 40W E14 10+5 Arm Elegant
Crystal Chandelier

Colour Chrome with Crystal
Specifications Clear K9 Crystals
Measurement in cm H: 77 + 50 Chain Ø: 95
Lamps 15 x E14
Wattage 230v 600W
IP Rating IP20

**KLCH-8843/6**

230v 40W E14 with 6 LED Arm Crystal Chandelier

Colour Clear Glass

Specifications Clear K9 Crystals

Measurement in cm H: 55 + 70 Chain Ø: 61

Weight in kg 11

Lamps 6 x E14

Wattage 230v 240W

IP Rating IP20

**KLCH-1558-3**

230v 40W E27 Curved

Rectangular Crystal and Glass Pendant

Colour Crystal / Frosted

Specifications Clear K9 Crystals

Measurement in cm Full Height: 100 L: 58 W: 20

Glass: H: 26 L: 58 W: 20

Lamps 3 x E27

Wattage 230v 120W

IP Rating IP20

**KLCH-450/40-WH**

230v 40W G9 Magma Crystal Pendant
 Colour Chrome
 Specifications Clear Italian Crystals
 Measurement in cm H: 150 W: 41 L: 41
 Weight 14
 Lamps 4 x G9
 Wattage 230v 160W
 IP Rating IP20

KLCH-450/60-WH

230v 40W G9 Magma Crystal Pendant
 Colour Chrome
 Specifications Clear Italian Crystals
 Measurement in cm H: 150 W: 63 L: 63
 Weight 17
 Lamps 6 x G9
 Wattage 230v 240W
 IP Rating IP20

**KLCH-450/40-RED**

230v 40W G9 Magma Crystal Pendant
 Colour Chrome
 Specifications Red Italian Crystals
 Measurement in cm H: 150 W: 41 L: 41
 Weight 14
 Lamps 4 x G9
 Wattage 230v 160W
 IP Rating IP20

KLCH-450/60-RED

230v 40W G9 Magma Crystal Pendant
 Colour Chrome
 Specifications Red Italian Crystals
 Measurement in cm H: 150 W: 63 L: 63
 Weight 17
 Lamps 6 x G9
 Wattage 230v 240W
 IP Rating IP20

**Q-KLCH-81501/6**

230v 40W E27 Rectangle with Rectangular Crystal Slabs

Colour Chrome

Specifications Clear K9 Crystals Slabs

Measurement in cm H: 26.5 + 86 Chain L: 102 W: 41

Weight in kg 40

Lamps 6 x E27

Wattage 230v 240W

IP Rating IP20



**Q-KLCH-81502/7**

230v 40W E27 Rectangle with Angled Trapezium Crystal Slabs

Colour Chrome

Specifications Clear K9 Crystals Slabs

Measurement in cm H: 22 + 86 Chain L: 120 W: 25

Weight in kg 36

Lamps 7 x E27

Wattage 230v 280W

IP Rating IP20

**Q-KLCH-81501/4**

230v 40W E27 Round with Rectangular Crystal Slabs

Colour Chrome

Specifications Clear K9 Crystals Slabs

Measurement in cm H: 27 + 76 Chain Ø: 45

Weight in kg 21

Lamps 4 x E27

Wattage 230v 160W

IP Rating IP20

**Q-KLCH-81501/7**

230v 40W E27 Large Round with Rectangular Crystal Slabs

Colour Chrome

Specifications Clear K9 Crystals Slabs

Measurement in cm H: 27 + 76 Chain Ø: 75

Weight in kg 35

Lamps 7 x E27

Wattage 230v 280W

IP Rating IP20

**Q-KLCH-81502/8**

230v 40W E27 Large Round with Angled Trapezium Crystal Slabs

Colour	Chrome
Specifications	Clear K9 Crystals Slabs
Measurement in cm	H: 20 + 76 Chain Ø: 78
Weight in kg	33
Lamps	8 x E27
Wattage	230v 320W
IP Rating	IP20

**Q-KLCH-81502/5**

230v 40W E27 Round with Angled Trapezium Crystal Slabs

Colour	Chrome
Specifications	Clear K9 Crystals Slabs
Measurement in cm	H: 20 + 76 Chain Ø: 62
Weight in kg	28
Lamps	5 x E27
Wattage	230v 200W
IP Rating	IP20

**K-LED9967/60**

230v 60W LED Strip Round Crystal and Gold Chandelier

Colour Gold

Specifications Clear K9 Crystals
Non Dimmable

Kelvin / Lumen Warm White: 3000K / 4800lm

Measurement in cm H: 30 + 133 Cable Ø: 60

Weight in kg 13

LED Strip 60W

Wattage 230v 60W

IP Rating IP20

**K-LED9967/1**

230v 48W LED Strip Wave Crystal and Gold Chandelier

Colour Gold

Specifications Clear K9 Crystals
Non Dimmable

Kelvin / Lumen Warm White: 3000K / 3840lm

Measurement in cm H: 30 + 133 Cable L: 100 W: 7

Weight in kg 9

LED Strip 48W

Wattage 230v 48W

IP Rating IP20



K-LED9967/2

230v 88W LED Strip Oval Crystal and Gold Chandelier

Colour Gold

Specifications Clear K9 Crystals

Non Dimmable

Kelvin / Lumen Warm White: 3000K / 7040lm

Measurement in cm H: 30 + 133 Cable L: 100 W: 35

Weight in kg 18

LED Strip 88W

Wattage 230v 88W


IP Rating IP20

**K-LED-89095**

230v 25W LED Imperial Round Crystal and Gold Chandelier

Colour	Gold
Specifications	Clear K9 Crystals Non Dimmable
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	H: 162 Shade H: 20 Ø: 60
LED SMD	25W
Wattage	230v 25W
IP Rating	IP20



**K-LED-89099**

230v 30W LED Imperial Oval Crystal and Gold Chandelier

Colour

Gold

Specifications

Clear K9 Crystals

Non Dimmable

Kelvin / Lumen

Warm White: 3000K

Measurement in cm

H: 162

Shade H: 20 L: 100 W: 35

LED SMD

30W

Wattage

230v 30W

IP Rating

IP20



K-LED-89314/120
230v 200W LED Ballerina Crystal Chandelier
Colour Chrome
Specifications Clear Crystals
Stainless Steel Plate
Dimmable
Kelvin / Lumen Warm White: 3000K
Estimated 22440lm
Measurement in cm Fitting Full H: 490
Frame H: 280 + 200 Cable
Fitting Ø: 120
Base Ø: 120 H: 10
Weight in kg Estimated Weight 70
LED SMD LED Strip 200W
Wattage 230v 200W
IP Rating IP20



K-LED-89314/80
230v 120W LED Ballerina Crystal Chandelier
Colour Chrome
Specifications Clear Crystals
Stainless Steel Plate
Dimmable
Kelvin / Lumen Warm White: 3000K
Estimated 14400lm
Measurement in cm Fitting Full H: 390
Frame H: 180 + 200 Cable
Fitting Ø: 80
Base Ø: 80 H: 10
Weight in kg Estimated Weight 32
LED SMD LED Strip 120W
Wattage 230v 120W
IP Rating IP20

**K-LED-89315**

230v 55W LED Symphony Crystal Chandelier

Colour Chrome
 Specifications Clear Crystals
 Stainless Steel Plate
 Dimmable

Kelvin / Lumen Warm White: 3000K
 Estimated 7000lm
 Measurement in cm H: 250 + 300 Cable
 Shade H: 45 L: 150 H: 120
 Base Ø: 85 H: 5

Weight in kg Estimated Weight 20
 LED SMD LED Strip 55W
 Wattage 230v 55W
 IP Rating IP20

**K-LED-89316**

230v 80W LED Carousel Crystal Chandelier

Colour Chrome

Specifications Clear Crystals

Stainless Steel Plate

Dimmable

Kelvin / Lumen Warm White: 3000K

Estimated 16900lm

Measurement in cm H: 300 + 300 Cable Ø: 150

Base Plate Ø: 150

Weight in kg Estimated Weight 40

LED SMD LED Strip 80W

Wattage 230v 80W

IP Rating IP20



MODERN DAY CHANDELIERS & PENDANTS

All fittings exclude lamps unless otherwise stated.



K. LIGHT®

DESIGN • SERVICE • QUALITY

**3E-KLCH-1044/8**

230v 3W G9 LED 8 Light Octopus Pendant

Colour Black

Measurement in cm H: 73 Ø: 70

Lamps 8 x 3W G9 LED

(Including Non Dimmable Lamps)

Wattage 230v 24W

IP Rating IP20



**3E-KLCH-1044/12**

230v 3W G9 LED 12 Light Octopus Pendant

Colour Black

Measurement in cm H: 73 Ø: 100

Lamps 12 x 3W G9 LED

(Including Non Dimmable Lamps)

Wattage 230v 36W

IP Rating

IP20



T-KLCH-1478/BL

230v 3W G9 LED 4 Light Linear Pendant
Colour Black with Opal White Glass
Measurement in cm H: 165 L: 85 W: 12
Glass: Ø: 12
Lamps 4 x 3W G9 LED
(Including Non Dimmable Lamps)
Wattage 230v 12W
IP Rating IP20

T-KLCH-1479/GD

230v 3W G9 LED 5 Light Linear Pendant
Colour Gold with Opal White Glass
Measurement in cm H: 165 L: 108 W: 12
Glass: Ø: 12
Lamps 5 x 3W G9 LED
(Including Non Dimmable Lamps)
Wattage 230v 15W
IP Rating IP20

T-KLCH-1479/BL

230v 3W G9 LED 5 Light Linear Pendant
Colour Black with Opal White Glass
Measurement in cm H: 165 L: 108 W: 12
Glass: Ø: 12
Lamps 5 x 3W G9 LED
(Including Non Dimmable Lamps)
Wattage 230v 15W
IP Rating IP20



**T-KLCH-1478/GD**

230v 3W G9 LED 4 Light Linear Pendant

Colour Gold with Opal White Glass

Measurement in cm H: 165 L: 85 W: 12

Glass: Ø: 12

4 x 3W G9 LED

(Including Non Dimmable Lamps)

Wattage 230v 12W

IP Rating IP20

**GO-KLCH423-8/SG**

230v 3W G9 LED Fantasy Pendant

Colour Satin Gold and Opal White Glass Shade

Measurement in cm H: 140 L: 90 W: 25

Glass: Ø: 8/10/12

Lamps 8 x 3W G9 LED
(Including Non Dimmable Lamps)

Wattage 230v 24W

IP Rating IP20

**GO-KLCH423-8/BL**

230v 3W G9 LED Fantasy Pendant

Colour Black and Opal White Glass Shade


Measurement in cm H: 140 L: 90 W: 25

Glass: Ø: 8/10/12

Lamps 8 x 3W G9 LED
(Including Non Dimmable Lamps)

Wattage 230v 24W

IP Rating IP20

**T-KLCH-1477/BL**

230v 3W G9 LED 7 Light Spiral Pendant

Colour Black

Measurement in cm H: 145 L: 120 Ø: 30

Glass: Ø: 12

Lamps 7 x 3W G9 LED
(Including Non Dimmable Lamps)

Wattage 230v 21W

IP Rating IP20

**T-KLCH-1477/GD**

230v 3W G9 LED 7 Light Spiral Pendant

Colour Gold

Measurement in cm H: 145 L: 120 Ø: 30

Glass: Ø: 12

Lamps 7 x 3W G9 LED
(Including Non Dimmable Lamps)

Wattage 230v 21W

IP Rating IP20



(MOUNTING OPTION 2)



(MOUNTING OPTION 1)

A-KLCH-9226/14

230v 3W G9 LED Round Bubble Glass Pendant

Colour French Gold with Cognac Glass

Measurement in cm H: 125 Ø: 80

Glass Ø: 10/12/15

Lamps 14 x 3W G9 LED
(Including Non Dimmable Lamps)

Wattage 230v 42W

IP Rating IP20



**A-KLCH-9226/20**

230v 3W G9 LED Round Bubble Glass Pendant

Colour French Gold with Cognac Glass

Measurement in cm H: 125 Ø: 107

Glass Ø: 10/12/15

Lamps 20 x 3W G9 LED
(Including Non Dimmable Lamps)

Wattage 230v 60W

IP Rating IP20



(MOUNTING OPTION 1)

A-KLCH-9225/7

230v 3W G9 LED Horizontal Bubble Glass Pendant

Colour Black & Antique Brass with Smoke Glass

Measurement in cm H: 119 L: 65 W: 28
Glass Ø: 10/12/15Lamps 7 x 3W G9 LED
(Including Non Dimmable Lamps)Wattage 230v 21W
IP Rating IP20

(MOUNTING OPTION 2)

**A-KLCH-9225/14 (MOUNTING OPTION 2)**

230v 3W G9 LED Round Bubble Glass Pendant

Colour Black & Antique Brass with Smoke Glass

Measurement in cm H: 125 Ø: 80
Glass Ø: 10/12/15Lamps 14 x 3W G9 LED
(Including Non Dimmable Lamps)Wattage 230v 42W
IP Rating IP20**A-KLCH-9225/14 (MOUNTING OPTION 1)**

230v 3W G9 LED Round Bubble Glass Pendant

Colour Black & Antique Brass with Smoke Glass

Measurement in cm H: 125 Ø: 80
Glass Ø: 10/12/15Lamps 14 x 3W G9 LED
(Including Non Dimmable Lamps)Wattage 230v 42W
IP Rating IP20**A-KLCH-9225/6**

230v 3W G9 LED Vertical Bubble Glass Pendant

Colour Black & Antique Brass with Smoke Glass

Measurement in cm H: 160 Ø: 28
Glass Ø: 10/12Lamps 6 x 3W G9 LED
(Including Non Dimmable Lamps)Wattage 230v 18W
IP Rating IP20**A-KLW-9225/1**

230v 40W E27 Bubble Glass Wall Light

Colour Black with Smoke Glass

Measurement in cm H: 22 W: 20 D: 26.5

Glass Ø: 10/12/15
Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**A-KLCH-9225/20**

230v 3W G9 LED Round Bubble Glass Pendant
 Colour Black & Antique Brass with
 Smoke Glass

Measurement in cm H: 125 Ø: 107
 Glass Ø: 10/12/15

Lamps 20 x 3W G9 LED
 (Including Non Dimmable Lamps)

Wattage 230v 60W
 IP Rating IP20



3E-KLCH-101-3B

230v 3W G9 LED Bonbon Trio on a Bar
Colour Black and Antique Brass
Glass: Light Smoke
Measurement in cm H: 132 L: 70 W: 18
Glass: H: 16 Ø: 14
Metal around Glass: Ø: 18
Lamps 3 x 3W G9 LED WW
(Including Non Dimmable Lamps)
Wattage 230v 9W
IP Rating IP20

3E-KLCH-101-1

230v 3W G9 LED Bonbon Pendant
Colour Black and Antique Brass
Glass: Light Smoke
Measurement in cm H: 132
Glass: H: 16 Ø: 14
Metal around Glass: Ø: 18
Lamps 1 x 3W G9 LED
(Including Non Dimmable Lamp)
Wattage 230v 3W
IP Rating IP20



3E-KLW-101-1

230v 3W G9 LED Bonbon Wall Light
Colour Black and Antique Brass
Glass: Light Smoke
Measurement in cm H: 36 Depth: 24
Glass: H: 16 Ø: 14
Metal around Glass: Ø: 18
Lamps 1 x 3W G9 LED
(Including Non Dimmable Lamp)
Wattage 230v 3W
IP Rating IP20





3E-KLCH-101-3P

230v 3W G9 LED Bonbon Trio on a Plate

Colour Black and Antique Brass

Glass: Light Smoke

Measurement in cm H: 132 Ø: 58

Glass: H: 16 Ø: 14

Metal around Glass: Ø: 18

Lamps 3 x 3W G9 LED WW
(Including Non Dimmable Lamps)

Wattage 230v 9W

IP Rating IP20

**DL-KLCH-9252L/5**

230v 40W E27 5 Light Large Art Deco Pendant

Colour Matt Gun Metal with Opal White Glasses

Measurement in cm H: 115 L: 96 W: 56

Glass: H: 15 Ø: 15

Lamps 5 x E27

Wattage 230v 200W

IP Rating IP20

**DL-KLCH-9252S/5**

230v 40W E27 5 Light Small Art Deco Pendant

Colour Matt Gun Metal with Opal White Glasses

Measurement in cm H: 115 L: 54 W: 54

Glass: H: 15 Ø: 15

Lamps 5 x E27

Wattage 230v 200W

IP Rating IP20





DL-KLCH-9252L/9

230v 40W E27 9 Light XLarge Art Deco Pendant

Colour Matt Gun Metal with Opal White Glasses

Measurement in cm H: 150 L: 140 W: 56

Glass: H: 15 Ø: 15

9 x E27

Wattage 230v 360W

IP Rating IP20

**A-KLCH-9275/6**

230v 40W E14 Urban Chandelier

Colour Black/Satin Gold with Opal Glass

Measurement in cm H: 74 Ø: 78

Glass Ø: 15

Lamps 6 x E14

Wattage 230v 40W

IP Rating IP20

**T-KLCH-707**

230v 40W E27 Boss Pendant

Colour Bronze

Measurement in cm H: 45 + cord 100 Ø: 34.5

Lamps 5 x E27

Wattage 230v 40W

IP Rating IP20



3E-KLW-105/AB
230v 3W G9 LED Fizz Pop Wall Light
Colour Antique Brass and Clear Glass
Measurement in cm H: 34 D: 20 Ø: 15
Glass: H: 14
Lamps 1 x 3W G9 LED
(Including Non Dimmable Lamps)
Wattage 230v 3W
IP Rating IP20

3E-KLW-105/BL
230v 3W G9 LED Fizz Pop Wall Light
Colour Black and Smoke Glass
Measurement in cm H: 34 D: 20 Ø: 15
Glass: H: 14
Lamps 1 x 3W G9 LED
(Including Non Dimmable Lamps)
Wattage 230v 3W
IP Rating IP20

3E-KLCH-105/BL
230v 3W G9 LED Fizz Pop Pendant
Colour Black and Smoke Glass
Measurement in cm H: 156 Ø: 15
Glass: H: 14
Lamps 1 x 3W G9 LED
(Including Non Dimmable Lamps)
Wattage 230v 3W
IP Rating IP20

3E-KLCH-105/AB
230v 3W G9 LED Fizz Pop Pendant
Colour Antique Brass and Clear Glass
Measurement in cm H: 156 Ø: 15
Glass: H: 14
Lamps 1 x 3W G9 LED
(Including Non Dimmable Lamps)
Wattage 230v 3W
IP Rating IP20



3E-KLCH-108-3/P

230v 40W E14 Fizz Pop Opal Glass Cluster on a Plate

Colour: Antique Brass and Opal white Glass

Measurement in cm: Base: Ø: 30
Glass: Ø: 15/20/25
Cable Length: 260/290/270

Lamps: 3 x E14
Wattage: 230v 40W
IP Rating: IP20



3E-KLW-108/AB

230v 3W G9 LED Fizz Pop Wall Light

Colour: Antique Brass and Opal white Glass

Measurement in cm: H: 34 D: 20
Glass: Ø: 15

Lamps: 1 x 3W G9 LED
(Including Non Dimmable)

Lamp) Wattage: 230v 3W
IP Rating: IP20

3E-KLCH-108-25

230v 40W E14 Fizz Pop 25cm Opal Glass Pendant

Colour: Antique Brass and Opal white Glass

Measurement in cm: H: 156 Ø: 25
Glass: Ø: 25

Lamps: 1 x E14
Wattage: 230v 40W
IP Rating: IP20

3E-KLCH-108-20

230v 40W E14 Fizz Pop 20cm Opal Glass

Pendant Colour: Antique Brass and Opal white Glass

Measurement in cm: H: 156 Ø: 20
Glass: Ø: 20

Lamps: 1 x E14
Wattage: 230v 40W
IP Rating: IP20

3E-KLCH-108-15

230v 3W G9 LED Fizz Pop 15cm Opal Glass Pendant

Colour: Antique Brass and Opal white Glass

Measurement in cm: H: 156 Ø: 15
Glass: Ø: 15

Lamps: 1 x 3W G9 LED
(Including Non Dimmable)

Lamp) Wattage: 230v 3W
IP Rating: IP20





As marble is a product of nature,
the pattern will differ with every
fitting and will not be the same as
in the picture.

GO-KLCH-830/BL

230v 5W G9 LED Marble Pendant

Colour Black Marble with Antique Brass

Measurement in cm Fitting H: 180

Glass Ø: 15

Shade H: 30

Base Ø: 12

1 x G9 LED

Lamps

Wattage

IP Rating

230v 5W

IP20

GO-KLCH-830/WH

230v 5W G9 LED Marble Pendant

Colour White Marble with Antique Brass

Measurement in cm Fitting H: 180

Glass Ø: 15

Shade H: 30

Base Ø: 12

1 x G9 LED

Lamps

Wattage

IP Rating

230v 5W

IP20





T-KLCH-840/BL

230v 40W E27 Marble Pendant

Colour Gold Iron & Black Marble

Measurement in cm Fitting H: 133 Ø: 15

Marble H: 10 Ø: 15

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

T-KLCH-840/GR

230v 40W E27 Marble Pendant

Colour Gold Iron & Green Marble

Measurement in cm Fitting H: 133 Ø: 15

Marble H: 10 Ø: 15

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

T-KLCH-840/WH

230v 40W E27 Marble Pendant

Colour Gold Iron & White Marble

Measurement in cm Fitting H: 133 Ø: 15

Marble H: 10 Ø: 15

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**A-KLCH-913-20**

230v 40W E27 Croquet Antique Brass Glass Pendant
Colour Antique Brass with Opal White Glass

Measurement in cm H: 120 Ø: 20
Glass Ø: 20

Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

A-KLCH-913-25

230v 40W E27 Croquet Antique Brass Glass Pendant
Colour Antique Brass with Opal White Glass

Measurement in cm H: 120 Ø: 25
Glass Ø: 25

Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

A-KLCH-913-30

230v 40W E27 Croquet Antique Brass Glass Pendant
Colour Antique Brass with Opal White Glass

Measurement in cm H: 120 Ø: 30
Glass Ø: 30

Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



VE-KLCH-800/GD

230v 40W E27 Infinity Pendant
Colour Satin Gold
Measurement in cm H: 200 Ø: 25
Shade: H: 41
Glass Ø: 18

Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

VE-KLCH-800/BL

230v 40W E27 Infinity Pendant
Colour Matt Black
Measurement in cm H: 200 Ø: 25
Shade: H: 41
Glass Ø: 18

Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



**LW-KLCH-1100/BL**

230v 3W G9 LED Long Luna Pendant
 Colour Charcoal Black
 Measurement in cm H: 195 W: 20

Shade: H: 87
 Lamps 1 x 3W G9 LED
 (Including Non Dimmable Lamp)

Wattage 230v 3W
 IP Rating IP20

LW-KLCH-1200/BL

230v 3W G9 LED Double Luna Pendant
 Colour Charcoal Black
 Measurement in cm H: 158 W: 20

Shade: H: 58
 Lamps 2 x 3W G9 LED
 (Including Non Dimmable Lamps)

Wattage 230v 6W
 IP Rating IP20

LW-KLCH-1300/BL

230v 3W G9 LED Short Luna Pendant
 Colour Charcoal Black
 Measurement in cm H: 158 W: 20

Shade: H: 48
 Lamps 1 x 3W G9 LED
 (Including Non Dimmable Lamp)

Wattage 230v 3W
 IP Rating IP20



**LW-KLCH-1200/GD**

230v 3W G9 LED Double Luna Pendant

Colour Gold H: 158 W: 20

Measurement in cm Shade: H: 58

Lamps 2 x 3W G9 LED
(Including Non Dimmable Lamps)Wattage 230v 6W
IP Rating IP20**LW-KLCH-1100/GD**

230v 3W G9 LED Long Luna Pendant

Colour Gold H: 195 W: 20

Measurement in cm Shade: H: 87
Lamps 1 x 3W G9 LED
(Including Non Dimmable Lamp)Wattage 230v 3W
IP Rating IP20**LW-KLCH-1300/GD**

230v 3W G9 LED Short Luna Pendant

Colour Gold H: 158 W: 20

Measurement in cm Shade: H: 48
Lamps 1 x 3W G9 LED
(Including Non Dimmable Lamp)Wattage 230v 3W
IP Rating IP20



CA-KLCH-1626L/SG	CA-KLW-1626/SG
230v 40W E27 Large White Glass Branch Pendant	230v 40W E27 White Glass Branch Wall Light
Colour	Colour
Satin Gold with	Satin Gold with
Opal White Glass	Opal White Glass
Measurement in cm	Measurement in cm
H: 206	H: 22 D: 27
Glass: Ø: 30	Glass: Ø: 20
Lamps	Lamps
1 x E27	1 x E27
Wattage	Wattage
230v 40W	230v 40W
IP Rating	IP Rating
IP20	IP20



CA-KLCH-1626M/SG	CA-KLCH-1626S/SG
230v 40W E27 Medium White Glass Branch Pendant	230v 40W E27 Small White Glass Branch Pendant
Colour	Colour
Satin Gold with	Satin Gold with
Opal White Glass	Opal White Glass
Measurement in cm	Measurement in cm
H: 201	H: 185
Glass: Ø: 25	Glass: Ø: 20
Lamps	Lamps
1 x E27	1 x E27
Wattage	Wattage
230v 40W	230v 40W
IP Rating	IP Rating
IP20	IP20

**T-KLW-130**

230v 3W G9 LED Tear Drop Glass Wall Light
 Colour Satin Gold with Opal White Glass

Measurement in cm H: 37 D: 16

Glass: Ø: 10

Lamps 1 x 3W G9 LED
 (Including Non Dimmable Lamp)

Wattage 230v 3W

IP Rating IP20

T-KLCH-130

230v 3W G9 LED Tear Drop Glass Pendant
 Colour Satin Gold with Opal White Glass

Measurement in cm H: 100

Metal Part: H: 36 W: 15 Glass Ø: 10

Lamps 1 x 3W G9 LED
 (Including Non Dimmable Lamp)

Wattage 230v 3W

IP Rating IP20

T-KLT-130T

230v 3W G9 LED Tear Drop Table Lamp with in-line switch
 Colour Satin Gold with Opal White glass

Measurement in cm Base: Ø: 18

H: 50

Lamps 1 x 3W G9 LED
 (Including Non Dimmable Lamp)

Wattage 230v 3W

IP Rating IP20



GO-KLCH-170-6/SG

230v 40W E27 6 Light Molecule Horizontal Pendant
Colour Satin Gold with Amber Glass
Measurement in cm H: 70 L: 160 W: 90
Large Glass: H: 24 Ø: 23
Small Glass: H: 20 Ø: 19
Lamps 6 x E27
Wattage 230v 240W
IP Rating IP20

GO-KLCH-170-6/B

230v 40W E27 6 Light Molecule Horizontal Pendant
Colour Black with Smoke Glass
Measurement in cm H: 70 L: 160 W: 90
Large Glass: H: 24 Ø: 23
Small Glass: H: 20 Ø: 19
Lamps 6 x E27
Wattage 230v 240W
IP Rating IP20

GO-KLCH-170-8/B

230v 40W E27 8 Light Molecule Horizontal Pendant
Colour Black with Smoke Glass
Measurement in cm H: 70 L: 216 W: 90
Large Glass: H: 24 Ø: 23
Small Glass: H: 20 Ø: 19
Lamps 8 x E27
Wattage 230v 320W
IP Rating IP20

GO-KLCH-170-8/SG

230v 40W E27 8 Light Molecule Horizontal Pendant
Colour Satin Gold with Amber Glass
Measurement in cm H: 70 L: 216 W: 90
Large Glass: H: 24 Ø: 23
Small Glass: H: 20 Ø: 19
Lamps 8 x E27
Wattage 230v 320W
IP Rating IP20



**GO-KLCH-170-7/SG**

230v 40W E27 7 Light Molecule Vertical Pendant
 Colour Satin Gold with Amber Glass
 Measurement in cm H: 230 W: 115

Large Glass: H: 24 Ø: 23
 Small Glass: H: 20 Ø: 19
 7 x E27

Lamps
 Wattage 230v 280W
 IP Rating IP20

GO-KLCH-170-7/B

230v 40W E27 7 Light Molecule Vertical Pendant
 Colour Black with Smoke Glass
 Measurement in cm H: 230 W: 115

Large Glass: H: 24 Ø: 23
 Small Glass: H: 20 Ø: 19
 7 x E27

Lamps
 Wattage 230v 280W
 IP Rating IP20

**WE-KLCH-303/GD**

230v 40W E27 12 Light Small Supernova Pendant

Colour Gold

Measurement in cm H: 20 + 50 Rod + 50 Chain

L: 72 W: 70

Lamps 12 x E27 (Excluding Lamps)

Wattage 230v 480W

IP Rating IP20

WE-KLCH-302/GD

230v 40W E27 18 Light Medium Supernova Pendant

Colour Gold

Measurement in cm H: 40 + 50 Rod + 50 Chain

L: 87 W: 67

Lamps 18 x E27 (Excluding Lamps)

Wattage 230v 720W

IP Rating IP20



**WE-KLCH-301/GD**

230v 40W E27 40 Light Large Supernova Pendant

Colour Gold

Measurement in cm H: 60 + 50 Rod + 80 Chain

L: 128 W: 120

Lamps 40 x E27 (Excluding Lamps)

Wattage 230v 1600W

IP Rating IP20

**WE-KLCH-302/BL**

230v 40W E27 18 Light Medium Supernova Pendant

Colour Black

Measurement in cm H: 40 + 50 Rod + 50 Chain

L: 87 W: 67

Lamps 18 x E27 (Excluding Lamps)

Wattage 230v 720W

IP Rating IP20

**WE-KLCH-303/BL**

230v 40W E27 12 Light Small Supernova Pendant

Colour Black

Measurement in cm H: 20 + 50 Rod + 50 Chain

L: 72 W: 70

Lamps 12 x E27 (Excluding Lamps)

Wattage 230v 480W

IP Rating IP20



WE-KLCH-301/BL

230v 40W E27 40 Light Large Supernova Pendant

Colour Black


Measurement in cm H: 60 + 50 Rod + 80 Chain

L: 128 W: 120

Lamps 40 x E27 (Excluding Lamps)

Wattage 230v 1600W

IP Rating IP20

**P-KLCH-8320/6**

230v 3W G9 LED 3 Arms Branch Pendant

Colour Satin Gold with Frosted Glasses

Specifications Dimmable Optional

Measurement in cm Full Height: 100 L: 140 W: 91

Glass: L: 30 Ø: 2.5

Lamps 6 x 3W G9 LED
(Including Non Dimmable Lamps)

Wattage 230v 18W

IP Rating IP20





P-KLCH-8320/10

230v 3W G9 LED 5 Arms Branch Pendant

Colour Satin Gold with Frosted Glasses

Specifications Dimmable Optional

Measurement in cm Full Height: 100 L: 140 W: 165

Glass: L: 30 Ø: 2.5

Lamps 10 x 3W G9 LED
(Including Non Dimmable Lamps)

Wattage 230v 30W

IP Rating IP20

**CA-KLCH-1106**

230v 40W E27 Large Square Rustic Lantern
 Colour Black with Clear Glasses
 Measurement in cm H: 146 L: 40 W: 40
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**CA-KLCH-1107**

230v 40W E27 Small Square Rustic Lantern
 Colour Black with Clear Glasses
 Measurement in cm H: 128 L: 17 W: 14
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



KLG-1133

230v 40W E27 Chic Bracket Wall Light
 Colour Black with Clear Glasses
 Specifications: Iron (Non Coastal)
 Measurement in cm H: 35 W: 17 D: 17
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP44

CA-KLW-1099/BL

230v 40W E27 Rustic Rectangular Wall Light
 Colour Black with Clear Glasses
 Measurement in cm H: 36 W: 16 D: 17
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



CA-KLCH-1105/4

230v 40W E27 4 Light Rustic Rectangular Lantern
 Colour Black with Clear Glasses
 Measurement in cm H: 133 L: 78 W: 30,5
 Lamps 4 x E27
 Wattage 230v 160W
 IP Rating IP20

**WE-KLCH-390**

230v 40W E27 Square Ranch Iron Pendant

Colour Black

Measurement in cm H: 65 Chain 120 L: 46 W: 46

Lamps 4 x E27 (Excluding Lamps)

Wattage 230v 160W

IP Rating IP20

**WE-KLCH-393**

230v 40W E27 Large Pentagon Ranch Iron Pendant

Colour Black

Measurement in cm H: 67 Chain 120 L: 71 W: 71

Lamps 4 x E27 (Excluding Lamps)

Wattage 230v 160W

IP Rating IP20



WE-KLCH-394

230v 40W E27 XLarge Pentagon Ranch Iron Pendant

Colour Black

Measurement in cm H: 103 Chain 120 L: 73 W: 73

Lamps 6 x E27 (Excluding Lamps)

Wattage 230v 240W

IP Rating IP20

**WE-KLCH-396**

230v 40W E27 Rectangular Ranch Iron Pendant

Colour Black

Measurement in cm H: 47 Chain 120 L: 130 W: 40

Lamps 8 x E27 (Excluding Lamps)

Wattage 230v 320W

IP Rating IP20



**WE-KLCH-395**

230v 40W E27 Rectangular Ranch Iron Pendant

Colour Black

Measurement in cm H: 63 Chain 120 L: 173 W: 43

Lamps 6 x E27 (Excluding Lamps)

Wattage 230v 240W

IP Rating IP20

**WE-KLCH-397/36**

230v 40W E14 Round Ranch Iron Pendant

Colour Black

Measurement in cm H: 220 Ø: 152

Lamps 36 x E14 (Excluding Lamps)

Wattage 230v 1440W

IP Rating IP20

WE-KLCH-397/18

230v 40W E14 Round Ranch Iron Pendant

Colour Black

Measurement in cm H: 110 Ø: 78

Lamps 18 x E14 (Excluding Lamps)

Wattage 230v 720W

IP Rating IP20



**WE-KLCH-397/54**

230v 40W E14 Two Tier Round Ranch Iron Pendant

Colour Black

Measurement in cm H: 235

Shade Top Ring Ø: 129

Shade Bottom Ring Ø: 102

54 x E14 (Excluding Lamps)

Lamps 230v 1800W

Wattage IP Rating IP20



DL-KLCH-9209/6
 230v 40W E27 6 Light Linear Pendant
 Colour Black
 Measurement in cm H: 170 Ø: 120
 Lamps 6 x E27
 Wattage 230v 240W
 IP Rating IP20



DL-KLCH-9209/3
 230v 40W E27 3 Light Linear Pendant
 Colour Black
 Measurement in cm H: 184 Ø: 60
 Lamps 3 x E27
 Wattage 230v 120W
 IP Rating IP20



GO-KLCH-313-3/W or GO-KLCH-313-3/B
 230v 40W E14 3 Light Magic Box Pendant
 Colour White & Gold OR Black & Gold
 Measurement in cm H: 175 L: 37 W: 39
 Lamps 3 x E14
 Wattage 230v 120W
 IP Rating IP20

GO-KLCH-313-1/W
 230v 40W E27 1 Light Magic Box Pendant
 Colour White & Gold
 Measurement in cm H: 175 L: 22 W: 22
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

GO-KLCH-313-6/B or GO-KLCH-313-6/W
 230v 40W E14 6 Light Magic Box Pendant
 Colour Black & Gold OR White & Gold
 Measurement in cm H: 175 L: 94 W: 27
 Lamps 6 x E14
 Wattage 230v 240W
 IP Rating IP20






K-KLCH-520-1/BL
230v 40W E27 Mobile Single Pendant
Colour Black
Measurement in cm H: 127 Ø: 8
Lamps 1 x E27 (Excluding Lamp)
Wattage 230v 40W
IP Rating IP20

K-KLCH-520-1/ST
230v 40W E27 Mobile Single Pendant
Colour Satin Chrome
Measurement in cm H: 127 Ø: 8
Lamps 1 x E27 (Excluding Lamp)
Wattage 230v 40W
IP Rating IP20



K-KLW-520/ST
230v 40W E27 Mobile Single Wall Light
Colour Satin Chrome
Measurement in cm H: 35 W: 8 D: 33
Lamps 1 x E27 (Excluding Lamp)
Wattage 230v 40W
IP Rating IP20

K-KLW-520/BL
230v 40W E27 Mobile Single Wall Light
Colour Black
Measurement in cm H: 35 W: 8 D: 33
Lamps 1 x E27 (Excluding Lamp)
Wattage 230v 40W
IP Rating IP20

**CA-KLCH-1274/3**

230v 3W G9 LED 3 Light Symmetrical Wires Fitting
 Colour Black
 Kelvin / Lumen Warm White: 3000K / 840lm
 Measurement in cm Each Wire Length 400
 Lamps 3 x 3W G9 LED
 (Including Non Dimmable Lamps)

Wattage 230v 9W
 IP Rating IP20

CA-KLCH-1274/6

230v 3W G9 LED 6 Light Symmetrical Wires Fitting
 Colour Black
 Kelvin / Lumen Warm White: 3000K / 1680lm
 Measurement in cm Each Wire Length 400
 Lamps 6 x 3W G9 LED
 (Including Non Dimmable Lamps)

Wattage 230v 18W
 IP Rating IP20

CA-KLCH-1274/1

230v 3W G9 LED 1 Light Symmetrical Wires Fitting
 Colour Black
 Kelvin / Lumen Warm White: 3000K / 280lm
 Measurement in cm Wire Length 400
 Lamps 1 x 3W G9 LED
 (Including Non Dimmable Lamp)

Wattage 230v 3W
 IP Rating IP20





DL-KLCH-9305/GD

230v 40W E27 Small Molten Pendant
Colour Gold with
Gold Acrylic Shade
Measurement in cm H: 190 Ø: 26
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

DL-KLCH-9305/CH

230v 40W E27 Small Molten Pendant
Colour Chrome with
Chrome Acrylic Shade
Measurement in cm H: 190 Ø: 26
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

DL-KLCH-9305/CO

230v 40W E27 Small Molten Pendant
Colour Copper with
Copper Acrylic Shade
Measurement in cm H: 190 Ø: 26
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

Recommended Bulb: HX-GB45-4W,
LED 4W Clear G45 Filament

**DL-KLCH-9306/GD**

230v 40W E27 Large Molten Pendant
 Colour Gold with Gold Acrylic Shade
 Measurement in cm H: 200 Ø: 38
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

DL-KLCH-9306/CO

230v 40W E27 Large Molten Pendant
 Colour Copper with Copper Acrylic Shade
 Measurement in cm H: 200 Ø: 38
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

DL-KLCH-9306/CH

230v 40W E27 Large Molten Pendant
 Colour Chrome with Chrome Acrylic Shade
 Measurement in cm H: 200 Ø: 38
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

Recommended Bulb: HX-GB45-4W,
 LED 4W Clear G45 or A60 Filament



PO-KLCH-1912

230v 4W E27 LED Eco Friendly Pendant
 Colour White
 Specifications Recycable Plastics
 Measurement in cm H: 186.5 Ø: 25
 Base Ø: 10 H: 2.5
 Shade H: 44 Ø: 25
 Lamps 1 x 4W E27 LED
 Wattage 230v 4W
 IP Rating IP20



PO-KLCH-1911

230v 4W E27 LED Eco Friendly Pendant
 Colour White
 Specifications Recycable Plastics
 Measurement in cm H: 174.5 Ø: 20
 Base Ø: 10 H: 2.5
 Shade H: 32 Ø: 20
 Lamps 1 x 4W E27 LED
 Wattage 230v 4W
 IP Rating IP20



PO-KLCH-1922

230v 4W LED E27 Orchid 3D Printed Recycled Pendant
 Colour White
 Specifications Recycable Plastics
 Measurement in cm H: 177.5 Ø: 29
 Base Ø: 10 H: 2.5
 Shade H: 35 Ø: 29
 Lamps 1 x 4W E27 LED
 Wattage 230v 4W LED
 IP Rating IP20



PO-KLCH-1918

230v 4W E27 LED Eco Friendly Pendant
 Colour White
 Specifications Recyclable Plastics
 Measurement in cm H: 170.5 Ø: 24

Base Ø: 10 H: 2.5
 Shade H: 28 Ø: 24
 1 x 4W E27 LED
 Lamps
 Wattage 230v 4W
 IP Rating IP20



PO-KLCH-1916

230v 4W E27 LED Eco Friendly Pendant
 Colour White
 Specifications Recyclable Plastics
 Measurement in cm H: 170.5 Ø: 33

Base Ø: 10 H: 2.5
 Shade H: 28 Ø: 33
 1 x 4W E27 LED
 Lamps
 Wattage 230v 4W
 IP Rating IP20

A60 4W LED bulbs must be used with this range, as they do not emit as much heat as the incandescent bulbs.

**MC-KLCH-1310/3**

230v 40W E14 3 Arms Candelabra Chandelier

Colour Chrome

Specification Clear Glass Ball

Measurement in cm H: 56 + 112 Chain Ø: 43

Lamps 3 x E14

Wattage 230v 120W

IP Rating IP20

**MC-KLCH-1310/5**

230v 40W E14 5 Arms Candelabra Chandelier

Colour Chrome

Specification Clear Glass Ball

Measurement in cm H: 56 + 112 Chain Ø: 55

Lamps 5 x E14

Wattage 230v 200W

IP Rating IP20

**U-8618**

230v 55W T5 Round Glass Fluorescent Pendant
 Colour Satin
 Specifications Non Dimmable
 Tube included
 Measurement in cm H: 130 Ø: 44
 Lamps 1 x T5 (Including Lamp)
 Wattage 230v 55W
 IP Rating IP20

**B-KLCH-6010-CH**

230v 40W E14 Drum Shaped Glass Lantern
 Colour Chrome with Clear Glasses
 Measurement in cm H: 40 + 10 Chain Ø: 42
 Lamps 4 x E14
 Wattage 230v 160W
 IP Rating IP20

**N-MX0163-12**

230v 20W G4 Bi-Pin 12 Light Halogen Glass Pendant
 Colour Satin Chrome with Clear Glass
 Specifications Non Dimmable
 Measurement in cm H: 150 Ø: 80
 Lamps 12 x 12v G4 Bi Pin
 Wattage 230v 240W
 IP Rating IP20

**MW-5404/6PD**

230v 40W G9 6 Light Rain Pendant
 Colour Silver with Frosted Scavo Glass
 Measurement in cm H: 120 L: 57 W: 35
 Lamps 6 x G9
 Wattage 230v 240W
 IP Rating IP20

**V-KLC-6106/3**

230v 35W MR11 3 Light Pendant
 Colour Satin Chrome with
 Clear Glasses
 Measurement in cm H: 120 Ø: 51
 Lamps 3 x 12v MR11
 Wattage 230v 105W
 IP Rating IP20

**A-KLCH6149**

230v 40W E27 Acrylic Shade Pendant
 Colour Chrome with crystal embedded chrome acrylic shade
 Measurement in cm Full Height: 180 Ø: 51
 Shade: H: 29 Ø: 51
 Lamps 3 x E27
 Wattage 230v 120W
 IP Rating IP20

**K-KLCH-4866/BL**

230v 40W E27 Acrylic Pendant
 Colour Black
 Measurement in cm Full Height: 130 Ø: 48
 Shade: H: 17 Ø: 48
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP

**A-KLF6149/50**

230v 40W E27 Floor Lamp with Acrylic Shade with Foot Switch
 Colour Chrome with crystal embedded chrome acrylic shade
 Measurement in cm Base: Ø: 32
 H: 160
 Shade: H: 29 Ø: 51
 Lamps 3 x E27
 Wattage 230v 120W
 IP Rating IP20

**U-KLCH-3000/WH**

230v 40W E27 Feather Shade Pendant

Colour White

Measurement in cm H: 150

Shade: H: 23 Ø: 68

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**U-KLCH-3000/BL**

230v 40W E27 Feather Shade Pendant

Colour Black

Measurement in cm H: 150

Shade: H: 23 Ø: 68

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**HP-9011D**

230v 50W G5.3 Bi Pin 1 Light AR111
Reflector Pendant

Colour Oxidated Silver
Measurement in cm H: 91 L: 19 W: 7
Lamps 1 x 12v G5.3 Bi Pin
(Including Non Dimmable Lamp)

Wattage 230v 50W
IP Rating IP20

HP-9014DM

230v 50W G5.3 Bi Pin 4 Light AR111
Reflector Pendant

Colour Oxidated Silver
Measurement in cm H: 104 L: 32 W: 7
Lamps 4 x 12v G5.3 Bi Pin
(Including Non Dimmable Lamps)

Wattage 230v 200W
IP Rating IP20

**HP-9013D**

230v 50W G5.3 Bi Pin 3 Light AR111
Reflector Pendant

Colour Oxidated Silver
Measurement in cm H: 91 L: 46 W: 7
Lamps 3 x 12v G5.3 Bi Pin
(Including Non Dimmable Lamps)

Wattage 230v 150W
IP Rating IP20



SK-FABRIC

2 Core Fabric Cord
Colour Red & Black
Measurement in cm Available in your choice of lengths

DA-KLCH-777/RED

230v 40W E27 2 Core
Fabric Cord Pendant
Colour Red
Measurement in cm H: 220
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

DA-KLCH-777/BL

230v 40W E27 2 Core
Fabric Cord Pendant
Colour Black
Measurement in cm H: 220
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



LED FITTINGS



K. LIGHT®

DESIGN • SERVICE • QUALITY

**K-LED-2103/GD**

230v 40W LED Alice Pendant

Colour Electroplated Gold
 Specifications Non-Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 140 Ø: 60
 Shade Height: 5.5
 LED SMD 40W
 Wattage 230v 40W
 IP Rating IP20

K-LED-2103/WH

230v 40W LED Alice Pendant

Colour White
 Specifications Non-Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 140 Ø: 60
 Shade Height: 5.5
 LED SMD 40W
 Wattage 230v 40W
 IP Rating IP20



**K-LED-2103/BL**

230v 40W LED Alice Pendant

Colour Black

Specifications Non-Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 140 Ø: 60

Shade Height: 5.5

LED SMD 40W

Wattage 230v 40W

IP Rating IP20

**K-LED-716/BL**

230v 40W LED Eternity Pendant

Colour Black
 Specifications Non-Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 177 Ø: 50
 Shade Height: 4.5

LED SMD 40W
 Wattage 230v 40W
 IP Rating IP20

K-LED-716/WH

230v 40W LED Eternity Pendant

Colour White
 Specifications Non-Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 177 Ø: 50
 Shade Height: 4.5

LED SMD 40W
 Wattage 230v 40W
 IP Rating IP20



**K-LED-716/GD**

230v 40W LED Eternity Pendant

Colour Satin Gold

Specifications Non-Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 177 Ø: 50

Shade Height: 4.5

LED SMD 40W

Wattage 230v 40W

IP Rating IP20

**K-LED-710/60**

230v 30W LED Large Ring Pendant
 Colour Black and Gold
 Specifications Non-Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 193
 Shade Ø: 60
 LED SMD 30W
 Wattage 230v 30W
 IP Rating IP20

K-LED-710/40

230v 20W LED Medium Ring Pendant
 Colour Black and Gold
 Specifications Non-Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 163
 Shade Ø: 40
 LED SMD 20W
 Wattage 230v 20W
 IP Rating IP20



**K-LED-710/100**

230v 20+30W LED Double Ring Pendant

Colour Black and Gold

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 189

L: 70 when displayed

Ring Ø: 40 + 60

20 + 30W

Wattage 230v 20 + 30W

IP Rating IP20

**K-LED-700/BLUE**

230v 10W LED Fountain Pendant
 Colour White and Blue
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 156
 Shade Height: 14
 Shade Ø: 30

LED SMD
 Wattage 230v 10W
 IP Rating IP20

K-LED-700/BL

230v 10W LED Fountain Pendant
 Colour Black and White
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 156
 Shade Height: 14
 Shade Ø: 30

LED SMD
 Wattage 230v 10W
 IP Rating IP20

K-LED-700/WH

230v 10W LED Fountain Pendant
 Colour White
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 156
 Shade Height: 14
 Shade Ø: 30

LED SMD
 Wattage 230v 10W
 IP Rating IP20

**K-LED3578L/GR**

230v 35W LED SMD Large UFO Pendant

Colour Grey

Specifications Non Dimmable

Kelvin / Lumen Natural White: 4000K / 1575lm

Measurement in cm Full Height: 120 Ø: 65

LED SMD 35W

Wattage 230v 35W

IP Rating IP20



K-LED-55/1

230v 7W LED Pendant
 Colour Gold
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 140
 Glass Ø: 15
 Plate H: 3.5 Ø: 30
 LED SMD 7W
 Wattage 230v 7W
 IP Rating IP20

K-LED-55/2


230v 7W LED Pendant
 Colour Gold
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 140
 Glass Ø: 12
 Plate H: 3.5 Ø: 25 & 25
 LED SMD 7W
 Wattage 230v 7W
 IP Rating IP20

K-LED-55/3

230v 7W LED Pendant
 Colour Gold
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 140
 Glass Ø: 12
 Plate H: 3.5 Ø: 20, 25 & 30
 LED SMD 7W
 Wattage 230v 7W
 IP Rating IP20





**K-LED-9082/BL**

230v 60W LED Vertical Enigma Pendant

Colour Black
 Specifications Non-Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 250

Full Length: 38

Full Width: 13

Shade 1: H: 58 L: 15.5 W: 2

Shade 2: H: 55 L: 18.5 W: 2

Shade 3: H: 46 L: 21.5 W: 2

LED SMD


Wattage

IP Rating

60W

230v 60W

IP20

**K-LED-1021/BL**

230v 100W LED Horizontal Enigma Pendant

Colour Black
 Specifications Non-Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 201

Full Length: 120

Full Width: 22

Shade H: 31 L: 85 W: 2

LED SMD

Wattage

IP Rating

100W

230v 100W

IP20



**K-LED-1021/GD**

230v 100W LED Horizontal Enigma Pendant

Colour Electroplated Gold

Specifications Non-Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 201

Full Length: 120

Full Width: 22

Shade H: 31 L: 85 W: 2

100W

Wattage 230v 100W

IP Rating IP20

**K-LED-9026/60**

230v 65W LED Olympic Pendant

Colour Satin Gold

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 132

Shade Height: 22

Shade Ø: 58.5

Base Ø: 17.5

LED SMD

65W

Wattage

230v 65W

IP Rating

IP20






**K-LED-9025/60**

230v 45W LED Pandora Pendant
 Colour Satin Gold
 Specifications Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 132
 Shade Height: 22
 Shade Ø: 58.5
 Base Ø: 17.5

LED SMD
 Wattage 45W
 IP Rating IP20

45W
 230v 45W
 IP20



K-LED-190-60/BL

230v 22W LED SMD 60cm Single Ribbon Pendant
Colour Black
Kelvin / Lumen Warm White: 3000K
Measurement in cm Full Height: 140
Shade H: 2 Ø: 60
Base Ø: 16
LED SMD 22W
Wattage 230v 22W
IP Rating IP20

K-LED-190-60/GD

230v 22W LED SMD 60cm Single Ribbon Pendant
Colour Gold
Kelvin / Lumen Warm White: 3000K
Measurement in cm Full Height: 140
Shade H: 2 Ø: 60
Base Ø: 16
LED SMD 22W
Wattage 230v 22W
IP Rating IP20

K-LED-190-60/WH

230v 22W LED SMD 60cm Single Ribbon Pendant
Colour White
Kelvin / Lumen Warm White: 3000K
Measurement in cm Full Height: 140
Shade H: 2 Ø: 60
Base Ø: 16
LED SMD 22W
Wattage 230v 22W
IP Rating IP20



**K-LED-190-80/BL**

230v 29W LED SMD 80cm Single Ribbon Pendant

Colour Black
 Kelvin / Lumen Warm White: 3000K
 Full Height: 140
 Shade H: 2 Ø: 80
 Base Ø: 16

LED SMD
 Wattage 29W
 230v 29W
 IP Rating IP20

K-LED-190-80/GD

230v 29W LED SMD 80cm Single Ribbon Pendant

Colour Gold
 Kelvin / Lumen Warm White: 3000K
 Full Height: 140
 Shade H: 2 Ø: 80
 Base Ø: 16


LED SMD
 Wattage 29W
 230v 29W
 IP Rating IP20

K-LED-190-80/WH

230v 29W LED SMD 80cm Single Ribbon Pendant

Colour White
 Kelvin / Lumen Warm White: 3000K
 Full Height: 140
 Shade H: 2 Ø: 80
 Base Ø: 16

LED SMD
 Wattage 29W
 230v 29W
 IP Rating IP20

**K-LED-200/GD**

230v 58W LED SMD Ribbon Pendant

Colour Gold

Kelvin / Lumen Warm White: 3000K / 4250lm

Measurement in cm Full Height: 250 Ø: 80/60/40/20

LED SMD 58W

Wattage 230v 58W

IP Rating IP20



**K-LED-200/BL**

230v 58W LED SMD Ribbon Pendant

Colour

Black

Kelvin / Lumen

Warm White: 3000K / 4250lm

Measurement in cm

Full Height: 250 Ø: 80/60/40/20

LED SMD

58W

Wattage

230v 58W

IP Rating

IP20

**K-LED-201/BL**

230v 145W LED SMD Mega Ribbon Pendant

Colour Matt Black

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K / 8925lm

Measurement in cm Full Height: 350 Ø:120/100/80/60/40/20

LED SMD 145W

Wattage 230v 145W

IP Rating IP20



**K-LED-201/GD**

230v 145W LED SMD Mega Ribbon Pendant
 Colour Gold
 Specifications Dimmable
 Kelvin / Lumen Warm White: 3000K / 8925lm
 Measurement in cm Full Height: 350 Ø: 120/100/80/60/40/20
 LED SMD 145W
 Wattage 230v 145W
 IP Rating IP20

**F-KLCH-LINEAR/2**

230v 12W LED Strip Up & Down Pendant
 Colour Chrome
 Specifications Non Dimmable
 Kelvin / Lumen Natural White: 4000K / 540lm
 Measurement in cm Full Height: 84-154 L: 106 W: 4
 LED Strip 12W
 Wattage 230v 12W
 IP Rating IP20

**K-LED-300/BL**

230v 36W LED SMD Pendulum Pendant
 Colour Black
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 144 L: 90
 Shade Height: 35 W: 2
 LED SMD 36W
 Wattage 230v 36W
 IP Rating IP20

**K-LED-300/GD**

230v 36W LED SMD Pendulum Pendant

Colour

Gold

Kelvin / Lumen

Warm White: 3000K

Measurement in cm

Full Height: 144 L:90

Shade Hight: 35 W: 2

LED SMD


36W

Wattage

230v 36W

IP Rating

IP20

**K-LED-2057/BL**

230v 50W LED Rhythm Pendant
 Colour Black
 Kelvin / Lumen Natural White: 4000K
 Measurement in cm Full Height: 155 L: 120
 Shade Ø: 21
 LED SMD 50W
 Wattage 230v 50W
 IP Rating IP20

K-LED-2058/BL

230v 50W LED Whisper Pendant
 Colour Black
 Kelvin / Lumen Natural White: 4000K
 Measurement in cm Full Height: 147 L: 120
 Shade Ø: 16
 LED SMD 50W
 Wattage 230v 50W
 IP Rating IP20

K-LED-2058/GD

230v 50W LED Whisper Pendant
 Colour Gold
 Kelvin / Lumen Natural White: 4000K
 Measurement in cm Full Height: 147 L: 120
 Shade Ø: 16
 LED SMD 50W
 Wattage 230v 50W
 IP Rating IP20



**K-LED-2057/GD**

230v 50W LED Rhythm Pendant
 Colour: Gold
 Kelvin / Lumen: Natural White: 4000K
 Measurement in cm: Full Height: 155 L: 120
 Shade Ø: 21

LED SMD
 Wattage: 230v 50W
 IP Rating: IP20

**K-LED-400/80NS**

230v 33W LED SMD 80cm Crown + 5 Spot 3W Pendant

Colour Satin Nickel

Kelvin / Lumen Warm White: 3000K/1400lm

Measurement in cm Full Height: 140 Ø: 80


Base: Ø: 18

LED SMD 5 x 3W & 33W

Wattage 230v 15W & 33W

IP Rating IP20



**K-LED-400/80BL**

230v 33W LED SMD 80cm Crown + 5 Spot 3W Pendant

Colour Black

Kelvin / Lumen Warm White: 3000K/1400lm

Measurement in cm Full Height: 140 0: 80

Base: 0: 18

LED SMD 5x 3W & 33W

Wattage 230v 15W & 33W

IP Rating IP20



K-LED-400/48NS
230v 21W LED SMD 48cm Crown + 3 Spot 3W Pendant
Colour Satin Nickel
Kelvin / Lumen Warm White: 3000K
Measurement in cm Full Height: 140 Ø: 48
Base: Ø: 18
LED SMD 3 x 3W & 21W
Wattage 230v 9W & 21W
IP Rating IP20



K-LED-400/48BL
230v 21W LED SMD 48cm Crown + 3 Spot 3W Pendant
Colour Black
Kelvin / Lumen Warm White: 3000K
Measurement in cm Full Height: 140 Ø: 48
Base: Ø: 18
LED SMD 3 x 3W & 21W
Wattage 230v 9W & 21W
IP Rating IP20

**K-LED-400/64NS**

230v 26W LED SMD 64cm Crown + 4 Spot 3W Pendant

Colour Satin Nickel

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 140 Ø: 64

Base: Ø: 18

LED SMD 4 x 3W & 26W

Wattage 230v 12W & 26W

IP Rating IP20

**K-LED-400/64BL**

230v 26W LED SMD 64cm Crown + 4 Spot 3W Pendant

Colour Black

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 140 Ø: 64

Base: Ø: 18

LED SMD 4 x 3W & 26W

Wattage 230v 12W & 26W

IP Rating IP20

**K-LED-1781/BL**

230v 3W LED Baton Pendant

Colour Black

Specifications Non-Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 200

Shade Height: 74

Shade Ø: 2

Base Ø: 8

LED SMD

Wattage 3W

IP Rating 230v 3W

IP20

K-LED-1781/WH

230v 3W LED Baton Pendant

Colour White

Specifications Non-Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 200

Shade Height: 74

Shade Ø: 2

Base Ø: 8

LED SMD

Wattage 3W

IP Rating 230v 3W

IP20

**GO-K-LED-48/BL**

230v 2W LED SMD Raindrop Pendant

Colour Black

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 275 Ø: 15

LED SMD 2W

Wattage 230v 2W

IP Rating IP20

GO-K-LED-48/WH

230v 2W LED SMD Raindrop Pendant

Colour White

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 275 Ø: 15

LED SMD 2W

Wattage 230v 2W

IP Rating IP20



**K-LED-01/25**

230v 125W LED SMD Cosmic Cluster

Colour Black, Grey, Satin Gold and White
 Specifications Dimmable with Shuttle Dimmer
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Fitting Max Height: 310 Ø: 80
 LED SMD 25 x 5W
 Wattage 230v 125W
 IP Rating IP20

K-LED-01/18

230v 90W LED SMD Cosmic Cluster

Colour Black, Grey, Satin Gold and White
 Specifications Dimmable with Shuttle Dimmer
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Fitting Max Height: 245 Ø: 70
 LED SMD 18 x 5W
 Wattage 230v 90W
 IP Rating IP20

K-LED-01/WH or K-LED-01/GR or K-LED-01/BL or K-LED-01/SG

230v 5W LED SMD Cosmic Cluster

Colour White or Grey or Black or Satin Gold
 Specifications Non-Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 190 Ø: 10
 LED SMD 5W
 Wattage 230v 5W
 IP Rating IP20

**K-LED-01/15**

230v 75W LED SMD Cosmic Cluster

Colour Black, Grey, Satin Gold and White

Specifications Dimmable with Shuttle Dimmer

Kelvin / Lumen Warm White: 3000K

Measurement in cm Fitting Max Height: 220 Ø: 60

LED SMD 15 x 5W

Wattage 230v 75W

IP Rating IP20

**K-LED-89095**

230v 25W LED Imperial Round Crystal and Gold Chandelier


Colour Gold
 Specifications Clear K9 Crystals
 Non Dimmable

Kelvin / Lumen Warm White: 3000K
 Measurement in cm H: 162

LED SMD 25W
 Wattage 230v 25W

IP Rating IP20



**K-LED-89099**

230v 30W LED Imperial Oval Crystal and Gold Chandelier

Colour Gold
 Specifications Clear K9 Crystals

Non Dimmable
 Kelvin / Lumen Warm White: 3000K

Measurement in cm H: 162
 Shade H: 20 L: 100 W: 35

LED SMD 30W
 Wattage 230v 30W
 IP Rating IP20

**K-LED9967/60**

230v 60W LED Strip Round Crystal and Gold Chandelier

Colour Gold

Specifications Clear K9 Crystals

Non Dimmable

Kelvin / Lumen Warm White: 3000K / 4800lm

Measurement in cm H: 30 + 133 Cable Ø: 60

Weight in kg 13

LED Strip 60W

Wattage 230v 60W

IP Rating IP20

**K-LED9967/1**

230v 48W LED Strip Wave Crystal and Gold Chandelier

Colour Gold

Specifications Clear K9 Crystals

Non Dimmable

Kelvin / Lumen Warm White: 3000K / 3840lm


Measurement in cm H: 30 + 133 Cable L: 100 W: 7

Weight in kg 9

LED Strip 48W

Wattage 230v 48W

IP Rating IP20

**K-LED9967/2**

230v 88W LED Strip Oval Crystal and Gold Chandelier

Colour

Gold

Specifications

Clear K9 Crystals

Non Dimmable

Kelvin / Lumen

Warm White: 3000K / 7040lm

Measurement in cm

H: 30 + 133 Cable L: 100 W: 35

Weight in kg

18

LED Strip

88W

Wattage

230v 88W

IP Rating

IP20

**K-LED-483/GD**

230v 80W LED Celestial Pendant

Colour Gold

Specifications Steel + Aluminium + Silicon
Dimmable

Kelvin / Lumen Warm White: 3000K / 4800lm

Measurement in cm H: 230 Ø: 70

Weight in kg 3

LED SMD LED Strip 80W

Wattage 230v 80W

IP Rating IP20

**K-LED-483/BL**

230v 80W LED Celestial Pendant

Colour Black

Specifications Steel + Aluminium + Silicon
Dimmable

Kelvin / Lumen Warm White: 3000K / 4000lm

Measurement in cm H: 230 Ø: 70

Weight in kg 3

LED SMD LED 80W

Wattage 230v Strip 80W

IP Rating IP20

**K-LED-482/BL**

230v 120W LED Black Swan Pendants

Colour Black

Specifications Steel + Aluminium + Silicon
Dimmable

Kelvin / Lumen Warm White: 3000K / 6000lm

Measurement in cm H: 320 Ø: 60

Weight in kg 5.3

LED SMD LED Strip 120W

Wattage 230v 120W

IP Rating IP20

**K-LED-482/GD**

230v 120W LED Gold Swan Pendants

Colour Gold

Specifications Steel + Aluminium + Silicon
Dimmable

Kelvin / Lumen Warm White: 3000K / 7200lm

Measurement in cm H: 320 Ø: 60

Weight in kg 5.3

LED SMD LED Strip 120W

Wattage 230v 120W

IP Rating IP20

**K-LED-89314/120**

230v 200W LED Ballerina Crystal Chandelier

Colour	Chrome
Specifications	Clear Crystals Stainless Steel Plate Dimmable
Kelvin / Lumen	Warm White: 3000K Estimated 22440lm
Measurement in cm	Fitting Full H: 490 Frame H: 280 + 200 Cable Fitting Ø: 120 Base Ø: 120 H: 10
Weight in kg	Estimated Weight 70
LED SMD	LED Strip 200W
Wattage	230v 200W
IP Rating	IP20

**K-LED-89314/80**

230v 120W LED Ballerina Crystal Chandelier

Colour	Chrome
Specifications	Clear Crystals Stainless Steel Plate Dimmable
Kelvin / Lumen	Warm White: 3000K Estimated 14400lm
Measurement in cm	Fitting Full H: 390 Frame H: 180 + 200 Cable Fitting Ø: 80 Base Ø: 80 H: 10
Weight in kg	Estimated Weight 32
LED SMD	LED Strip 120W
Wattage	230v 120W
IP Rating	IP20

**K-LED-89315**

230v 55W LED Symphony Crystal Chandelier

Colour Chrome
 Specifications Clear Crystals
 Stainless Steel Plate
 Dimmable

Kelvin / Lumen Warm White: 3000K
 Estimated 7000lm

Measurement in cm H: 250 + 300 Cable
 Shade H: 45 L: 150 H: 120
 Base Ø: 85 H: 5

Weight in kg Estimated Weight 20
 LED SMD LED Strip 55W
 Wattage 230v 55W
 IP Rating IP20

**K-LED-89316**

230v 80W LED Carousel Crystal Chandelier

Colour Chrome

Specifications Clear Crystals

Stainless Steel Plate

Dimmable

Kelvin / Lumen Warm White: 3000K

Estimated 16900lm

Measurement in cm H: 300 + 300 Cable Ø: 150


Base Plate Ø: 150

Weight in kg Estimated Weight 40

LED SMD LED Strip 80W

Wattage 230v 80W

IP Rating IP20

**K-LED-8213/40**

230v 62.5W LED SMD Starlight Cube Pendant

Colour Chrome

Specifications Non Dimmable

Kelvin / Lumen Warm White: 3000K / 7440lm


Measurement in cm Full Height: 140

Shade: H: 60 L: 40 W: 40

LED SMD 125 x 0.5W

Wattage 230v 62.5W

IP Rating IP20

**K-LED-8781/21**

230v 10.5W LED Firefly Pendant

Colour Brass & White

Specifications Stainless Steel + Copper + Acrylic

Kelvin / Lumen Warm White: 3000K / 1820lm

Measurement in cm Full Height: 80 W: 135 D: 85

LED 10.5W

Wattage 230v 10.5W

IP Rating IP20

K-LED-8781/11

230v 5.5W LED Firefly Pendant

Colour Brass & White

Specifications Stainless Steel + Copper + Acrylic

Kelvin / Lumen Warm White: 3000K / 980lm

Measurement in cm Full Height: 65 W: 80 D: 65

LED 5.5W

Wattage 230v 5.5W

IP Rating IP20



**K-LED-8781/31**

230v 15.5W LED Firefly Pendant

Colour Brass & White

Specifications Stainless Steel + Copper + Acrylic

Kelvin / Lumen Warm White: 3000K / 2320lm

Measurement in cm Full Height: 80 W: 180 D: 100

LED 15.5W

Wattage 230v 15.5W

IP Rating IP20

**K-LED-9027M/WW or K-LED-9027M/CW**

230v 27.6W LED Fuse Medium Deathstar Pendant
 Colour Stainless Steel 304
 Specifications Non Dimmable
 Kelvin / Lumen Cool White: 6000K / 2208lm OR
 Warm White: 3000K / 2208lm
 Measurement in cm Full Height: 225
 Shade: Ø: 65
 LED Fuse 92 x 0.3W
 Wattage 230v 27.6W
 IP Rating IP20

K-LED-9028/CW

230v 23.1W LED Fuse Oval Deathstar Pendant
 Colour Stainless Steel 304
 Specifications Non Dimmable
 Kelvin / Lumen Cool White: 6000K / 1848lm
 Measurement in cm Full Height: 185
 Shade: H: 30 Ø: 60
 LED Fuse 77 x 0.3W
 Wattage 230v 23.1W
 IP Rating IP20

K-LED-9027S/WW or K-LED-9027S/CW

230v 12.6W LED Fuse Small Deathstar Pendant
 Colour Stainless Steel 304
 Specifications Non Dimmable
 Kelvin / Lumen Cool White: 6000K / 1008lm OR
 Warm White: 3000K / 1008lm
 Measurement in cm Full Height: 195
 Shade: Ø: 45
 LED Fuse 42 x 0.3W
 Wattage 230v 12.6W
 IP Rating IP20

K-LED-9027L/WW or K-LED-9027L/CW

230v 48.6W LED Fuse Large Deathstar Pendant
 Colour Stainless Steel 304
 Specifications Non Dimmable
 Kelvin / Lumen Cool White: 6000K / 3888lm OR
 Warm White: 3000K / 3888lm
 Measurement in cm Full Height: 235
 Shade: Ø: 90
 LED Fuse 162 x 0.3W
 Wattage 230v 48.6W
 IP Rating IP20

K-LED-9027XL/WW or K-LED-9027XL/CW

230v 75.6W LED Fuse X-Large Deathstar Pendant
 Colour Stainless Steel 304
 Specifications Non Dimmable
 Kelvin / Lumen Cool White: 6000K / 6048lm OR
 Warm White: 3000K / 6048lm
 Measurement in cm Full Height: 265
 Shade: Ø: 120
 LED Fuse 252 x 0.3W
 Wattage 230v 75.6W
 IP Rating IP20







K-LED-5801/80

230v 45W LED Strip 80cm Golden Halo Pendant
Colour Gold with Opal White Diffuser
Specifications Non Dimmable
Kelvin / Lumen Warm White: 3000K / 3200lm
Measurement in cm Full Height: 145 Ø: 80
Shade: H: 5
LED Strip 45W
Wattage 230v 45W
IP Rating IP20

K-LED-5801/60

230v 36W LED Strip 60cm Golden Halo Pendant
Colour Gold with Opal White Diffuser
Specifications Non Dimmable
Kelvin / Lumen Warm White: 3000K / 1600lm
Measurement in cm Full Height: 145 Ø: 60
Shade: H: 5
LED Strip 36W
Wattage 230v 36W
IP Rating IP20

K-LED-5801/50

230v 30W LED Strip 50cm Golden Halo Pendant
Colour Gold with Opal White Diffuser
Specifications Non Dimmable
Kelvin / Lumen Warm White: 3000K / 1600lm
Measurement in cm Full Height: 145 Ø: 50
Shade: H: 5
LED Strip 30W
Wattage 230v 30W
IP Rating IP20







K-LED-5801/80BL

230v 45W LED Strip 80cm Black Halo Pendant
Colour Black with Opal White Diffuser
Specifications Non Dimmable
Kelvin / Lumen Warm White: 3000K / 3200lm
Measurement in cm Full Height: 145 Ø: 80
Shade: H: 5
LED Strip 45W
Wattage 230v 45W
IP Rating IP20

K-LED-5801/60BL

230v 36W LED Strip 60cm Black Halo Pendant
Colour Black with Opal White Diffuser
Specifications Non Dimmable
Kelvin / Lumen Warm White: 3000K / 1600lm
Measurement in cm Full Height: 145 Ø: 60
Shade: H: 5
LED Strip 36W
Wattage 230v 36W
IP Rating IP20

K-LED-5801/50BL

230v 30W LED Strip 50cm Black Halo Pendant
Colour Black with Opal White Diffuser
Specifications Non Dimmable
Kelvin / Lumen Warm White: 3000K / 1600lm
Measurement in cm Full Height: 145 Ø: 50
Shade: H: 5
LED Strip 30W
Wattage 230v 30W
IP Rating IP20



**K-LED-5700**

230v 65W LED SMD Piano Pendant

Colour	Black with Opal White Diffuser
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 5200lm
Measurement in cm	Full Height: 170 L: 101 W: 48
LED SMD	65W
Wattage	230v 65W
IP Rating	IP20

**K-LED-9388/S**

230v 50W LED SMD Small Button Pendant

Colour Black with White Acrylic Covers

Specifications Non Dimmable


Kelvin / Lumen Warm White: 3000K / 4000lm

Measurement in cm Full Height: 234 Ø: 65

LED SMD 48 x 1.04W

Wattage 230v 50W

IP Rating IP20

**K-LED-9388/M**

230v 80W LED SMD Medium Button Pendant

Colour Black with White Acrylic Covers

Specifications Non Dimmable

Kelvin / Lumen Warm White: 3000K / 6400lm

Measurement in cm Full Height: 250 Ø: 78

LED SMD 60 x 1.33W

Wattage 230v 80W

IP Rating IP20

**K-LED-9066/WH**

230v 75W LED SMD Meteor Pendant
 Colour White with White Acrylic Covers
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 5760lm
 Measurement in cm Full Height: 200
 Shade: Ø: 48
 LED SMD 75W
 Wattage 230v 75W
 IP Rating IP20

**K-LED-9066/CH**

230v 75W LED SMD Meteor Pendant
 Colour Chrome with White Acrylic Covers
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 5760lm
 Measurement in cm Full Height: 200
 Shade: Ø: 48
 LED SMD 75W
 Wattage 230v 75W
 IP Rating IP20



**K-LED-5908/5**

230v 10W LED SMD Sudsy Pendant

Colour

Electroplated Gold with Clear Glass

Specifications

Non Dimmable

Kelvin / Lumen

Warm White: 3000K / 960lm

Measurement in cm

Full Height: 220 Ø: 55

Glass: Ø: 8/12/15/30

LED SMD

10W (2 x 5W)

Wattage

230v 10W

IP Rating

IP20

**K-LED-518S/BL**

230v 7.2W LED SMD Small Apple Pendant

Colour Black
 Specifications Non Dimmable
 Kelvin / Lumen Natural White: 4000K / 324lm
 Measurement in cm Full Height: 151
 Shade: H: 29 Ø: 40

LED SMD 7.2W
 Wattage 230v 7.2W
 IP Rating IP20

K-LED-518S/WH

230v 7.2W LED SMD Small Apple Pendant

Colour White
 Specifications Non Dimmable
 Kelvin / Lumen Natural White: 4000K / 324lm
 Measurement in cm Full Height: 151
 Shade: H: 29 Ø: 40

LED SMD 7.2W
 Wattage 230v 7.2W
 IP Rating IP20

**K-LED-518L/WH**

230v 7.2W LED SMD Large Apple Pendant

Colour White
 Specifications Non Dimmable
 Kelvin / Lumen Natural White: 4000K / 324lm
 Measurement in cm Full Height: 154
 Shade: H: 36 Ø: 50

LED SMD 7.2W
 Wattage 230v 7.2W
 IP Rating IP20

**K-LED3380-60/BC**

230v 36W LED SMD Round Pendant
 Colour Brushed Coffee
 Specifications Dimmable on Request
 Kelvin / Lumen Warm White: 3000K / 1620lm
 Measurement in cm Full Height: 120 Ø: 60
 LED SMD 36W
 Wattage 230v 36W
 IP Rating IP20

K-LED3380-60/WH

230v 36W LED SMD Round Pendant
 Colour White
 Specifications Dimmable on Request
 Kelvin / Lumen Warm White: 3000K / 1620lm
 Measurement in cm Full Height: 120 Ø: 60
 LED SMD 36W
 Wattage 230v 36W
 IP Rating IP20




K-LED3380-108NW or K-LED3380-108WW

230v 144W LED SMD Large Round Pendant

Colour White

Specifications Dimmable on Request

Kelvin / Lumen Natural White: 4000K / 6480lm OR

Warm White: 3000K / 6480lm

Measurement in cm Full Height: 120 Ø: 108

LED SMD 144W

Wattage 230v 144W

IP Rating IP20

**K-LED2032-8/SG**

230v 40W LED SMD Round Cone Cluster Pendant
 Colour Satin Gold with Opal White Acrylic
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 1800lm
 Measurement in cm Full Height: 200 Ø: 44
 LED SMD 8 x 5W
 Wattage 230v 40W
 IP Rating IP20

**K-LED2032-8/CF**

230v 40W LED SMD Round Cone Cluster Pendant
 Colour Coffee with Opal White Acrylic
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 1800lm
 Measurement in cm Full Height: 200 Ø: 44
 LED SMD 8 x 5W
 Wattage 230v 40W
 IP Rating IP20

**K-LED2032-8/BA**

230v 40W LED SMD Round Cone Cluster Pendant
 Colour Brushed Aluminium with Opal White Acrylic
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 1800lm
 Measurement in cm Full Height: 200 Ø: 44
 LED SMD 8 x 5W
 Wattage 230v 40W
 IP Rating IP20

**K-LED2032-1/BA**

230v 5W LED SMD Single Cone Pendant
 Colour Brushed Aluminium with
 Opal White Acrylic
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 65lm
 Measurement in cm Full Height: 200 Ø: 10
 LED SMD 1 x 5W
 Wattage 230v 5W
 IP Rating IP20

K-LED2032-1/SG

230v 5W LED SMD Single Cone Pendant
 Colour Satin Gold with
 Opal White Acrylic
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 65lm
 Measurement in cm Full Height: 200 Ø: 10
 LED SMD 1 x 5W
 Wattage 230v 5W
 IP Rating IP20

**K-LED2032-1/CF**

230v 5W LED SMD Single Cone Pendant
 Colour Coffee with
 Opal White Acrylic
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 65lm
 Measurement in cm Full Height: 200 Ø: 10
 LED SMD 1 x 5W
 Wattage 230v 5W
 IP Rating IP20



**K-LED-943/SM**

230v 4W LED SMD Liza Glass Pendant
 Colour Smoky Grey Shadow
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 120
 Glass Ø: 14
 LED SMD 4W
 Wattage 230v 4W
 IP Rating IP20

K-LED-943/WH

230v 4W LED SMD Liza Glass Pendant
 Colour White Shadow
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 120
 Glass Ø: 14
 LED SMD 4W
 Wattage 230v 4W
 IP Rating IP20

**K-LED-944/SM**

230v 4W LED SMD Scarlet Glass Pendant
 Colour Smoky Grey Shadow
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 120
 Glass Ø: 10
 LED SMD 4W
 Wattage 230v 4W
 IP Rating IP20

K-LED-944/WH

230v 4W LED SMD Scarlet Glass Pendant
 Colour White Shadow
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 120
 Glass Ø: 10
 LED SMD 4W
 Wattage 230v 4W
 IP Rating IP20

**K-LED-945/WH**

230v 24W LED SMD Liza Glass Cluster
 Colour White Shadow
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 150
 Glass Ø: 77
 LED SMD 24W
 Wattage 230v 24W
 IP Rating IP20

**K-LED-945/SM**

230v 24W LED SMD Liza Glass Cluster
 Colour Smoky Grey Shadow
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 150
 Glass Ø: 77
 LED SMD 24W
 Wattage 230v 24W
 IP Rating IP20

**K-LED-021/AB**

230v 9W LED SMD Magnum 1 Glass Pendant
 Colour Black with Amber Glass
 Specifications Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 158
 Glass + Metal Height: 52
 Glass Ø: 36 H: 43

LED SMD
 Wattage 9W
 IP Rating 230v 9W
 IP20

K-LED-022/AB

230v 9W LED SMD Magnum 2 Glass Pendant
 Colour Black with Amber Glass
 Specifications Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 145
 Glass + Metal Height: 37
 Glass Ø: 35 H: 29

LED SMD
 Wattage 9W
 IP Rating 230v 9W
 IP20

K-LED-023/AB

230v 9W LED SMD Magnum 3 Glass Pendant
 Colour Black with Amber Glass
 Specifications Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 136
 Glass + Metal Height: 30
 Glass Ø: 44 H: 21

LED SMD
 Wattage 9W
 IP Rating 230v 9W
 IP20



**K-LED-021/GR**

230v 9W LED SMD Magnum 1 Glass Pendant

Colour Black with Smoke Green Glass

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 158

Glass + Metal Height: 52

Glass Ø: 36 H: 43

LED SMD

Wattage 9W

IP Rating IP20

K-LED-022/GR

230v 9W LED SMD Magnum 2 Glass Pendant

Colour Black with Smoke Green Glass

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 145

Glass + Metal Height: 37

Glass Ø: 35 H: 29

LED SMD

Wattage 9W

IP Rating IP20

K-LED-023/GR

230v 9W LED SMD Magnum 3 Glass Pendant

Colour Black with Smoke Green Glass

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 136

Glass + Metal Height: 30

Glass Ø: 44 H: 21

LED SMD

Wattage 9W

IP Rating IP20

**K-LED-9966B/SM**

230v 5W LED SMD Bee Hive Glass & Rope Pendant
 Colour Gold with Smoke Glass
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 225lm
 Measurement in cm Full Height: 175
 Glass: H: 27 Ø: 18
 LED SMD 5W
 Wattage 230v 5W
 IP Rating IP20

K-LED-9966C/AB

230v 5W LED SMD Orb Glass & Rope Pendant
 Colour Gold with Amber Glass
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 225lm
 Measurement in cm Full Height: 175
 Glass: H: 30 Ø: 28
 LED SMD 5W
 Wattage 230v 5W
 IP Rating IP20



**K-LED-9966B/BU**

230v 5W LED SMD Bee Hive Glass & Rope Pendant
 Colour Copper with Blue Glass
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 225lm
 Measurement in cm Full Height: 175
 Glass: H: 27 Ø: 18

LED SMD
 Wattage 5W
 230v 5W
 IP Rating IP20

K-LED-9966A/BU

230v 5W LED SMD Droplet Glass & Rope Pendant
 Colour Copper with Blue Glass
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 225lm
 Measurement in cm Full Height: 175
 Glass: H: 28 Ø: 16

LED SMD
 Wattage 5W
 230v 5W
 IP Rating IP20

K-LED-9966C/BU


230v 5W LED SMD Orb Glass & Rope Pendant
 Colour Copper with Blue Glass
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 225lm
 Measurement in cm Full Height: 175
 Glass: H: 30 Ø: 28

LED SMD
 Wattage 5W
 230v 5W
 IP Rating IP20

K-LED-9966D/BU

230v 5W LED SMD Pebble Glass & Rope Pendant
 Colour Copper with Blue Glass
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 225lm
 Measurement in cm Full Height: 175
 Glass: H: 13 Ø: 30

LED SMD
 Wattage 5W
 230v 5W
 IP Rating IP20

**AP-2119/B-PEND-CW or AP-2119/B-PEND-WW**

230v 16W LED Strip Profile Short Cover Pendant

Colour Aluminium with Opal White cover OR Black

Specifications Dimmable on Request

Kelvin / Lumen Cool White: 6000K / 1000lm Per Meter OR

Warm White: 2700K / 1000lm Per Meter

Measurement in cm Full Height: 142 (Can be Lengthened to 4m)

Shade: H: 2 L: 100-300 W: 2

LED Strip 1 x Single row 3528 Strip Light 16W

Wattage 230v 16W per meter

IP Rating IP20

AP-2119/C-PEND-CW or AP-2119/C-PEND-WW

230v 16W LED Strip Profile High Cover Pendant

Colour Aluminium with Opal White cover OR Black

Specifications Dimmable on Request

Kelvin / Lumen Cool White: 6000K / 1000lm Per Meter OR

Warm White: 2700K / 1000lm Per Meter

Measurement in cm Full Height: 144 (Can be Lengthened to 4m)

Shade: H: 3.5 L: 100-300 W: 2

LED Strip 1 x Single row 3528 Strip Light 16W

Wattage 230v 16W per meter

IP Rating IP20



**AP-2119/CLUSTER**

230v 144W LED Strip	Profile High and Short Cover Cluster
Colour	Aluminium with Opal White cover
Specifications	Dimmable on Request
	3 x 1.5 meter with High Opal White cover
	3 x 1.5 meter with Short Opal White cover
Kelvin / Lumen	Cool White: 6000K / 1000lm Per Meter OR
	Warm White: 2700K / 1000lm Per Meter
Measurement in cm	Full Height: 144
	High Shade: H: 3.5 L: 150 W: 2
	Short Shade: H: 2 L: 150 W: 2
LED Strip	6 x Single row 3528 Strip Light, 16W Per Meter
Wattage	230v 144W
IP Rating	IP20


AP-500/BL+BL OR AP-500/WH+BL

230v 32W Aluminium U-Channel Pendant with Black Polycarbonate Cover

Colour Black with Black Polycarbonate Cover OR

White with Black Polycarbonate Cover

Specifications Dimmable or Non Dimmable available

With:

2 x 1.4m Suspension Cables

1 x 1.5m Electrical Cable

2 x 1m YM-100-24v 16W LED Flexi Strip

(Driver price is excluded from fitting price)

Kelvin / Lumen Cool White: 6000K / 4000lm Per Meter,

Natural White: 4000K / 4000lm Per Meter, OR

Warm White: 3000K / 4000lm Per Meter

Measurement in cm Full Length: 100 (Can be Lengthened to 3m)

Shade: H: 6.5 W: 4

Lamps 2 x (240 x 0.0667W SMD LEDs) 24v 32W

Wattage 230v 32W

IP Rating IP20



**AP-500/BL+FR OR AP-500/WH+FR**

230v 32W Aluminium U-Channel Pendant with Frosted Polycarbonate Cover
 Colour

Specifications

Black with Frosted Polycarbonate Cover OR

White with Frosted Polycarbonate Cover

Dimmable or Non Dimmable available

With:

2 x 1.4m Suspension Cables

1 x 1.5m Electrical Cable

2 x 1m YM-100-24v 16W LED Flexi Strip

(Driver price is excluded from fitting price)

Cool White: 6000K / 4000lm Per Meter, OR

Natural White: 4000K / 4000lm Per Meter OR

Warm White: 3000K / 4000lm Per Meter

Full Length: 100 (Can be Lengthened to 3m)

Shade: H: 6.5 W: 4

2 x (240 x 0.0667W SMD LEDs) 24v 32W

230v 32W

IP20

Kelvin / Lumen

Measurement in cm

Lamps

Wattage

IP Rating



K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



METAL/WIRE PENDANTS

All fittings exclude lamps unless otherwise stated.



K. LIGHT®

DESIGN • SERVICE • QUALITY

**T-KLCH-15-80/GD**

230v 40W E27 X Large Senu Pendant

Colour Satin Gold
 Measurement in cm Full Height: 140
 Shade: H: 25 Ø: 80

Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

T-KLCH-15-60/GD

230v 40W E27 Large Senu Pendant

Colour Satin Gold
 Measurement in cm Full Height: 140
 Shade: H: 20 Ø: 60

Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

T-KLCH-15-60/BL

230v 40W E27 Large Senu Pendant

Colour Black
 Measurement in cm Full Height: 140
 Shade: H: 20 Ø: 60

Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



**T-KLCH-15-80/BL**

230v 40W E27 X Large Sensu Pendant

Colour Black

Measurement in cm Full Height: 140

Shade: H: 25 Ø: 80

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**T-KLCH-17/BL**

230v 40W E27 Twin Sensu Pendant

Colour Black

Measurement in cm Full Height: 140
Shade: H: 29 Ø: 62

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

T-KLCH-17/SG

230v 40W E27 Twin Sensu Pendant

Colour Satin Gold

Measurement in cm Full Height: 140
Shade: H: 29 Ø: 62

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20



**T-KLCH-17/WH**

230v 40W E27 Twin Sensu Pendant

Colour Satin Gold

Measurement in cm Full Height: 140

Shade: H: 29 Ø: 62

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20



**T-KLCH-165/WH**

230v 40W E27 Trio Sensu Pendant

Colour White

Measurement in cm Full Height: 153
Shade: H: 37 Ø: 40Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20**T-KLCH-165/BL**

230v 40W E27 Trio Sensu Pendant

Colour Black

Measurement in cm Full Height: 153
Shade: H: 37 Ø: 40Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20**T-KLCH-165/SG**

230v 40W E27 Trio Sensu Pendant

Colour Satin Gold

Measurement in cm Full Height: 153
Shade: H: 37 Ø: 40Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**T-KLCH-16/WH**

230v 40W E27 Solo Sensu Pendant
 Colour White
 Measurement in cm Full Height: 140
 Shade: H: 21 Ø: 61
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

T-KLCH-16/BL

230v 40W E27 Solo Sensu Pendant
 Colour Black
 Measurement in cm Full Height: 140
 Shade: H: 21 Ø: 61
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**T-KLCH-16/SG**

230v 40W E27 Solo Sensu Pendant
 Colour Satin Gold
 Measurement in cm Full Height: 140
 Shade: H: 21 Ø: 61
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**GO-KLCH-317M/GD**

230v 40W Medium Phantom Pendant

Colour Gold

Measurement in cm Full Height: 190
Shade: H: 34 Ø: 27

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**GO-KLCH-317L/GD**

230v 40W Large Phantom Pendant

Colour Gold

Measurement in cm Full Height: 195
Shade: H: 50 Ø: 37

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20



GO-KLCH-317L/BL

230v 40W Large Phantom Pendant

Colour Black
Measurement in cm Full Height: 195
Shade: H: 50 Ø: 37

Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



GO-KLCH-317M/BL

230v 40W Medium Phantom Pendant

Colour Black
Measurement in cm Full Height: 190
Shade: H: 34 Ø: 27

Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**T-KLCH-154-3/BL**

230v 40W 3 x E14 Sensu Cluster
 Colour Black
 Measurement in cm Full Height: 292 Ø: 40
 Shade: H: 25 Ø: 14
 Base: Ø: 30
 Lamps 3 x E14
 Wattage 230v 40W
 IP Rating IP20

**T-KLCH-154-1/GD**

230v 40W 14 Sensu Pendant
 Colour Gold
 Measurement in cm Full Height: 140
 Shade: H: 25 Ø: 14
 Base: Ø: 10
 Lamps 1 x E14
 Wattage 230v 40W
 IP Rating IP20

**T-KLCH-154-1/BL**

230v 40W 14 Sensu Pendant
 Colour Black
 Measurement in cm Full Height: 140
 Shade: H: 25 Ø: 14
 Base: Ø: 10
 Lamps 1 x E14
 Wattage 230v 40W
 IP Rating IP20



**T-KLCH-154-3/GD**

230v 40W 3 x E14 Senu Cluster

Colour Gold

Measurement in cm Full Height: 292 Ø: 40

Shade: H: 25 Ø: 14

Base: Ø: 30

3 x E14

Wattage 230v 40W

IP Rating IP20

**T-KLCH-592**

230v 40W E27 Midnight Mesh Long Pendant

Colour Stone & Black Mesh
 Measurement in cm Full Height: 147
 Shade Height + Stone: 32
 Shade Ø: 10

Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

T-KLCH-594

230v 40W E27 Midnight Mesh Round Pendant

Colour Stone & Black Mesh
 Measurement in cm Full Height: 137
 Shade Height + Stone: 23
 Shade Ø: 25

Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

T-KLCH-595

230v 40W E27 Midnight Mesh Dome Pendant

Colour Stone & Black Mesh
 Measurement in cm Full Height: 139
 Shade Height + Stone: 23
 Shade Ø: 15

Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



**T-KLCH-593**

230v 40W E27 Midnight Mesh Cone Pendant

Colour Stone & Black Mesh

Measurement in cm Full Height: 136

Shade Height + Stone: 21

Shade Ø: 21

1 x E27

Lamps 230v 40W

IP Rating IP20

**G-KLCH-70/GD**

230v 40W E27 Nest Pendant

Colour Gold

Measurement in cm Full Height: : 175

Shade: H: 50 Ø: 32

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

G-KLCH-70/BL

230v 40W E27 Nest Pendant

Colour Black

Measurement in cm Full Height: : 175

Shade: H: 50 Ø: 32

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**G-KLCH-86/GD**

230v 40W E27 Mesh Pendant

Colour Gold

Measurement in cm Full Height: : 160

Shade: H: 35 Ø: 42

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

G-KLCH-86/BL

230v 40W E27 Mesh Pendant

Colour Black

Measurement in cm Full Height: : 160

Shade: H: 35 Ø: 42

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20



G-KLCH81015S/CH, G-KLCH81015S/CO or G-KLCH81015S/BL

230v 40W E27 Small Prism Pendant

Colour Chrome, Copper or Black

Measurement in cm Full Height: 145

Wire Shade: H: 24 Ø: 18

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

G-KLCH81015M/CH, G-KLCH81015M/CO or G-KLCH81015M/BL

230v 40W E27 Medium Prism Pendant

Colour Chrome, Copper or Black

Measurement in cm Full Height: 165

Wire Shade: H: 32 Ø: 30

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

G-KLCH81015L/CH, G-KLCH81015L/CO or G-KLCH81015L/BL

230v 40W E27 Large Prism Pendant

Colour Chrome, Copper or Black

Measurement in cm Full Height: 170

Wire Shade: H: 45 Ø: 48

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20





**CA-KLCH-1047/WH**

230v 40W E27 Ball Wire Metal Pendant
 Colour White with Fabric Shade
 Measurement in cm Full Height: 175
 Wire Shade: H: 67 Ø: 23
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

CA-KLCH-1046/WH

230v 40W E27 Tube Wire Metal Pendant
 Colour White with Fabric Shade
 Measurement in cm Full Height: 165
 Wire Shade: H: 60 Ø: 23
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**CA-KLCH-1044/WH**

230v 40W E27 Wide Wire Metal Pendant
 Colour White with Fabric Shade
 Measurement in cm Full Height: 175
 Wire Shade: H: 55 Ø: 42
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**CA-KLCH-1045/WH**

230v 40W E27 Tall Wire Metal Pendant
 Colour White with Fabric Shade
 Measurement in cm Full Height: 190
 Wire Shade: H: 84 Ø: 21
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**DA-KLCH-026/WH**

230v 40W E27 Cage Hat Pendant

Colour White

Measurement in cm Full Height: 160
Wire Shade: H: 27 Ø: 27

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**DA-KLCH-026/CH**

230v 40W E27 Cage Hat Pendant

Colour Chrome

Measurement in cm Full Height: 160
Wire Shade: H: 27 Ø: 27

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**G-KLCH-8103**

230v 40W E27 Boston Mesh Pendant

Colour Black & Gold

Measurement in cm Full Height: 160 Ø: 24
Metal Shade: H: 40 Ø: 24

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20



**G-KLCH-821/BL**

230v 40W E27 Laser Cut Metal Cylinder Pendant

Colour Matt Black

Measurement in cm Full Height: 160
Metal Shade: H: 41 Ø: 20

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**G-KLCH-821/WH**

230v 40W E27 Laser Cut Metal Cylinder Pendant

Colour Matt White

Measurement in cm Full Height: 160
Metal Shade: H: 41 Ø: 20

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20





**G-KLCH-820-L/SG, G-KLCH-820-L/WH,
G-KLCH-820-L/BL or G-KLCH-820-L/CO**

230v 40W E27 Large Laser Cut Metal Ball Pendant
Colour Satin Gold, Matt White, Matt Black
or Copper
Measurement in cm Full Height: 165
Metal Shade: H: 37 Ø: 40
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**G-KLCH-820-M/SG, G-KLCH-820-M/WH,
G-KLCH-820-M/BL or G-KLCH-820-M/CO**

230v 40W E27 Medium Laser Cut Metal Ball Pendant
Colour Satin Gold, Matt White, Matt Black
or Copper
Measurement in cm Full Height: 155
Metal Shade: H: 27 Ø: 30
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**G-KLCH-820-S/SG, G-KLCH-820-S/WH,
G-KLCH-820-S/BL or G-KLCH-820-S/CO**

230v 40W E27 Small Laser Cut Metal Ball Pendant
Colour Satin Gold, Matt White, Matt Black
or Copper
Measurement in cm Full Height: 145
Metal Shade: H: 17 Ø: 20
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20







G-KLCH-500/22		G-KLCH-501/22		G-KLCH-502/22	
230v 40W E27 22cm Golden Nugget		230v 40W E27 22cm Golden Flower		230v 40W E27 22cm Golden Shell	
Pendant		Pendant		Pendant	
Colour	Gold	Colour	Gold	Colour	Gold
Measurement in cm	Full Height: 138 Metal Shade: Ø: 22	Measurement in cm	Full Height: 136 Metal Shade: Ø: 22	Measurement in cm	Full Height: 136 Metal Shade: Ø: 22
Lamps	1 x E27	Lamps	1 x E27	Lamps	1 x E27
Wattage	230v 40W	Wattage	230v 40W	Wattage	230v 40W
IP Rating	IP20	IP Rating	IP20	IP Rating	IP20



**G-KLCH-500/38**

230v 40W E27 38cm Golden Nugget Pendant
 Colour Gold
 Measurement in cm Full Height: 137
 Metal Shade: Ø: 38

Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

G-KLCH-502/30

230v 40W E27 30cm Golden Shell Pendant
 Colour Gold
 Measurement in cm Full Height: 140
 Metal Shade: Ø: 30

Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

G-KLCH-501/39

230v 40W E27 39cm Golden Flower Pendant
 Colour Gold
 Measurement in cm Full Height: 140
 Metal Shade: Ø: 39

Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



CA-KLCH-1005/WH

230v 40W E27 Vuvu Metal Pendant
 Colour White and Gold
 Measurement in cm Full Height: 160
 Metal Shade: H: 38 Ø: 19
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

CA-KLCH-1004/BL

230v 40W E27 Crown Metal Pendant
 Colour Black and Gold
 Measurement in cm Full Height: 164
 Metal Shade: H: 31 Ø: 25
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

CA-KLCH-1006/WH

230v 40W E27 Conical Metal Pendant
 Colour White and Gold
 Measurement in cm Full Height: 151
 Metal Shade: H: 17 Ø: 37
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**CA-KLCH-1005/BL**

230v 40W E27 Vuvu Metal Pendant
 Colour Black and Gold
 Measurement in cm Full Height: 160
 Metal Shade: H: 38 Ø: 19
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

CA-KLCH-1004/WH

230v 40W E27 Crown Metal Pendant
 Colour White and Gold
 Measurement in cm Full Height: 164
 Metal Shade: H: 31 Ø: 25
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

CA-KLCH-1006/BL

230v 40W E27 Conical Metal Pendant
 Colour Black and Gold
 Measurement in cm Full Height: 151
 Metal Shade: H: 17 Ø: 37
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

CA-KLCH-1007/WH

230v 40W E27 Aladdin Metal Pendant
 Colour White and Gold
 Measurement in cm Full Height: 170
 Metal Shade: H: 45 Ø: 51
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



CA-KLCH-1004/NS
230v 40W E27 Crown Metal Pendant
Colour Nickel Satin and White
Measurement in cm Full Height: 164
Metal Shade: H: 31 Ø: 25
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



CA-KLCH-1005/NS
230v 40W E27 Vuvu Metal Pendant
Colour Nickel Satin and White
Measurement in cm Full Height: 160
Metal Shade: H: 38 Ø: 18.7
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

CA-KLCH-1006/NS
230v 40W E27 Conical Metal Pendant
Colour Nickel Satin and White
Measurement in cm Full Height: 151
Metal Shade: H: 17 Ø: 37
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**CA-KLCH-1729/L**

230v 40W E27 Multi Design 42cm Pendant
 Colour Antique Brass
 Measurement in cm Full Height: 175 Ø: 42
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

CA-KLCH-1729/M

230v 40W E27 Multi Design 38cm Pendant
 Colour Antique Brass
 Measurement in cm Full Height: 170 Ø: 38
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20





H-KLCH-5016/RG
230v 40W E27 Aladdin Metal Pendant
Colour Rose Gold Outside with White inside
Measurement in cm Full Height: 161 Metal Shade: H: 27 Ø: 41
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



H-KLCH-5016/BL
230v 40W E27 Aladdin Metal Pendant
Colour Black Outside with White inside
Measurement in cm Full Height: 161 Metal Shade: H: 27 Ø: 41
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



H-KLCH-5016/WH
230v 40W E27 Aladdin Metal Pendant
Colour White
Measurement in cm Full Height: 161 Metal Shade: H: 27 Ø: 41
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**T-KLCH-124/WH**

230v 40W E27 Leather & Iron Ball Metal Pendant

Colour White

Measurement in cm Full Height: 135

Metal Shade: H: 19 Ø: 28

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

T-KLCH-124/BL

230v 40W E27 Leather & Iron Ball Metal Pendant

Colour Black

Measurement in cm Full Height: 135

Metal Shade: H: 19 Ø: 28

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20



T-KLCH-122S/BL or T-KLCH-122S/WH or T-KLCH-122S/CO or T-KLCH-122S/SL
230v 40W E27 Small Leather & Iron Cone Metal Pendant
Colour Black, White, Copper or Brushed Aluminium
Measurement in cm Full Height: 135
Metal Shade: H: 18 Ø: 25
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20





T-KLCH-122L/CO or T-KLCH-122L/BL or T-KLCH-122L/SL or T-KLCH-122L/WH
 230v 40W E27 Large Leather & Iron Cone Metal Pendant
 Colour Copper, Black, Brushed Aluminium or White
 Measurement in cm Full Height: 135
 Metal Shade: H: 24 Ø: 36
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



CA-KLCH-1580S/P or CA-KLCH-1580S/G or CA-KLCH-1580S/B or CA-KLCH-1580S/W or CA-KLCH-1580S/T
230v 40W E27 Small Cupcake Metal Pendant
Colour Pink, Grey, Black, White or Teal
Measurement in cm Full Height: 155
Metal Shade: H: 15 Ø: 25
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20





CA-KLCH-1580L/G or CA-KLCH-1580L/B or CA-KLCH-1580L/P or CA-KLCH-1580L/W or CA-KLCH-1580L/T
 230v 40W E27 Large Cupcake Metal Pendant
 Colour Grey, Black, Pink, White or Teal
 Measurement in cm Full Height: 160
 Metal Shade: H: 24 Ø: 40
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



H-KLCH-1423/WH
230v 40W E27 Small Nautical Metal Pendant
Colour White and Gold
Measurement in cm Full Height: 150
Metal Shade: H: 30 Ø: 23
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



H-KLCH-1423/BL
230v 40W E27 Small Nautical Metal Pendant
Colour Black and Gold
Measurement in cm Full Height: 150
Metal Shade: H: 30 Ø: 23
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



H-KLCH-1423/G
230v 40W E27 Small Nautical Metal Pendant
Colour Gold
Measurement in cm Full Height: 150
Metal Shade: H: 30 Ø: 23
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**H-KLCH-8050/WH**

230v 40W E27 Lighthouse Metal Pendant
 Colour White and Copper
 Measurement in cm Full Height: 150
 Metal Shade: H: 37 Ø: 27
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

H-KLCH-8050/GR

230v 40W E27 Lighthouse Metal Pendant
 Colour Grey and Copper
 Measurement in cm Full Height: 150
 Metal Shade: H: 37 Ø: 27
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

H-KLCH-8050/BL

230v 40W E27 Lighthouse Metal Pendant
 Colour Black and Copper
 Measurement in cm Full Height: 150
 Metal Shade: H: 37 Ø: 27
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



H-KLCH5005-60/WH
230v 40W E27 Large Dome Metal Pendant
Colour White outside and Silver inside
Measurement in cm Full Height: 155
Metal Shade: H: 31 Ø: 60
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



H-KLCH5005-60/BL
230v 40W E27 Large Dome Metal Pendant
Colour Black outside and Gold inside
Measurement in cm Full Height: 155
Metal Shade: H: 31 Ø: 60
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**R-KLCH-4131M/WH**

230v 40W E27 Medium Metal & Wood Pendant
 Colour White and Wood
 Measurement in cm Full Height: 245
 Metal Shade: H: 20 Ø: 40
 Wood: H: 18 Ø: 7.5
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

R-KLCH-4131S/BL

230v 40W E27 Small Metal & Wood Pendant
 Colour Black and Wood
 Measurement in cm Full Height: 240
 Metal Shade: H: 15 Ø: 27
 Wood: H: 18 Ø: 7.5
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

R-KLCH-4131M/BL

230v 40W E27 Medium Metal & Wood Pendant
 Colour Black and Wood
 Measurement in cm Full Height: 245
 Metal Shade: H: 20 Ø: 40
 Wood: H: 18 Ø: 7.5
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

R-KLCH-4131S/WH

230v 40W E27 Small Metal & Wood Pendant
 Colour White and Wood
 Measurement in cm Full Height: 240
 Metal Shade: H: 15 Ø: 27
 Wood: H: 18 Ø: 7.5
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



CA-KLCH-1125/1

230v 40W E27 Single Pendant
Colour Black and Antique Brass
Measurement in cm H: 143
Metal Shade: H: 6 Ø: 22
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

CA-KLCH-1124/1

230v 40W E27 Single Pendant
Colour Black and Antique Brass
Measurement in cm H: 143
Metal Shade: H: 8.5 Ø: 22
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



CA-KLCH-1125/3

230v 40W E27 Trio Pendant
Colour Black and Antique Brass
Measurement in cm H: 80 L: 100
Metal Shade: H: 6 Ø: 22
Lamps 3 x E27
Wattage 230v 120W
IP Rating IP20



CA-KLW-1125 or CA-KLW-1124

230v 40W E27 Metal Shade Wall Light
Colour Black and Antique Brass
Measurement in cm H: 19 W: 22 D: 27
Metal Shade: H: 6 OR 8.5 Ø: 22
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**CA-KLCH-1126/3**

230v 40W E27 Adjustable Trio Pendant

Colour Black and Antique Brass

Measurement in cm H: 86-154 L: 100

Metal Shade: H: 6 Ø: 22

Lamps 3 x E27

Wattage 230v 120W

IP Rating IP20



R-KLCH-3001/WH

230v 40W E27 Metal Pendant
Colour White
Measurement in cm Full Height: : 140
Metal Shade: H: 21 Ø: 35
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



CA-KLCH-1314

230v 40W E27 Square Metal Pendant
Colour Black
Measurement in cm Full Height: 32 + 15 Rope + 50 Chain
Metal Part: H: 32 W: 32
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

CA-KLCH-1554

230v 40W E27 Square Rope Pendant
Colour Black with Rope
Measurement in cm Full Height: 175
Rope Part: H: 36 W: 34
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**KLCH-5312L/ST**

230v 40W E14 Large Lace Pendant

Colour Chrome

Measurement in cm Full Height: 120

Metal Shade: H: 25 Ø: 40

Lamps 3 x E14

Wattage 220v 120W

IP Rating IP20

KLCH-5312AS/ST

230v 40W E27 Small Lace Pendant

Colour Chrome

Measurement in cm Full Height: 120

Metal Shade: H: 16 Ø: 26

Lamps 1 x E27

Wattage 220v 40W

IP Rating IP20

**KLCH-5312AS/WH**

230v 40W E27 Small Lace Pendant

Colour White

Measurement in cm Full Height: 120

Metal Shade: H: 16 Ø: 26

Lamps 1 x E27

Wattage 220v 40W

IP Rating IP20



VR-KLCH-1021/ST

230v 40W E27 Flute Pendant
Colour Satin
Measurement in cm Full Height: 140
Metal Tube: H: 35 Ø: 6
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

VR-KLCH-1021/CO

230v 40W E27 Flute Pendant
Colour Copper
Measurement in cm Full Height: 140
Metal Tube: H: 35 Ø: 6
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



VR-KLCH-1021/WH or VR-KLCH-1021/GR or VR-KLCH-1021/BL

230v 40W E27 Flute Pendant
Colour White, Grey OR Black
Measurement in cm Full Height: 140
Metal Tube: H: 35 Ø: 6
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**VR-KLCH-1031/BL**

230v 35W GU10 Flute Pendant

Colour Black

Measurement in cm Full Height: 116
Metal Tube: H: 35 Ø: 6Lamps 1 x GU10
Wattage 230v 35W
IP Rating IP20**VR-KLCH-1031/GR**

230v 35W GU10 Flute Pendant

Colour Grey

Measurement in cm Full Height: 116
Metal Tube: H: 35 Ø: 6Lamps 1 x GU10
Wattage 230v 35W
IP Rating IP20**VR-KLCH-1031/WH**

230v 35W GU10 Flute Pendant

Colour White

Measurement in cm Full Height: 116
Metal Tube: H: 35 Ø: 6Lamps 1 x GU10
Wattage 230v 35W
IP Rating IP20**VR-KLCH-1031/CH**

230v 35W GU10 Flute Pendant

Colour Chrome

Measurement in cm Full Height: 116
Metal Tube: H: 35 Ø: 6Lamps 1 x GU10
Wattage 230v 35W
IP Rating IP20



T-KLCH-40/GD
 230v 40W E27 Style Plate Pendant
 Colour Gold
 Measurement in cm H: 125
 Shade: H: 17 Ø: 18
 Lamps 1 x E27 (Excluding Lamp)
 Wattage 230v 40W
 IP Rating IP20



T-KLCH-40/BL
 230v 40W E27 Style Plate Pendant
 Colour Black
 Measurement in cm H: 125
 Shade: H: 17 Ø: 18
 Lamps 1 x E27 (Excluding Lamp)
 Wattage 230v 40W
 IP Rating IP20



T-KLCH-40/SN
 230v 40W E27 Style Plate Pendant
 Colour Satin
 Measurement in cm H: 125
 Shade: H: 17 Ø: 18
 Lamps 1 x E27 (Excluding Lamp)
 Wattage 230v 40W
 IP Rating IP20

**T-KLCH-50/GD**

230v 40W E27 Style Pendant

Colour Gold

Measurement in cm H: 125

Shade: H: 16 Ø: 5

Lamps 1 x E27 (Excluding Lamp)

Wattage 230v 40W

IP Rating IP20

**T-KLCH-50/BL**

230v 40W E27 Style Pendant

Colour Black

Measurement in cm H: 125

Shade: H: 16 Ø: 5

Lamps 1 x E27 (Excluding Lamp)

Wattage 230v 40W

IP Rating IP20

**T-KLCH-50/SN**

230v 40W E27 Style Pendant

Colour Satin Silver

Measurement in cm H: 125

Shade: H: 16 Ø: 5

Lamps 1 x E27 (Excluding Lamp)

Wattage 230v 40W


IP Rating IP20





DA-KLCH-888/CO

230v 40W E27 Bullet Twisted Fabric Cord Pendant
 Colour Copper
 Measurement in cm H: 138
 Lamps 1 x E27 (Excluding Lamp)
 Wattage 230v 40W
 IP Rating IP20



DA-KLCH-888/CH

230v 40W E27 Bullet Twisted Fabric Cord Pendant
 Colour Chrome
 Measurement in cm H: 138
 Lamps 1 x E27 (Excluding Lamp)
 Wattage 230v 40W
 IP Rating IP20



DA-KLCH-888/AB

230v 40W E27 Antique Brass Bullet Twisted Fabric Cord Pendant
 Colour Antique Brass
 Measurement in cm H: 138
 Lamps 1 x E27 (Excluding Lamp)
 Wattage 230v 40W
 IP Rating IP20

**DA-KLCH-T777/CO**

230v 40W E27 Twisted Fabric Cord Pendant

Colour Copper

Measurement in cm H: 146

Lamps 1 x E27 (Excluding Lamp)

Wattage 230v 40W

IP Rating IP20

DA-KLCH-T777/AB

230v 40W E27 Antique Brass Twisted

Fabric Cord Pendant

Colour Antique Brass

Measurement in cm H: 146

Lamps 1 x E27 (Excluding Lamp)

Wattage 230v 40W

IP Rating IP20

**DA-KLCH-T777/CH**

230v 40W E27 Twisted Fabric Cord Pendant


Colour Chrome

Measurement in cm H: 146

Lamps 1 x E27 (Excluding Lamp)

Wattage 230v 40W

IP Rating IP20



DA-KLCH-777/ABW
230v 40W E27 Antique Brass L.H. 2 Core
Fabric Cord Pendant
Colour Antique Brass with White
Measurement in cm H: 140
Lamps 1 x E27 (Excluding Lamp)
Wattage 230v 40W
IP Rating IP20

DA-KLCH-777/ABB
230v 40W E27 Antique Brass L.H. 2 Core
Fabric Cord Pendant
Colour Antique Brass with Black
Measurement in cm H: 140
Lamps 1 x E27 (Excluding Lamp)
Wattage 230v 40W
IP Rating IP20



DA-KLCH-777/AGM
230v 40W E27 Matt Gun Metal L.H. 2 Core
Fabric Cord Pendant
Colour Gun Metal with Black
Measurement in cm H: 140
Lamps 1 x E27 (Excluding Lamp)
Wattage 230v 40W
IP Rating IP20



GLASS PENDANTS

All fittings exclude lamps unless otherwise stated.



K. LIGHT®

DESIGN • SERVICE • QUALITY



T-KLCH-110/AB

230v 40W E27 Glass Dome Pendant
 Colour Amber
 Measurement in cm Full Height: 145 Ø: 35
 Shade: H: 35
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

T-KLCH-110/CL

230v 40W E27 Glass Dome Pendant
 Colour Clear
 Measurement in cm Full Height: 145 Ø: 35
 Shade: H: 35
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



**T-KLCH-110/SM**

230v 40W E27 Glass Dome Pendant

Colour Smoke

Measurement in cm Full Height: 145 Ø: 35

Shade: H: 35

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**T-KLCH-133/BL**

230v 40W E27 Medium Chicago Glass Pendant
 Colour Black with Smoke Glass
 Measurement in cm Full Height: 145 Ø: 28
 Shade: H: 30
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

T-KLCH-133/SG

230v 40W E27 Medium Chicago Glass Pendant
 Colour Satin Gold with Amber Glass
 Measurement in cm Full Height: 145 Ø: 28
 Shade: H: 30
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

T-KLCH-135/BL

230v 40W E27 Large Chicago Glass Pendant
 Colour Black with Smoke Glass
 Measurement in cm Full Height: 155 Ø: 25
 Shade: H: 40
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

T-KLCH-135/SG

230v 40W E27 Large Chicago Glass Pendant
 Colour Satin Gold with Amber Glass
 Measurement in cm Full Height: 155 Ø: 25
 Shade: H: 40
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



**T-KLT-133/SG**

230v 40W E27 Medium Chicago Glass Table Lamp

Colour Satin Gold with Amber Glass

Measurement in cm Height: 33 Ø: 21.5

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20



3E-KLCH-800/3P

230v 40W E27 Cleopatra Glass Pendant on a Plate

Colour Matt Black
Brass with Clear Glass
Measurement in cm Full Height: 137 Ø: 18
Base: Ø: 32
Glass: H: 23.5 Ø: 18

Lamps 3 x E27
Wattage 230v 40W
IP Rating IP20

3E-KLCH-800/1

230v 40W E27 Cleopatra Glass Pendant

Colour Matt Black
Brass with Clear Glass
Measurement in cm Full Height: 140 Ø: 18
Glass: H: 23.5 Ø: 18

Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



**3E-KLCH-800/SB**

230v 40W E27 Cleopatra Glass Pendant on a Bar
Colour

Matt Black
Brass with Clear Glass

Measurement in cm

Full Height: 137
Base: L: 120 H: 2.5 W: 6
Glass: H: 23.5 Ø: 18

Lamps
Wattage
IP Rating

5 x E27
230v 40W
IP20



T-KLCH-10/SN

230v 40W E27 Style Cone Glass Pendant
 Colour Satin Silver
 Measurement in cm Full Height: 125 Ø: 20
 Glass: H: 16
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



T-KLCH-10/BL

230v 40W E27 Style Cone Glass Pendant
 Colour Black
 Measurement in cm Full Height: 125 Ø: 20
 Glass: H: 16
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



T-KLCH-10/GD

230v 40W E27 Style Cone Glass Pendant
 Colour Gold
 Measurement in cm Full Height: 125 Ø: 20
 Glass: H: 16
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**T-KLCH-20/BL**

230v 40W E27 Style Ball Glass Pendant

Colour Black
 Measurement in cm Full Height: 137 Ø: 20
 Glass: H: 28

Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**T-KLCH-20/GD**

230v 40W E27 Style Ball Glass Pendant

Colour Gold
 Measurement in cm Full Height: 137 Ø: 20
 Glass: H: 28

Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**T-KLCH-20/SN**

230v 40W E27 Style Ball Glass Pendant

Colour Satin Silver
 Measurement in cm Full Height: 137 Ø: 20
 Glass: H: 28

Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20





GO-KLCH-160L/BL

230v 40W E27 Single Large Molecule Pendant
Colour Black with Smoke Glass
Measurement in cm Full Height: 225
Glass: H: 24 Ø: 23
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

GO-KLCH-160L/SG

230v 40W E27 Single Large Molecule Pendant
Colour Satin Gold with Amber Glass
Measurement in cm Full Height: 225
Glass: H: 24 Ø: 23
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



GO-KLCH-160S/BL

230v 40W E27 Single Small Molecule Pendant
Colour Black with Smoke Glass
Measurement in cm Full Height: 225
Glass: H: 20 Ø: 19
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

GO-KLCH-160S/SG

230v 40W E27 Single Small Molecule Pendant
Colour Satin Gold with Amber Glass
Measurement in cm Full Height: 225
Glass: H: 20 Ø: 19
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**3E-KLCH-106/SM**

230v 40W E27 Nougat Pendant
 Colour Antique Brass and
 Smoke Grey
 Measurement in cm Full Height: 156 Ø: 13
 Glass: H: 30
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

3E-KLCH-107/SM

230v 40W E27 Truffle Pendant
 Colour Antique Brass and
 Smoke Grey
 Measurement in cm Full Height: 154 Ø: 25
 Glass: H: 22
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

3E-KLCH-107/CL

230v 40W E27 Truffle Pendant
 Colour Antique Brass and
 Clear Glass
 Measurement in cm Full Height: 147 Ø: 20
 Glass: H: 20
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20


3E-KLCH-106/CL

230v 40W E27 Nougat Pendant
 Colour Antique Brass and
 Clear Glass
 Measurement in cm Full Height: 159 Ø: 13
 Glass: H: 32
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20





A-KLCH-9005/SM
230v 40W E27 Jackie Cut Glass Pendant
Colour Smoke Glass & Matt Black
Measurement in cm Full Height: 152
Glass: H: 18 Ø: 20
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



A-KLCH-9005/CL
230v 40W E27 Jackie Cut Glass Pendant
Colour Clear Glass & Satin Nickel
Measurement in cm Full Height: 152
Glass: H: 18 Ø: 20
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



A-KLCH-9005/AB
230v 40W E27 Jackie Cut Glass Pendant
Colour Amber Glass & Antique Brass
Measurement in cm Full Height: 152
Glass: H: 18 Ø: 20
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**A-KLCH-9006/CL**

230v 40W E27 Athina Cut Glass Pendant
 Colour Clear Glass & Satin Nickel
 Measurement in cm Full Height: 151
 Glass: H: 20 Ø: 14
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**A-KLCH-9006/SM**

230v 40W E27 Athina Cut Glass Pendant
 Colour Smoke Glass & Matt Black
 Measurement in cm Full Height: 151
 Glass: H: 20 Ø: 14
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**A-KLCH-9006/AB**

230v 40W E27 Athina Cut Glass Pendant
 Colour Amber Glass & Antique Brass
 Measurement in cm Full Height: 151
 Glass: H: 20 Ø: 14
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20





A-KLCH-9181/SM
230v 40W E27 Cedar Glass Pendant
Colour Smoke Glass & Matt Black
Measurement in cm Full Height: 150
Glass: H: 20 Ø: 19
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

A-KLCH-9181/CL
230v 40W E27 Cedar Glass Pendant
Colour Clear Glass & Satin Nickel
Measurement in cm Full Height: 150
Glass: H: 20 Ø: 19
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

A-KLCH-9181/AB
230v 40W E27 Cedar Glass Pendant
Colour Amber Glass & Brass
Measurement in cm Full Height: 150
Glass: H: 20 Ø: 19
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



**A-KLCH-9182/AB**

230v 40W E27 Chestnut Glass Pendant
 Colour Amber Glass & Brass
 Measurement in cm Full Height: 147
 Glass: H: 18 Ø: 18
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**A-KLCH-9182/CL**

230v 40W E27 Chestnut Glass Pendant
 Colour Clear Glass & Satin Nickel
 Measurement in cm Full Height: 147
 Glass: H: 18 Ø: 18
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**A-KLCH-9182/SM**

230v 40W E27 Chestnut Glass Pendant
 Colour Smoke Glass & Matt Black
 Measurement in cm Full Height: 147
 Glass: H: 18 Ø: 18
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20





A-KLCH-9183/SM
230v 40W E27 Cypress Glass Pendant
Colour Smoke Glass & Matt Black
Measurement in cm Full Height: 156
Glass: H: 25 Ø: 14
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



A-KLCH-9183/CL
230v 40W E27 Cypress Glass Pendant
Colour Clear Glass & Satin Nickel
Measurement in cm Full Height: 156
Glass: H: 25 Ø: 14
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



A-KLCH-9183/AB
230v 40W E27 Cypress Glass Pendant
Colour Amber Glass & Brass
Measurement in cm Full Height: 156
Glass: H: 25 Ø: 14
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**LW-KLCH-2175/AB**

230v 40W E27 Twisted Glass Pendant
 Colour Amber Glass & Black
 Measurement in cm Full Height: 150
 Glass: H: 35 Ø: 12
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**LW-KLCH-2175/CL**

230v 40W E27 Twisted Glass Pendant
 Colour Clear Glass & Chrome
 Measurement in cm Full Height: 150
 Glass: H: 35 Ø: 12
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**LW-KLCH-2175/SM**

230v 40W E27 Twisted Glass Pendant
 Colour Smoke Glass & Black
 Measurement in cm Full Height: 150
 Glass: H: 35 Ø: 12
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20





LW-KLCH-5118/SM

230v 40W E27 New York Cylinder Glass Pendant
Colour Smoke Glass Black Mesh
Measurement in cm Full Height: 135
Glass: H: 27 Ø: 13
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

LW-KLCH-5118/CL

230v 40W E27 New York Cylinder Glass Pendant
Colour Clear Glass Satin Gold Mesh
Measurement in cm Full Height: 135
Glass: H: 27 Ø: 13
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

LW-KLW-5118/CL

230v 40W E27 New York Cylinder Wall Light
Colour Clear Glass Satin Gold Mesh
Measurement in cm Full Height: 65
Glass: D: 20 W: 13
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

LW-KLW-5118/SM

230v 40W E27 New York Cylinder Wall Light
Colour Smoke Glass Black Mesh
Measurement in cm Full Height: 65
Glass: D: 20 W: 13
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



**LW-KLW-5120/CL OR LW-KLW-5120/SM**

230v 40W E27 New York 20cm Ball Wall Light
 Colour Clear Glass Satin Gold Mesh OR
 Smoke Glass Black Mesh

Measurement in cm Full Height: 55
 Glass: D: 26 W: 20

Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

LW-KLCH-5120/CL OR LW-KLCH-5120/SM

230v 40W E27 New York 20cm Ball Glass Pendant
 Colour Clear Glass Satin Gold Mesh OR
 Smoke Glass Black Mesh

Measurement in cm Full Height: 125
 Glass: H: 18 Ø: 20

Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**LW-KLCH-5121/CL OR LW-KLCH-5121/SM**

230v 40W E27 New York 25cm Ball Glass Pendant
 Colour Clear Glass Satin Gold Mesh OR
 Smoke Glass Black Mesh

Measurement in cm Full Height: 125
 Glass: H: 22 Ø: 25

Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



A-KLCH-900-S/CG
230v 40W E14 Marilyn Small
Glass Pendant
Colour Chrome with Cognac Glass
Measurement in cm Full Height: 160
Glass: H: 30 Ø: 20
Lamps 1 x E14
Wattage 230v 40W
IP Rating IP20

A-KLCH-900-S/SM
230v 40W E14 Marilyn Small
Glass Pendant
Colour Chrome with Smoke Glass
Measurement in cm Full Height: 160
Glass: H: 30 Ø: 20
Lamps 1 x E14
Wattage 230v 40W
IP Rating IP20

A-KLCH-900-S/OP
230v 40W E14 Marilyn Small
Glass Pendant
Colour Chrome with Opal White Glass
Measurement in cm Full Height: 160
Glass: H: 30 Ø: 20
Lamps 1 x E14
Wattage 230v 40W
IP Rating IP20



**A-KLCH-900-L/CG**

230v 40W E27 Marilyn Large
Glass Pendant

Colour

Chrome with
Cognac Glass

Measurement in cm

Full Height: 162
Glass: H: 42 Ø: 30

Lamps

Wattage
IP Rating

1 x E27
230v 40W
IP20

A-KLCH-900-L/SM

230v 40W E27 Marilyn Large
Glass Pendant

Colour

Chrome with
Smoke Glass

Measurement in cm

Full Height: 162
Glass: H: 42 Ø: 30

Lamps

Wattage
IP Rating

1 x E27
230v 40W
IP20

A-KLCH-900-L/OP

230v 40W E27 Marilyn Large
Glass Pendant

Colour

Chrome with
Opal White Glass

Measurement in cm

Full Height: 162
Glass: H: 42 Ø: 30

Lamps

Wattage
IP Rating

1 x E27
230v 40W
IP20



DL-KLCH-1027
 230v 40W E27 Arum Lily Glass Pendant
 Colour Amber
 Measurement in cm Full Height: 215
 Glass: H: 25 W: 26 L: 21
 Lamps 1 x E27
 (Including Lamp: Mirror LED Filament Bulb E27 4W 2700K)
 Wattage 230v 40W
 IP Rating IP20



A-KLCH-912/SM
 230v 40W E27 Pouch Glass Pendant
 Colour Black with Smoke Glass
 Measurement in cm Full Height: 160
 Glass: H: 32 Ø: 18
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

A-KLCH-912/AB
 230v 40W E27 Pouch Glass Pendant
 Colour Brass with Amber Glass
 Measurement in cm Full Height: 160
 Glass: H: 32 Ø: 18
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**A-KLCH-910-S/AB**

230v 40W E27 Apple Small Glass Pendant
 Colour Antique Brass with
 Amber Glass
 Measurement in cm Full Height: 155
 Glass: H: 24 Ø: 30
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

A-KLCH-910-S/SM

230v 40W E27 Apple Small Glass Pendant
 Colour Chrome with
 Smoke Glass
 Measurement in cm Full Height: 155
 Glass: H: 24 Ø: 30
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**A-KLCH-910-L/AB**

230v 40W E27 Apple Large Glass Pendant
 Colour Antique Brass with
 Champagne Glass
 Measurement in cm Full Height: 140
 Glass: H: 34 Ø: 40
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

A-KLCH-910-L/SM

230v 40W E27 Apple Large Glass Pendant
 Colour Black with
 Smoke Glass
 Measurement in cm Full Height: 140
 Glass: H: 34 Ø: 40
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



Y-KLCH-79		Y-KLW-79	
230v 40W E27 Flambouw Pendant		230v 40W E27 Flambouw Wall Light	
Colour	Antique Brass with Clear Glass	Colour	Antique Brass with Clear Glass
Measurement in cm	Full Height: 146	Measurement in cm	Full Height: 43 Depth: 15.5
	Metal & Glass: H: 43.5 Ø: 7		Glass: H: 22
Lamps	1 x E27	Lamps	1 x E27
Wattage	230v 40W	Wattage	230v 40W
IP Rating	IP20	IP Rating	IP20

**LW-KLCH-4164**

230v 40W E14 Vintage Cut Glass Pendant
Colour Satin Gold with Clear Glass

Measurement in cm Full Height: 185
Glass: H: 13 Ø: 12

Lamps 1 x E14
Wattage 230v 40W
IP Rating IP20

LW-KLCH-4165

230v 40W E14 Vintage Cut Glass Pendant
Colour Satin Gold with Clear Glass

Measurement in cm Full Height: 180
Glass: H: 6 Ø: 22

Lamps 1 x E14
Wattage 230v 40W
IP Rating IP20

LW-KLCH-4162

230v 40W E14 Vintage Cut Glass Pendant
Colour Satin Gold with Clear Glass

Measurement in cm Full Height: 185
Glass: H: 6 Ø: 12

Lamps 1 x E14
Wattage 230v 40W
IP Rating IP20

LW-KLCH-4163

230v 40W E14 Vintage Cut Glass Pendant
Colour Satin Gold with Clear Glass

Measurement in cm Full Height: 190
Glass: H: 14 Ø: 15

Lamps 1 x E14
Wattage 230v 40W
IP Rating IP20

LW-KLCH-4166

230v 40W E14 Vintage Cut Glass Pendant
Colour Satin Gold with Clear Glass

Measurement in cm Full Height: 185
Glass: H: 12 Ø: 11.5

Lamps 1 x E14
Wattage 230v 40W
IP Rating IP20

**B-KLW-2196-ST**

230v 40W E27 Cone Glass Wall Light

Colour Satin Chrome with Clear Glass

Measurement in cm H: 35 W: 33,5 D: 16

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**B-KLCH-2196-1S**

230v 40W E27 Small Cone Glass Pendant

Colour Satin Chrome with Clear Glass

Measurement in cm Full Height: 149

Glass: H: 33 Ø: 27

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**B-KLCH-2196-1L**

230v 40W E27 Large Cone Glass Pendant

Colour Satin Chrome with Clear Glass

Measurement in cm Full Height: 164

Glass: H: 47 Ø: 44

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**CA-KLCH-3279/CL**

230v 40W E27 Copper Lined Glass Pendant
 Colour Chrome with Clear Glass
 Measurement in cm Full Height: 175
 Glass: H: 35 Ø: 17
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**CA-KLCH-3279/SM**

230v 40W E27 Copper Lined Glass Pendant
 Colour Chrome with Smoke/Blue Glass
 Measurement in cm Full Height: 175
 Glass: H: 35 Ø: 17
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



M-KLCH-5011-60

230v 40W E14 Glass Round Cluster Pendant

Colour Chrome with Orange Glasses

Measurement in cm H: 190 Ø: 46
Big Glass: H: 20 Ø: 27
Long Glass: H: 27 Ø: 9
Small Glass: H: 12 Ø: 18

Lamps 6 x E14
Wattage 230v 240W
IP Rating IP20



M-KLCH-5011-30

230v 40W E14 Glass Round Cluster Pendant

Colour Satin Chrome with Orange Glasses

Measurement in cm H: 190 Ø: 40
Big Glass: H: 20 Ø: 27
Long Glass: H: 27 Ø: 9
Small Glass: H: 12 Ø: 18

Lamps 3 x E14
Wattage 230v 120W
IP Rating IP20



**M-KLCH-5011-150**

230v 40W E14 Glass Rectangular Cluster Pendant
 Colour Chrome with Orange Glasses

Measurement in cm H: 190 L: 101 W: 35

Big Glass: H: 20 Ø: 27

Long Glass: H: 27 Ø: 9

Small Glass: H: 12 Ø: 18

15 x E14

Lamps
 Wattage
 IP Rating

230v 600W
 IP20



CA-KLCH-108L/AB or CA-KLCH-108L/SM or CA-KLCH-108L/WH
230v 40W E27 Large Glass Ball Pendant
Colour Black with Amber Glass OR
Black with Smoke Glass OR
White with Opal White Glass
Measurement in cm Full Height: 180
Glass: Ø: 40
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

CA-KLCH-108S/AB or CA-KLCH-108S/SM
230v 40W E27 Small Glass Ball Pendant
Colour Black with Amber Glass OR
Black with Smoke Glass
Measurement in cm Full Height: 170
Glass: Ø: 30
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



**CA-KLCH-108L/CO**

230v 40W E27 Large Glass Ball Pendant
 Colour Black with Copper Glass
 Measurement in cm Full Height: 180
 Glass: Ø: 40
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

CA-KLCH-108S/CO

230v 40W E27 Small Glass Ball Pendant
 Colour Black with Copper Glass
 Measurement in cm Full Height: 170
 Glass: Ø: 30
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

CA-KLCH-108L/CH

230v 40W E27 Large Glass Ball Pendant
 Colour Black with Chrome Glass
 Measurement in cm Full Height: 180
 Glass: Ø: 40
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

CA-KLCH-108S/CH

230v 40W E27 Small Glass Ball Pendant
 Colour Black with Chrome Glass
 Measurement in cm Full Height: 170
 Glass: Ø: 30
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



CA-KLCH-336S/AB

230v 40W E27 Small Vase Glass Pendant
 Colour Black Rod with Amber Glass
 Measurement in cm Full Height: 38 + 100 Rod
 Glass: H: 34 Ø: 26

Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

CA-KLCH-336S/CL

230v 40W E27 Small Vase Glass Pendant
 Colour Black Rod with Clear Glass
 Measurement in cm Full Height: 38 + 100 Rod
 Glass: H: 34 Ø: 26

Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

CA-KLCH-336S/SM

230v 40W E27 Small Vase Glass Pendant
 Colour Black Rod with Smoke Glass
 Measurement in cm Full Height: 38 + 100 Rod
 Glass: H: 34 Ø: 26

Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



**CA-KLCH-336L/SM**

230v 40W E27 Large Vase Glass Pendant
 Colour Black Rod with Smoke Glass
 Measurement in cm Full Height: 48 + 100 Rod
 Glass: H: 44 Ø: 30
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

CA-KLCH-336L/CL

230v 40W E27 Large Vase Glass Pendant
 Colour Black Rod with Clear Glass
 Measurement in cm Full Height: 48 + 100 Rod
 Glass: H: 44 Ø: 30
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

CA-KLCH-336L/AB

230v 40W E27 Large Vase Glass Pendant
 Colour Black Rod with Amber Glass
 Measurement in cm Full Height: 48 + 100 Rod
 Glass: H: 44 Ø: 30
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



T-KLW-3140

230v 40W E27 Antique Brass Glass
Ball Wall Light
Colour

Antique Brass with

Clear Glass

Measurement in cm

H: 32.5 D: 28

Glass: H: 17 Ø: 20

Lamps

1 x E27

Wattage

230v 40W

IP Rating

IP20

T-KLCH-109/L

230v 40W E27 Antique Brass Large
Glass Ball Pendant
Colour

Antique Brass with

Clear Glass

Measurement in cm

Full Height: 155

Glass: H: 37 Ø: 40

Lamps

1 x E27

Wattage

230v 40W

IP Rating

IP20

T-KLCH-109/M

230v 40W E27 Antique Brass Medium
Glass Ball Pendant
Colour

Antique Brass with

Clear Glass

Measurement in cm

Full Height: 145

Glass: H: 27 Ø: 30

Lamps

1 x E27

Wattage

230v 40W

IP Rating

IP20

T-KLCH-109/S

230v 40W E27 Antique Brass Small
Glass Ball Pendant
Colour

Antique Brass with

Clear Glass

Measurement in cm

Full Height: 140

Glass: H: 22 Ø: 25

Lamps

1 x E27

Wattage

230v 40W

IP Rating

IP20



CA-KLW-3139

230v 40W E27 Glass Wall Light
Colour Black, Antique Brass with Clear Glass
Measurement in cm H: 30 W: 25 D: 25
Glass: H: 15 Ø: 18
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

CA-KLCH-3209

230v 40W E27 Medium Antique Glass Pendant
Colour Antique Brass with Clear Glass
Measurement in cm Full Height: 160
Glass: H: 15 Ø: 18
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



CA-KLCH-320901

230v 40W E27 Antique Brass Finish Glass Cluster Pendant
Colour Antique Brass with Clear Glass
Measurement in cm Full Height: 175
Ceiling Plate: H: 2.5 Ø: 40
Lamps 3 x E27
Wattage 230v 120W
IP Rating IP20

CA-KLCH-3210

230v 40W E27 Small Antique Glass Pendant
Colour Antique Brass with Clear Glass
Measurement in cm Full Height: 160
Glass: H: 14 Ø: 13
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20





CA-KLCH-3094/CH

230v 40W E27 Medium Diamond Cut Glass Pendant
Colour Chrome Cup Black wire and Chrome Glass
Measurement in cm Full Height: 167
Glass: H: 19 Ø: 22
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

CA-KLCH-3095/CH


230v 40W E27 Large Diamond Cut Glass Pendant
Colour Chrome Cup Black wire and Chrome Glass
Measurement in cm Full Height: 183
Glass: H: 41 Ø: 14
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

CA-KLCH-3093/CO

230v 40W E27 Small Diamond Cut Glass Pendant
Colour Copper Cup Black wire and Copper Glass
Measurement in cm Full Height: 160
Glass: H: 11 Ø: 22
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

CA-KLCH-3093/CH

230v 40W E27 Small Diamond Cut Glass Pendant
Colour Chrome Cup Black wire and Chrome Glass
Measurement in cm Full Height: 160
Glass: H: 11 Ø: 22
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



**A-KLCH-904/CH**

230v 40W E27 Morpheus Round Glass Pendant
 Colour Chrome with Chrome Glass
 Measurement in cm Full Height: 160
 Glass: H: 25 Ø: 25
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

A-KLCH-904/CO

230v 40W E27 Morpheus Round Glass Pendant
 Colour Copper with Copper Glass
 Measurement in cm Full Height: 160
 Glass: H: 25 Ø: 25
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**A-KLCH-903/CH**

230v 40W E27 Morpheus Oval Glass Pendant
 Colour Chrome with Chrome Glass
 Measurement in cm Full Height: 166
 Glass: H: 36 Ø: 22
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

A-KLCH-903/CO

230v 40W E27 Morpheus Oval Glass Pendant
 Colour Copper with Copper Glass
 Measurement in cm Full Height: 166
 Glass: H: 36 Ø: 22
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



CA-KLCH-3232/AB
230v 40W E27 Nautical Glass Pendant
Colour Antique Brass with
 Amber Glass
Measurement in cm Full Height: 164
 Glass: H: 18 Ø: 23
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

CA-KLCH-3232/CL
230v 40W E27 Nautical Glass Pendant
Colour Antique Brass with
 Clear Glass
Measurement in cm Full Height: 164
 Glass: H: 18 Ø: 23
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

CA-KLCH-3232/CO
230v 40W E27 Nautical Glass Pendant
Colour Copper with
 Smoke Glass
Measurement in cm Full Height: 164
 Glass: H: 18 Ø: 23
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



**CA-KLCH-3232/3**

230v 40W E27 Nautical Glass Trio Pendant

Colour Copper with Smoke Glass

Measurement in cm Full Height: 140 L: 120 W: 23

Glass: H: 18 Ø: 23

Lamps 3 x E27

Wattage 230v 120W

IP Rating IP20



CA-KLCH-001/AB

230v 40W E27 Bell Jar Glass Pendant
Colour Black with Amber Glass
Measurement in cm Full Height: 160
Glass: H: 30 Ø: 24
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



CA-KLCH-001/CL

230v 40W E27 Bell Jar Glass Pendant
Colour Chrome with Clear Glass
Measurement in cm Full Height: 160
Glass: H: 30 Ø: 24
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

CA-KLCH-001/SM

230v 40W E27 Bell Jar Glass Pendant
Colour Black with Smoke Glass
Measurement in cm Full Height: 160
Glass: H: 30 Ø: 24
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**CA-KLCH-002/AB**

230v 40W E27 Lantern Glass Pendant
 Colour Black with Amber Glass
 Measurement in cm Full Height: 132
 Glass: H: 28 Ø: 18
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**CA-KLCH-002/CL**

230v 40W E27 Lantern Glass Pendant
 Colour Chrome with Clear Glass
 Measurement in cm Full Height: 132
 Glass: H: 28 Ø: 18
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**CA-KLCH-002/SM**

230v 40W E27 Lantern Glass Pendant
 Colour Black with Smoke Glass
 Measurement in cm Full Height: 132
 Glass: H: 28 Ø: 18
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20





MP-HAT/PLAIN

230v 40W E27 Hat Glass Pendant
Colour: Antique Brass with
Alabaster Glass
Measurement in cm: Full Height: 110
Glass: H: 15 Ø: 41
Lamps: 1 x E27
Wattage: 230v 40W
IP Rating: IP20



MP-14

230v 40W E27 14" Glass Pendant
Colour: Antique Brass with
Alabaster Glass
Measurement in cm: Full Height: 110
Glass: H: 15 Ø: 35
Lamps: 1 x E27
Wattage: 230v 40W
IP Rating: IP20

**CA-KLCH-004/FR**

230v 40W E27 Cylinder Half Frosted Glass Pendant
 Colour Chrome with Half Frosted Glass
 Measurement in cm Full Height: 170
 Glass: H: 32 Ø: 14-9
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

CA-KLCH-004/AB

230v 40W E27 Cylinder Glass Pendant
 Colour Black with Amber Glass
 Measurement in cm Full Height: 170
 Glass: H: 32 Ø: 14-9
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

CA-KLCH-004/CL

230v 40W E27 Cylinder Glass Pendant
 Colour Chrome with Clear Glass
 Measurement in cm Full Height: 170
 Glass: H: 32 Ø: 14-9
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

CA-KLCH-004/SM

230v 40W E27 Cylinder Glass Pendant
 Colour Black with Smoke Glass
 Measurement in cm Full Height: 170
 Glass: H: 32 Ø: 14-9
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



**CA-KLCH-3052/FR**

230v 40W E27 12 Lights Cylinder Half Frosted Glass Pendant Cluster

Colour Chrome with Half Frosted Glass

Measurement in cm Full Height: 170 L: 56 W: 40

Glass: H: 32 Ø: 14-9

Lamps 12 x E27

Wattage 230v 480W

IP Rating IP20

**CA-KLCH-3052/12**

230v 40W E27 12 Lights Cylinder Glass Pendant Cluster

Colour Chrome with Clear Glass

Specifications Non Dimmable

Measurement in cm Full Height: 170 L: 56 W: 40

Glass: H: 32 Ø: 14-9

Lamps 12 x E27

Wattage 230v 480W

IP Rating IP20



LED-3048/1
230v 2W G4 LED Glass Wall Light
Colour Chrome with Clear Glass
Specifications Non Dimmable
Kelvin / Lumen Warm White: 3000K
Measurement in cm H: 32 D: 19
Glass: H:13.5 Ø: 10
LED SMD 2W
Wattage 230v 2W
IP Rating IP20



**KLCH-3048/24**

230v 20W G4 Bi-Pin Glass Rectangular Cluster Pendant

Colour Chrome with Clear Glass

Specifications Dimmable Optional

Measurement in cm H: 112 L: 119 W: 30

Glass 1: H: 30 Ø: 10

Glass 2: H: 35 Ø: 8

Glass 3: H: 25 Ø: 14

Lamps 24 x 20W G4 Bi Pin (Including Bi Pin Lamps)

Wattage 230v 480W

IP Rating IP20



K-LED-021/AB

230v 9W LED SMD Magnum 1 Glass Pendant
 Colour Black with Amber Glass
 Specifications Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 158
 Glass + Metal Height: 52
 Glass Ø: 36 H: 43

LED SMD
 Wattage 9W
 230v 9W
 IP Rating IP20

K-LED-022/AB

230v 9W LED SMD Magnum 2 Glass Pendant
 Colour Black with Amber Glass
 Specifications Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 145
 Glass + Metal Height: 37
 Glass Ø: 35 H: 29

LED SMD
 Wattage 9W
 230v 9W
 IP Rating IP20

K-LED-023/AB

230v 9W LED SMD Magnum 3 Glass Pendant
 Colour Black with Amber Glass
 Specifications Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 136
 Glass + Metal Height: 30
 Glass Ø: 44 H: 21

LED SMD
 Wattage 9W
 230v 9W
 IP Rating IP20



**K-LED-021/GR**

230v 9W LED SMD Magnum 1 Glass Pendant

Colour Black with Smoke Green Glass

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 158

Glass + Metal Height: 52

Glass Ø: 36 H: 43

LED SMD 9W

Wattage 230v 9W

IP Rating IP20

K-LED-022/GR

230v 9W LED SMD Magnum 2 Glass Pendant

Colour Black with Smoke Green Glass

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 145

Glass + Metal Height: 37

Glass Ø: 35 H: 29

LED SMD 9W

Wattage 230v 9W

IP Rating IP20

K-LED-023/GR

230v 9W LED SMD Magnum 3 Glass Pendant

Colour Black with Smoke Green Glass

Specifications Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 136

Glass + Metal Height: 30

Glass Ø: 44 H: 21

LED SMD 9W

Wattage 230v 9W

IP Rating IP20



K-LED-9966B/SM
230v 5W LED SMD Bee Hive Glass & Rope Pendant
Colour Gold with Smoke Glass
Specifications Non Dimmable
Kelvin / Lumen Warm White: 3000K / 225lm
Measurement in cm Full Height: 175
Glass: H: 27 Ø: 18
LED SMD
Wattage 5W
IP Rating 230v 5W
IP20

K-LED-9966C/AB
230v 5W LED SMD Orb Glass & Rope Pendant
Colour Gold with Amber Glass
Specifications Non Dimmable
Kelvin / Lumen Warm White: 3000K / 225lm
Measurement in cm Full Height: 175
Glass: H: 30 Ø: 28
LED SMD
Wattage 5W
IP Rating 230v 5W
IP20



**K-LED-9966B/BU**

230v 5W LED SMD Bee Hive Glass & Rope Pendant
 Colour Copper with Blue Glass
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 225lm
 Measurement in cm Full Height: 175
 Glass: H: 27 Ø: 18

LED SMD
 Wattage 5W
 230v 5W
 IP Rating IP20

K-LED-9966A/BU

230v 5W LED SMD Droplet Glass & Rope Pendant
 Colour Copper with Blue Glass
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 225lm
 Measurement in cm Full Height: 175
 Glass: H: 28 Ø: 16

LED SMD
 Wattage 5W
 230v 5W
 IP Rating IP20

K-LED-9966C/BU

230v 5W LED SMD Orb Glass & Rope Pendant
 Colour Copper with Blue Glass
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 225lm
 Measurement in cm Full Height: 175
 Glass: H: 30 Ø: 28

LED SMD
 Wattage 5W
 230v 5W
 IP Rating IP20

K-LED-9966D/BU

230v 5W LED SMD Pebble Glass & Rope Pendant
 Colour Copper with Blue Glass
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 225lm
 Measurement in cm Full Height: 175
 Glass: H: 13 Ø: 30

LED SMD
 Wattage 5W
 230v 5W
 IP Rating IP20

**CA-PLATE/REC-WH**

Rectangular Base Plate

Colour Matt White

Measurement in cm H: 4 L: 90 W: 35

Number of Holes No Holes in order to allow custom design

**CA-PLATE/80-WH**

80cm Base Plate

Colour White

Measurement in cm H: 3 Ø: 80

Number of Holes No Holes in order to allow custom design

**CA-PLATE/50-WH**

50cm Base Plate

Colour White

Measurement in cm H: 2.5 Ø: 50

Number of Holes No Holes in order to allow custom design

**CA-PLATE/40-WH**

40cm Base Plate

Colour White

Measurement in cm H: 2.5 Ø: 40

Number of Holes No Holes in order to allow custom design

**CA-PLATE/REC-BL**

Rectangular Base Plate

Colour Black

Measurement in cm H: 4 L: 90 W: 35

Number of Holes No Holes in order to allow custom design

**CA-PLATE/80-BL**

80cm Base Plate

Colour Black

Measurement in cm H: 3 Ø: 80

Number of Holes No Holes in order to allow custom design

**CA-PLATE/50-BL**

50cm Base Plate

Colour Black

Measurement in cm H: 2.5 Ø: 50

Number of Holes 7

**CA-PLATE/40-BL**

40cm Base Plate

Colour Black

Measurement in cm H: 2.5 Ø: 40

Number of Holes 3

**CA-PLATE/80-CH**

80cm Base Plate

Colour Chrome

Measurement in cm H: 3 Ø: 80

Number of Holes No Holes in order to allow custom design

**CA-PLATE/50-CH**

50cm Base Plate

Colour Satin Chrome

Measurement in cm H: 5.5 Ø: 50

Number of Holes 7

**CA-PLATE/40-CH**

40cm Base Plate

Colour Satin Chrome

Measurement in cm H: 5.5 Ø: 40

Number of Holes 3



K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



RATTAN, RAFFIA & BAMBOO PENDANTS

All fittings exclude lamps unless otherwise stated.



K. LIGHT®

DESIGN • SERVICE • QUALITY



E-KLCH-7141
230v 40W E27 Small Raffia Pendant
Colour Natural Raffia
Measurement in cm Shade: H: 20 Ø: 40
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



E-KLCH-7140
230v 40W E27 Large Raffia Pendant
Colour Natural Raffia
Measurement in cm Shade: H: 26 Ø: 60
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**E-KLCH-7160**

230v 40W E27 Rattan Pendant

Colour Natural Rattan

Measurement in cm Shade: H: 46 Ø: 80

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**E-KLCH-7150/80**

230v 40W E27 Bamboo Pendant
 Colour Natural original
 Bamboo colour
 with fabric cable
 Measurement in cm H: 227 Ø: 80
 Shade: H: 80
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

E-KLCH-7150/60

230v 40W E27 Bamboo Pendant
 Colour Natural original
 Bamboo colour
 with fabric cable
 Measurement in cm H: 198 Ø: 60
 Shade: H: 60
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

E-KLCH-7150/46

230v 40W E27 Bamboo Pendant
 Colour Natural original
 Bamboo colour
 with fabric cable
 Measurement in cm H: 176 Ø: 46
 Shade: H: 46
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

E-KLCH-7150/32

230v 40W E27 Bamboo Pendant
 Colour Natural original
 Bamboo colour
 with fabric cable
 Measurement in cm H: 156 Ø: 32
 Shade: H: 32
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



**E-KLCH-7150/100**

230v 40W E27 Bamboo Pendant

Colour

Natural original
Bamboo colour
with fabric cable

Measurement in cm

H: 237 Ø: 100
Shade: H: 100

Lamps

1 x E27

Wattage

230v 40W

IP Rating

IP20



E-KLCH-7128

230v 40W E27 Bamboo Pendant
Colour Natural original Bamboo
Measurement in cm H: 188 Ø: 36
Shade: H: 41
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



E-KLCH-7130

230v 40W E27 Rattan & Bamboo Pendant
Colour Coffee
Measurement in cm H: 185 Ø: 30
Shade: H: 41
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



E-KLCH-7091

230v 40W E27 Bamboo Pendant
Colour Natural original Bamboo
Measurement in cm H: 175 Ø: 40
Shade: H: 29
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



**E-KLCH-7092**

230v 40W E27 Bamboo Pendant

Colour Natural original Bamboo

Measurement in cm H: 185 Ø: 51
Shade: H: 51Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20**E-KLCH-7106**

230v 40W E27 Bamboo Pendant

Colour Natural original Bamboo

Measurement in cm H: 214 Ø: 31
Shade: H: 76Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20**E-KLCH-7089**

230v 40W E27 Bamboo Pendant

Colour Natural original Bamboo

Measurement in cm H: 197 Ø: 28
Shade: H: 52.5Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20**E-KLCH-7127**

230v 40W E27 Bamboo Pendant

Colour Natural original Bamboo

Measurement in cm H: 188 Ø: 40
Shade: H: 40Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



E-KLCH-7093

230v 40W E27 Bamboo Pendant
 Colour Natural original Bamboo
 Measurement in cm H: 170 Ø: 57
 Shade: H: 19.5
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

E-KLCH-7131

230v 40W E27 Bamboo Pendant
 Colour Natural original Bamboo
 Measurement in cm H: 179 Ø: 26
 Shade: H: 31
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

E-KLCH-7127/BL

230v 40W E27 Bamboo Pendant
 Colour Black Bamboo
 Measurement in cm H: 188 Ø: 40
 Shade: H: 40
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

E-KLCH-7089/BL

230v 40W E27 Bamboo Pendant
 Colour Black Bamboo
 Measurement in cm H: 197 Ø: 28
 Shade: H: 52.5
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



CEILING FITTINGS

All fittings exclude lamps unless otherwise stated.



K. LIGHT®

DESIGN • SERVICE • QUALITY



T-KLC-1428-L/CL
230v 40W E27 Large Glass Molten Ceiling Light
Colour Clear Glass and White
Measurement in cm Fitting: H: 22 Ø: 23
Lamps 1 x E27
(Golf Ball G45 Lamp only)
Wattage 230v 40W
IP Rating IP20



T-KLC-1428-L/AB
230v 40W E27 Large Glass Molten Ceiling Light
Colour Amber Glass and Black
Measurement in cm Fitting: H: 22 Ø: 23
Lamps 1 x E27
(Golf Ball G45 Lamp only)
Wattage 230v 40W
IP Rating IP20



T-KLC-1428-L/SM
230v 40W E27 Large Glass Molten Ceiling Light
Colour Smoke Glass and Black
Measurement in cm Fitting: H: 22 Ø: 23
Lamps 1 x E27
(Golf Ball G45 Lamp only)
Wattage 230v 40W
IP Rating IP20

**T-KLC-1428-S/CL**

230v 40W E27 Small Glass Molten Ceiling Light
 Colour Clear Glass and White
 Measurement in cm Fitting: H: 20.5 Ø: 21
 Lamps 1 x E27
 (Golf Ball G45 Lamp only)

Wattage 230v 40W
 IP Rating IP20

T-KLC-1428-S/SM

230v 40W E27 Small Glass Molten Ceiling Light
 Colour Smoke Glass and Black
 Measurement in cm Fitting: H: 20.5 Ø: 21
 Lamps 1 x E27
 (Golf Ball G45 Lamp only)

Wattage 230v 40W
 IP Rating IP20

T-KLC-1428-S/AB

230v 40W E27 Small Glass Molten Ceiling Light
 Colour Amber Glass and Black
 Measurement in cm Fitting: H: 20.5 Ø: 21
 Lamps 1 x E27
 (Golf Ball G45 Lamp only)

Wattage 230v 40W
 IP Rating IP20





T-KLC-1427-L/AB
230v 40W E27 Large Glass Orb Ceiling Light
Colour Amber Glass and Black
Measurement in cm Fitting: H: 22 Ø: 26
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



T-KLC-1427-L/CL
230v 40W E27 Large Glass Orb Ceiling Light
Colour Clear Glass and White
Measurement in cm Fitting: H: 22 Ø: 26
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



T-KLC-1427-L/SM
230v 40W E27 Large Glass Orb Ceiling Light
Colour Smoke Glass and Black
Measurement in cm Fitting: H: 22 Ø: 26
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**T-KLC-1427-S/AB**

230v 40W E27 Small Glass Orb Ceiling Light
 Colour Amber Glass and Black
 Measurement in cm Fitting: H: 22 Ø: 20
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

T-KLC-1427-S/SM

230v 40W E27 Small Glass Orb Ceiling Light
 Colour Smoke Glass and Black
 Measurement in cm Fitting: H: 22 Ø: 20
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**T-KLC-1427-S/CL**

230v 40W E27 Small Glass Orb Ceiling Light
 Colour Clear Glass and White
 Measurement in cm Fitting: H: 22 Ø: 20
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



T-KLC-1430/CL
230v 40W E27 Glass Drum Ceiling Light
Colour Clear Glass and White
Measurement in cm Fitting: H: 22 Ø: 25.5
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



T-KLC-1430/AB
230v 40W E27 Glass Drum Ceiling Light
Colour Amber Glass and Black
Measurement in cm Fitting: H: 22 Ø: 25.5
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



T-KLC-1430/SM
230v 40W E27 Glass Drum Ceiling Light
Colour Smoke Glass and Black
Measurement in cm Fitting: H: 22 Ø: 25.5
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**T-KLC-1431/CL**

230v 40W E27 Glass Keg Ceiling Light
 Colour Clear Glass and White
 Measurement in cm Fitting: H: 33 Ø: 38
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

T-KLC-1431/SM

230v 40W E27 Glass Keg Ceiling Light
 Colour Smoke Glass and Black
 Measurement in cm Fitting: H: 33 Ø: 38
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**T-KLC-1431/AB**

230v 40W E27 Glass Keg Ceiling Light
 Colour Amber Glass and Black
 Measurement in cm Fitting: H: 33 Ø: 38
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**G-KLC-86/BL**

230v 40W E27 Mesh Ceiling Fitting
 Colour Black
 Measurement in cm Fitting: H:26 Ø: 42
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

G-KLC-86/GD

230v 40W E27 Mesh Ceiling Fitting
 Colour Gold
 Measurement in cm Fitting: H: 26 Ø: 42
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

G-KLC-70/BL

230v 40W E27 Nest Ceiling Fitting
 Colour Black
 Measurement in cm Fitting: H: 19.5 Ø: 30
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

G-KLC-70/GD

230v 40W E27 Nest Ceiling Fitting
 Colour Gold
 Measurement in cm Fitting: H: 19.5 Ø: 30
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**G-KLC-501**

230v 40W E27 Golden Flower Ceiling Light
 Colour Gold & Black
 Measurement in cm Fitting: H: 14 Ø: 39
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

G-KLC-502

230v 40W E27 Golden Shell Ceiling Light
 Colour Gold & Black
 Measurement in cm Fitting: H: 13 Ø: 30
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20


**G-KLC-500**

230v 40W E27 Golden Nugget Ceiling Light
 Colour Gold & Black
 Measurement in cm Fitting: H: 11.5 Ø: 38
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20





T-KLC-900
230v 3W G9 LED Urban Ceiling Fitting
Colour Gold and Black with Opal White Glass
Measurement in cm H: 30 Ø: 80
Glass: Ø: 12
Lamps 6 x 3W G9 LED (Including Non Dimmable Lamps)
Wattage 230v 18W
IP Rating IP20



CA-KLW-1626/SG
230v 40W E27 Branch Ceiling Fitting
Colour Satin Gold Opal White Glass
Measurement in cm Fitting: H: 27 D: 22 Glass: Ø: 20
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

G-KLC-8104/4
230v 40W E27 4 Light Traverse Ceiling Fitting
Colour Matt Black and Satin Gold
Measurement in cm L: 52 W: 38 D: 9
Lamps 4 x E27
Wattage 230v 160W
IP Rating IP20

G-KLW-8104/2
230v 40W E27 2 Light Traverse Ceiling Fitting
Colour Black and Satin Gold
Measurement in cm H: 36 W: 12 D: 15
Lamps 2 x E27
Wattage 230v 80W
IP Rating IP20

T-KLCH-60819/5

230v 40W E14 Swirl Luxury Ceiling Fitting
 Colour Satin Chrome Opal White Glasses
 Specifications Clear K9 Crystals
 Measurement in cm Fitting: H: 17 Ø: 56 Glass: H: 12 Ø: 14
 Lamps 5 x E14
 Wattage 230v 200W
 IP Rating IP20

**T-KLCH-60723/5**

230v 40W E14 Flower Luxury Ceiling Fitting
 Colour Satin Chrome Opal White Glasses
 Specifications Clear K9 Crystals
 Measurement in cm Fitting: H: 18.5 Ø: 55 Glass: H: 14 Ø: 14
 Lamps 5 x E14
 Wattage 230v 200W
 IP Rating IP20

**T-KLCH-613/6**

230v 40W E14 Modern Luxury Ceiling Fitting
 Colour Satin Chrome Opal White Glasses
 Measurement in cm Fitting: H: 22 Ø: 58 Glass: H: 14 Ø: 14
 Lamps 6 x E14
 Wattage 230v 240W
 IP Rating IP20

**T-KLCH-613/4**

230v 40W E14 Modern Luxury Ceiling Fitting
 Colour Satin Chrome Opal White Glasses
 Measurement in cm Fitting: H: 22 Ø: 47 Glass: H: 14 Ø: 14
 Lamps 4 x E14
 Wattage 230v 160W
 IP Rating IP20



**KLCH-REINA-C6H**

230v 3W G9 LED Large Round Crystal Ceiling Fitting
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 20 Ø: 45
 Lamps 6 x 3W G9 LED
 (Including Non Dimmable Lamps)
 Wattage 230v 18W
 IP Rating IP20

**KLCH-REINA-C4H**

230v 3W G9 LED Small Round Crystal Ceiling Fitting
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 20 Ø: 35
 Lamps 4 x 3W G9 LED
 (Including Non Dimmable Lamps)
 Wattage 230v 12W
 IP Rating IP20

**KLCH-REINA-CS6H**

230v 3W G9 LED Large Square Crystal Ceiling Fitting
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 15.5 W: 43 L: 43
 Lamps 6 x 3W G9 LED
 (Including Non Dimmable Lamps)
 Wattage 230v 18W
 IP Rating IP20

**KLCH-REINA-CS4H**

230v 3W G9 LED Small Square Crystal Ceiling Fitting
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 15.5 W: 33.5 L: 33.5
 Lamps 4 x 3W G9 LED
 (Including Non Dimmable Lamps)
 Wattage 230v 12W
 IP Rating IP20

**S-KLCH-70325/5R**

230v 3W G9 LED Small Round Crystal Ceiling Fitting

Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 40 Ø: 30
 Lamps 5 x 3W G9 LED
 (Including Non Dimmable Lamps)

Wattage 230v 15W
 IP Rating IP20

S-KLCH-70325/9R

230v 3W G9 LED Large Round Crystal Ceiling Fitting

Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 50 Ø: 45
 Lamps 9 x 3W G9 LED
 (Including Non Dimmable Lamps)

Wattage 230v 27W
 IP Rating IP2

S-KLCH-70326/5S

230v 3W G9 LED Small Square Crystal Ceiling Fitting

Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 40 W: 30 L: 30
 Lamps 5 x 3W G9 LED
 (Including Non Dimmable Lamps)

Wattage 230v 15W
 IP Rating IP20

S-KLCH-70326/9S

230v 3W G9 LED Large Square Crystal Ceiling Fitting

Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 50 W: 40 L: 40
 Lamps 9 x 3W G9 LED
 (Including Non Dimmable Lamps)

Wattage 230v 27W
 IP Rating IP20



HL-KLC-844

230v 40W G9 Poppy Crystal Ceiling Fitting
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 24 Ø: 35
 Lamps 6 x G9 (Including Lamps)
 Wattage 230v 240W
 IP Rating IP20



HL-KLC-835

230v 40W G9 Lily Crystal Ceiling Fitting
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 23 Ø: 35
 Lamps 6 x G9 (Including Lamps)
 Wattage 230v 240W
 IP Rating IP20



HL-KLC-836

230v 40W G9 Daisy Crystal Ceiling Fitting
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 32 Ø: 35
 Lamps 6 x G9 (Including Lamps)
 Wattage 230v 240W
 IP Rating IP20



HL-KLC-842

230v 40W G9 Tulip Crystal Ceiling Fitting
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 27 Ø: 35
 Lamps 6 x G9 (Including Lamps)
 Wattage 230v 240W
 IP Rating IP20

**KLC-6515/SG**

230v 40W E14 Small Crystal 3 Tier Ceiling
Fitting
Colour Satin Gold
Specifications Clear K9 Crystals
Measurement in cm H: 50 Ø: 40
Lamps 4 x E14
Wattage 230v 160W
IP Rating IP20

KLC-6515/BL

230v 40W E14 Small Crystal 3 Tier Ceiling
Fitting
Colour Charcoal Grey
Specifications Smoke K9 Crystals
Measurement in cm H: 50 Ø: 40
Lamps 4 x E14
Wattage 230v 160W
IP Rating IP20





S-KLC-2313/52

230v 40W E14 Large Square Crystal Ceiling Fitting
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 24.3 W: 52.1 L: 52.1
 Weight in kg 21
 Lamps 8 x E14
 Wattage 230v 320W
 IP Rating IP20



S-KLC-2313/40

230v 40W E14 Small Square Crystal Ceiling Fitting
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 24.3 W: 40.1 L: 40.1
 Weight in kg 15
 Lamps 6 x E14
 Wattage 230v 240W
 IP Rating IP20



S-KLC-2310/50

230v 40W E14 Large Round Crystal Ceiling Fitting
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 24.3 Ø: 50
 Weight in kg 17
 Lamps 8 x E14
 Wattage 230v 320W
 IP Rating IP20



S-KLC-2310/40

230v 40W E14 Small Round Crystal Ceiling Fitting
 Colour Chrome
 Specifications Clear K9 Crystals
 Measurement in cm H: 24.3 Ø: 40.1
 Weight in kg 14
 Lamps 6 x E14
 Wattage 230v 240W
 IP Rating IP20

S-KLC-2317/84

230v 40W E14 Large Rectangular Crystal Ceiling Fitting

Colour Chrome

Specifications Clear K9 Crystals

Measurement in cm H: 24.3 W: 43.5 L: 84

Weight in kg 27

Lamps 16 x E14

Wattage 230v 640W

IP Rating IP20

**S-KLC-2317/57**

230v 40W E14 Small Rectangular Crystal Ceiling Fitting

Colour Chrome

Specifications Clear K9 Crystals

Measurement in cm H: 24.3 W: 30 L: 57

Weight in kg 17

Lamps 6 x E14

Wattage 230v 240W

IP Rating IP20

**KLC-450/40-RED**

230v 40W G9 Magma Crystal Ceiling Fitting

Colour Chrome

Specifications RED Italian Crystals

Measurement in cm H: 19 W: 41 L: 41

Lamps 4 x G9 (Including Lamps)

Wattage 230v 160W

IP Rating IP20

**KLC-450/40-WH**

230v 40W G9 Magma Crystal Ceiling Fitting

Colour Chrome

Specifications Clear Italian Crystals

Measurement in cm H: 19 W: 41 L: 41

Lamps 4 x G9 (Including Lamps)

Wattage 230v 160W

IP Rating IP20

**S-KLC-8738/10**

230v 40W E14 Medium Crystal Ceiling Fitting

Colour Chrome

Specifications Clear K9 Crystals

Measurement in cm H: 28 Ø: 60

Weight in kg 22

Lamps 10 x E14

Wattage 230v 400W

IP Rating IP20





KLC-6007/11
230v 40W E14 Cascading Crystal Ceiling Fitting
Colour Chrome with Clear K9 Crystals
Measurement in cm Fitting: H: 64 Ø: 66
Weight in kg 14
Lamps 11 x E14
Wattage 230v 440W
IP Rating IP20



LED CEILING FITTINGS

All fittings exclude lamps unless otherwise stated.




K. LIGHT®

DESIGN • SERVICE • QUALITY



KLC-LED3-80D/GD		KLC-LED3-60D/GD	
230v 72W LED SMD Large Ovoid 80cm Slim Ceiling Fitting		230v 48W LED SMD Large Ovoid 60cm Slim Ceiling Fitting	
Colour	Gold	Colour	Gold
Specifications	Metal & Acrylic	Specifications	Metal & Acrylic
	Dimmable		Dimmable
Kelvin / Lumen	Warm White: 3000K	Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Full Height: 5 Ø: 80	Measurement in cm	Full Height: 5 Ø: 61
LED SMD	72W	LED SMD	48W
Wattage	230v 72W	Wattage	230v 48W
IP Rating	IP20	IP Rating	IP20



KLC-LED3-42D/GD	
230v 35W LED SMD Large Ovoid 42cm Slim Ceiling Fitting	
Colour	Gold
Specifications	Metal & Acrylic
	Dimmable
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Full Height: 5 Ø: 42
LED SMD	35W
Wattage	230v 35W
IP Rating	IP20





Slim Line Style

These large dimmable ceiling fittings with their distinct ovoid shape create a bold feature in a room.

With their modern slim line style, they make a good choice for rooms where space is premium. This array allows you to choose a fitting that will compliment your interior and meet your requirements.

Available in three sizes with two designs, one with a black or white frame and the other with a golden edging – 3000K Warm White



KLC-LED2-80D/WH

230v 60W LED SMD Large Ovoid 80cm Framed Ceiling Fitting

Colour Specifications
White
Metal & Acrylic
Dimmable

Kelvin / Lumen
Measurement in cm
LED SMD
Wattage
IP Rating

Warm White: 3000K
Full Height: 6.5 Ø: 80
60W
230v 60W
IP20



KLC-LED2-80D/GD

230v 60W LED SMD Large Ovoid 80cm Framed Ceiling Fitting

Colour Specifications
Gold
Metal & Acrylic
Dimmable

Kelvin / Lumen
Measurement in cm
LED SMD
Wattage
IP Rating

Warm White: 3000K
Full Height: 6.5 Ø: 80
60W
230v 60W
IP20

KLC-LED2-80D/BL

230v 60W LED SMD Large Ovoid 80cm Framed Ceiling Fitting

Colour Specifications
Black
Metal & Acrylic
Dimmable

Kelvin / Lumen
Measurement in cm
LED SMD
Wattage
IP Rating

Warm White: 3000K
Full Height: 6.5 Ø: 80
60W
230v 60W
IP20


KLC-LED2-60D/WH or KLC-LED2-60D/GD or KLC-LED2-60D/BL

230v 48W LED SMD Large Ovoid 60cm Framed Ceiling Fitting

Colour White or Gold or Black

Specifications Metal & Acrylic

Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 6.5 Ø: 60

LED SMD 48W

Wattage 230v 48W

IP Rating IP20


KLC-LED2-42D/WH or KLC-LED2-42D/GD or KLC-LED2-42D/BL

230v 36W LED SMD Large Ovoid 42cm Framed Ceiling Fitting

Colour White or Gold or Black

Specifications Metal & Acrylic

Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm Full Height: 6.5 Ø: 42

LED SMD 36W

Wattage 230v 36W

IP Rating IP20



KLC-LED1-50/BL
230v 36W LED SMD Round Framed Ceiling Fitting
Colour Black
Specifications Metal & Acrylic
Kelvin / Lumen Warm White: 3000K, 4000K & 6000K
Control by Wall Switch
WW - 2100lm
NW - 2800lm
CW - 2800lm
Measurement in cm Full Height: 7 Ø: 47.5
LED SMD 36W
Wattage 230v 36W
IP Rating IP20



KLC-LED1-50/WH
230v 36W LED SMD Round Framed Ceiling Fitting
Colour White
Specifications Metal & Acrylic
Kelvin / Lumen Warm White: 3000K, 4000K & 6000K
Control by Wall Switch
WW - 2100lm
NW - 2800lm
CW - 2800lm
Measurement in cm Full Height: 7 Ø: 47.5
LED SMD 36W
Wattage 230v 36W
IP Rating IP20

Colour Changing Temperature

These modern round framed ceiling fittings are perfect for almost any interior.

These fittings are available in two versions:

- 1) Dimmable
- 2) (CCT) Colour Changing Temperature feature, which enables you to change the colour temperature at the touch of a switch – 3000K Warm White, 4000K Natural White & 6000K Cool White.

Available in two sizes, in black or white framed colour options and either a dimmable or CCT option.



Cool White



Natural White



Warm White



KLC-LED1-40/BL

230v 24W LED SMD Round Framed Ceiling Fitting

Colour Black
Specifications Metal & Acrylic
Kelvin / Lumen Warm White: 3000K & 6000K
Control by Wall Switch
WW - 1400lm
NW - 1900lm
CW - 1900lm

Measurement in cm Full Height: 7 Ø: 37.5
LED SMD 24W
Wattage 230v 24W
IP Rating IP20

KLC-LED1-40/WH

230v 24W LED SMD Round Framed Ceiling Fitting

Colour White
Specifications Metal & Acrylic
Kelvin / Lumen Warm White: 3000K & 6000K
Control by Wall Switch
WW - 1400lm
NW - 1900lm
CW - 1900lm

Measurement in cm Full Height: 7 Ø: 37.5
LED SMD 24W
Wattage 230v 24W
IP Rating IP20



KLC-LED4-60D/WH or KLC-LED4-60D/BL

230v 36W LED SMD Large Round Framed Ceiling Fitting
Colour White or Black
Specifications Metal & Acrylic
Dimmable
Kelvin / Lumen Warm White: 3000K
Measurement in cm Full Height: 6.5 Ø: 57
LED SMD 36W
Wattage 230v 36W
IP Rating IP20



KLC-LED4-80D/WH or KLC-LED4-80D/BL

230v 48W LED SMD Large Round Framed Ceiling Fitting
Colour White or Black
Specifications Metal & Acrylic
Dimmable
Kelvin / Lumen Warm White: 3000K
Measurement in cm Full Height: 6.5 Ø: 78
LED SMD 48W
Wattage 230v 48W
IP Rating IP20

**KLC-LED1-40D/WH or KLC-LED1-40D/BL**

230v 24W LED SMD Round Framed Ceiling Fitting

Colour White or Black
 Specifications Metal & Acrylic
 Dimmable

Kelvin / Lumen Warm White: 3000K / 1400lm

Measurement in cm Full Height: 7 Ø: 37.5

LED SMD 24W

Wattage 230v 24W

IP Rating IP20

KLC-LED1-50D/WH or KLC-LED1-50D/BL

230v 36W LED SMD Round Framed Ceiling Fitting

Colour White or Black
 Specifications Metal & Acrylic
 Dimmable

Kelvin / Lumen Warm White: 3000K / 1400lm

Measurement in cm Full Height: 7 Ø: 47.5

LED SMD 36W

Wattage 230v 36W

IP Rating IP20





Halo Effect

These ceiling fittings are notable for their large but slim line design with either a black or white edging.

When switched on it has an appealing visual element of a halo effect created by the illuminated edges of the fitting.

These dimmable fittings are available in two sizes and in black or white edging colour options –
3000K Warm White



KLC-LED5-80D/WH

230v 60W LED SMD Large Round Slim Ceiling Fitting

Colour	White
Specifications	Metal & Acrylic Dimmable
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Full Height: 5 Ø: 78
LED SMD	60W
Wattage	230v 60W
IP Rating	IP20

KLC-LED5-80D/BL

230v 60W LED SMD Large Round Slim Ceiling Fitting

Colour	Black
Specifications	Metal & Acrylic Dimmable
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Full Height: 5 Ø: 78
LED SMD	60W
Wattage	230v 60W
IP Rating	IP20

KLC-LED5-60D/WH

230v 48W LED SMD Large Round Slim Ceiling Fitting

Colour	White
Specifications	Metal & Acrylic Dimmable
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Full Height: 5 Ø: 60
LED SMD	48W
Wattage	230v 48W
IP Rating	IP20

KLC-LED5-60D/BL

230v 48W LED SMD Large Round Slim Ceiling Fitting

Colour	Black
Specifications	Metal & Acrylic Dimmable
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Full Height: 5 Ø: 60
LED SMD	48W
Wattage	230v 48W
IP Rating	IP20

**KLC-LED3380/WH/NW or KLC-LED3380/WH/WW**

230v 27W LED SMD Ceiling Fitting

Colour White
 Specifications Dimmable on request
 Kelvin / Lumen Natural White: 4000K / 1620lm OR
 Warm White: 3000K / 1620lm

Measurement in cm H: 13 Ø: 45
 LED SMD 27W
 Wattage 230v 27W
 IP Rating IP20

MG-55/S-LED

230v 3.6W LED Strip Light Small Ceiling Fitting

Colour Satin Chrome
 Specifications Non Dimmable
 Kelvin / Lumen Cool White: 6000K / 300lm OR
 Warm White: 3000K / 300lm


Measurement in cm H: 4 Ø: 25
 LED Strip 3.6W
 Wattage 230v 3.6W
 IP Rating IP20

**KLC-LED3380/BC/NW or KLC-LED3380/BC/WW**

230v 27W LED SMD Ceiling Fitting

Colour Brushed Coffee
 Specifications Dimmable on request
 Kelvin / Lumen Natural White: 4000K / 1620lm OR
 Warm White: 3000K / 1620lm

Measurement in cm H: 13 Ø: 45
 LED SMD 27W
 Wattage 230v 27W
 IP Rating IP20



KLC-LED6-50
230v 40W LED SMD Olympic Ceiling Fitting
Colour Black and Satin Gold
Specifications Dimmable
Kelvin / Lumen Warm White: 3000K
Measurement in cm Full Height: 7.5 Ø: 50
LED SMD 40W
Wattage 230v 40W
IP Rating IP20

**KLC-LED7/BL**

230v 25W LED SMD Saturn Ceiling Fitting
 Colour Black
 Specifications Non-Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 8 Ø: 42
 LED SMD 25W
 Wattage 230v 25W
 IP Rating IP20

KLC-LED7/WH

230v 25W LED SMD Saturn Ceiling Fitting
 Colour White
 Specifications Non-Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 8 Ø: 42
 LED SMD 25W
 Wattage 230v 25W
 IP Rating IP20

KLC-LED7/GD

230v 25W LED SMD Saturn Ceiling Fitting
 Colour Electroplated Gold
 Specifications Non-Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm Full Height: 8 Ø: 42
 LED SMD 25W
 Wattage 230v 25W
 IP Rating IP20




Minimalistic Design

The Enigma LED Ceiling fittings are a versatile and stylish lighting option for rooms with low ceilings or smaller spaces.

The modern minimalistic design creates a focal point with its multidimensional and sleek appearance.

These fitting's feature three different illumination settings, allowing you to create a range of lighting intensity in your interior space with a touch of a switch.

Available in Black or Satin Gold –
3000K Warm White



K-LED-9012/BL

230v 40W LED SMD Enigma Ceiling Fitting

Colour Black

Specifications 3 Illumination Settings

Kelvin / Lumen Warm White: 3000K / 2600lm

Measurement in cm Full Height: 6 L: 104 W: 42

LED SMD 40W

Wattage 230v 40W

IP Rating IP20



**K-LED-9012/GD**

230v 40W LED SMD Enigma Ceiling Fitting
 Colour Gold
 Specifications 3 Illumination Settings
 Kelvin / Lumen Warm White: 3000K / 2600lm
 Measurement in cm Full Height: 6 L: 104 W: 42
 LED SMD 40W
 Wattage 230v 40W
 IP Rating IP20



H-KLC-LED-17/40

230v 24W LED SMD Acrylic Sun 40cm Crystal Sand
Ceiling Fitting

Colour	Chrome/Opal White with Crystal Sand & Sparkle
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 2280lm
Measurement in cm	H: 7 Ø: 40
LED SMD	24W
Wattage	230v 24W
IP Rating	IP20

H-KLC-LED-16/50

230v 36W LED SMD Acrylic Coral 50cm Crystal Sand
Ceiling Fitting

Colour	Opal White with Crystal Sand & Sparkle
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 4320lm
Measurement in cm	H: 7 Ø: 51
LED SMD	36W
Wattage	230v 36W
IP Rating	IP20

H-KLC-LED-16/40

230v 24W LED SMD Acrylic Coral 40cm Crystal Sand
Ceiling Fitting

Colour	Opal White with Crystal Sand & Sparkle
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 2280lm
Measurement in cm	H: 7 Ø: 41
LED SMD	24W
Wattage	230v 24W
IP Rating	IP20



**H-KLC-LED-17/50**

230v 36W LED SMD Acrylic Sun 50cm Crystal Sand

Ceiling Fitting

Colour

Chrome/Opal White with Crystal Sand & Sparkle

Specifications

Non Dimmable

Kelvin / Lumen

Warm White: 3000K / 4320lm

Measurement in cm

H: 7 Ø: 50

LED SMD

36W

Wattage

230v 36W

IP Rating

IP20

**H-KLC-LED-40/BL**

230v 24W LED SMD Acrylic Pebble 40cm Crystal Sand
Black Ceiling Fitting

Colour	Black with Crystal Sand
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 2880lm
Measurement in cm	H: 6 Ø: 38
LED SMD	24W
Wattage	230v 24W
IP Rating	IP20

**H-KLC-LED-50/WH**

230v 36W LED SMD Acrylic Pebble 50cm White
Ceiling Fitting

Colour	Opel White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 4320lm
Measurement in cm	H: 6 Ø: 49
LED SMD	36W
Wattage	230v 36W
IP Rating	IP20

H-KLC-LED-40/WH

230v 24W LED SMD Acrylic Pebble 40cm White
Ceiling Fitting


Colour	Opel White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 2880lm
Measurement in cm	H: 6 Ø: 38
LED SMD	24W
Wattage	230v 24W
IP Rating	IP20

H-KLC-LED-9/40

230v 24W LED SMD Ceiling Fitting

Colour	Opal White Acrylic with Sparkle
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	H: 9 Ø: 40
LED SMD	24W
Wattage	230v 24W
IP Rating	IP20



**H-KLC-LED-19/40**

230v 24W LED SMD Acrylic Ocean 40cm Crystal Sand Ceiling Fitting

Colour	Opal White with Crystal Sand & Sparkle
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 2880lm
Measurement in cm	H: 8 Ø: 41
LED SMD	24W
Wattage	230v 24W
IP Rating	IP20

H-KLC-LED-18/40

230v 24W LED SMD Acrylic Shell 40cm Crystal Sand Ceiling Fitting

Colour	Opal White with Crystal Sand & Sparkle
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 2880lm
Measurement in cm	H: 7 Ø: 38
LED SMD	24W
Wattage	230v 24W
IP Rating	IP20

H-KLC-LED-15/40

230v 24W LED SMD Acrylic Moon 40cm Ceiling Fitting

Colour	Opal White with Non Dimmable
Specifications	Warm White: 3000K / 2880lm
Kelvin / Lumen	
Measurement in cm	H: 8 Ø: 41
LED SMD	24W
Wattage	230v 24W
IP Rating	IP20

H-KLC-LED-19/50

230v 36W LED SMD Acrylic Ocean 50cm Crystal Sand Ceiling Fitting

Colour	Opal White with Crystal Sand & Sparkle
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 4320lm
Measurement in cm	H: 8 Ø: 51
LED SMD	36W
Wattage	230v 36W
IP Rating	IP20





KLC-LED465/100 or KLC-LED465/100WW

230v 98W LED SMD Extra Large Luxury
Round Crystal Ceiling Fitting

Colour	Chrome
Specifications	Clear K9 Crystals Non Dimmable
Kelvin / Lumen	Natural White: 4000K / 50960lm OR Warm White: 3000K / 50960lm
Measurement in cm	H: 28 Ø: 100
Weight in kg	63
LED SMD	98W
Wattage	230v 98W
IP Rating	IP20

KLC-LED465/60 or KLC-LED465/60WW

230v 42W LED SMD Large Luxury
Round Crystal Ceiling Fitting

Colour	Chrome
Specifications	Clear K9 Crystals Non Dimmable
Kelvin / Lumen	Natural White: 4000K / 21840lm OR Warm White: 3000K / 21840lm
Measurement in cm	H: 22 Ø: 60
Weight in kg	25
LED SMD	42W
Wattage	230v 42W
IP Rating	IP20

HL-KLC-LED-6573

230v 36W LED SMD Sunflower Crystal Ceiling Fitting

Colour	Chrome
Specifications	Clear K9 Crystals Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 1620lm
Measurement in cm	H: 10 Ø: 32
LED SMD	36W
Wattage	230v 36W
IP Rating	IP20

KLC-LED473/59 or KLC-LED473/59WW

230v 42W LED SMD Large Majestic
Round Crystal Ceiling Fitting

Colour	Chrome
Specifications	Clear K9 Crystals Non Dimmable
Kelvin / Lumen	Natural White: 4000K / 21840lm OR Warm White: 3000K / 21840lm
Measurement in cm	H: 32 Ø: 59
Weight in kg	25
LED SMD	42W
Wattage	230v 42W
IP Rating	IP20




KLC-LED473/98 or KLC-LED473/98WW

230v 98W LED SMD Extra Large Majestic

Round Crystal Ceiling Fitting

Colour

Chrome

Specifications

Clear K9 Crystals

Non Dimmable

Kelvin / Lumen

Natural White: 4000K / 50960lm OR

Warm White: 3000K / 50960lm

Measurement in cm

H: 40 Ø: 98

Weight in kg

65

LED SMD

98W

Wattage

230v 98W

IP Rating

IP20



H-BOARD-12W

230v 12W LED SMD Ceiling Fitting Conversion Board, including driver

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 360lm Warm White: 3000K / 360lm

Measurement in cm	Ø: 18
LED SMD	12W
Wattage	230v 12W
IP Rating	IP20



H-BOARD-18W

230v 18W LED SMD Ceiling Fitting Conversion Board, including driver

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 540lm Warm White: 3000K / 540lm

Measurement in cm	Ø: 21.5
LED SMD	18W
Wattage	230v 18W
IP Rating	IP20



H-BOARD-24W

230v 24W LED SMD Ceiling Fitting Conversion Board, including driver

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 720lm Warm White: 3000K / 720lm

Measurement in cm	Ø: 25
LED SMD	24W
Wattage	230v 24W
IP Rating	IP20



WALL LIGHTS

All fittings exclude lamps unless otherwise stated.



K. LIGHT®

DESIGN • SERVICE • QUALITY



LED-652/BL

230v 10W LED Wall Light
Colour Black
Specifications Metal + PE + Aluminium
Non Dimmable
Kelvin / Lumen Warm White: 3000K
Measurement in cm H: 52 D: 8.5 W: 17
LED SMD 10W
Wattage 230v 10W
IP Rating IP20

LED-652/GD

230v 10W LED Wall Light
Colour Gold
Specifications Metal + PE + Aluminium
Non Dimmable
Kelvin / Lumen Warm White: 3000K
Measurement in cm H: 52 D: 8.5 W: 17
LED SMD 10W
Wattage 230v 10W
IP Rating IP20



**LED-650/BL**

230v 10W LED Wall Light

Colour Black
 Specifications Metal + PE + Aluminium
 Non Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm H: 29.5 D: 8 W: 17

LED SMD 10W

Wattage 230v 10W

IP Rating IP20

**LED-650/GD**

230v 10W LED Wall Light

Colour Gold
 Specifications Metal + PE + Aluminium
 Non Dimmable

Kelvin / Lumen Warm White: 3000K

Measurement in cm H: 29.5 D: 8 W: 17

LED SMD 10W

Wattage 230v 10W

IP Rating IP20





LED-651/BL
230v 10W LED Wall Light
Colour Black
Specifications Metal + PE + Aluminium
Non Dimmable
Kelvin / Lumen Warm White: 3000K
Measurement in cm H: 34.5 D: 10.5 W: 17
LED SMD 10W
Wattage 230v 10W
IP Rating IP20



LED-651/GD
230v 10W LED Wall Light
Colour Gold
Specifications Metal + PE + Aluminium
Non Dimmable
Kelvin / Lumen Warm White: 3000K
Measurement in cm H: 34.5 D: 10.5 W: 17
LED SMD 10W
Wattage 230v 10W
IP Rating IP20

**LED-409/BL**

230v 10W LED Wall Light

Colour Black
 Specifications Metal + Silicon Gel + Acrylic
 Non Dimmable

Kelvin / Lumen Warm White: 3000K
 Measurement in cm H: 34.5 D: 10.5 W: 17

LED SMD 10W

Wattage 230v 10W

IP Rating IP20

**LED-409/BR**

230v 10W LED Wall Light

Colour Brass
 Specifications Metal + Silicon Gel + Acrylic
 Non Dimmable

Kelvin / Lumen Warm White: 3000K
 Measurement in cm H: 34.5 D: 10.5 W: 17

LED SMD 10W

Wattage 230v 10W

IP Rating IP20





M-LED-1440M/WH

230v 12W LED Medium Slated Wall Light




Colour	White
Specifications	Acrylic & Iron
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	H: 7 L: 20 W: 16
LED SMD	12W
Wattage	230v 12W
IP Rating	IP20



M-LED-1440L/WH

230v 16W LED Large Slated Wall Light

Colour	White
Specifications	Acrylic & Iron
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	H: 7 L: 27 W: 16
LED SMD	16W
Wattage	230v 16W
IP Rating	IP20

**M-LED-1401L/WH**


230v 20W LED Large Ripple Wall Light

Colour White
 Specifications Aluminium, Acrylic & Iron
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm H: 8 L: 30 W: 9.9
 LED SMD 20W
 Wattage 230v 20W
 IP Rating IP20

M-LED-1401L/BL

230v 20W LED Large Ripple Wall Light

Colour Black
 Specifications Aluminium, Acrylic & Iron
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm H: 8 L: 30 W: 9.9
 LED SMD 20W
 Wattage 230v 20W
 IP Rating IP20

**M-LED-1401M/WH**

230v 6W LED Medium Ripple Wall Light

Colour White
 Specifications Aluminium, Acrylic & Iron
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm H: 8 L: 18.5 W: 9.9
 LED SMD 6W
 Wattage 230v 6W
 IP Rating IP20

M-LED-1401M/BL

230v 6W LED Medium Ripple Wall Light

Colour Black
 Specifications Aluminium, Acrylic & Iron
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm H: 8 L: 18.5 W: 9.9
 LED SMD 6W
 Wattage 230v 6W
 IP Rating IP20





M-LED-1463L/WH

230v 20W LED Large 3-Step Wall Light

Colour White
Specifications Aluminium, Acrylic & Iron
Kelvin / Lumen Warm White: 3000K
Measurement in cm H: 7 L: 30 W: 10
LED SMD 20W
Wattage 230v 20W
IP Rating IP20

M-LED-1463M/WH

230v 6W LED Medium 3-Step Wall Light

Colour White
Specifications Aluminium, Acrylic & Iron
Kelvin / Lumen Warm White: 3000K
Measurement in cm H: 7 L: 18 W: 10
LED SMD 6W
Wattage 230v 6W
IP Rating IP20



M-LED-1464L/WH

230v 20W LED Large 5-Step Wall Light

Colour White
Specifications Aluminium, Acrylic & Iron
Kelvin / Lumen Warm White: 3000K
Measurement in cm H: 10 L: 30 W: 14
LED SMD 20W
Wattage 230v 20W
IP Rating IP20

M-LED-1464M/WH

230v 12W LED Medium 5-Step Wall Light

Colour White
Specifications Aluminium, Acrylic & Iron
Kelvin / Lumen Warm White: 3000K
Measurement in cm H: 8 L: 18 W: 14
LED SMD 12W
Wattage 230v 12W
IP Rating IP20

**M-LED-1507/WH**

230v 14W LED Royal Wall Light
 Colour White
 Specifications Iron
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm H: 14 L: 28 W: 16
 LED SMD 14W
 Wattage 230v 14W
 IP Rating IP20

**M-LED-1507/BL**

230v 14W LED Royal Wall Light
 Colour Black
 Specifications Iron
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm H: 14 L: 28 W: 16
 LED SMD 14W
 Wattage 230v 14W
 IP Rating IP20





G-KLW-821/BL

230v 40W E14 Laser Cut Metal Cylinder Wall Light

Colour Matt Black
Measurement in cm H: 20 W: 13 D: 12
Lamps 2 x E14
Wattage 230v 80W
IP Rating IP20



G-KLW-821/WH

230v 40W E14 Laser Cut Metal Cylinder Wall Light

Colour Matt White
Measurement in cm H: 20 W: 13 D: 12
Lamps 2 x E14
Wattage 230v 80W
IP Rating IP20

**G-KLW-501**

230v 40W E27 Golden Flower Wall Light
 Colour Gold & Black
 Measurement in cm D: 11 Ø: 22
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

G-KLW-502

230v 40W E27 Golden Shell Wall Light
 Colour Gold & Black
 Measurement in cm D: 11 Ø: 22
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

G-KLW-500

230v 40W E27 Golden Nugget Wall Light
 Colour Gold & Black
 Measurement in cm D: 10 Ø: 22
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



**LED-710/33**

230v 15W LED Ring Wall Light
 Colour Black and Gold
 Specifications Non-Dimmable
 Kelvin / Lumen Warm White 3000K
 Measurement in cm D: 6.5
 Lamps LED 15W
 Wattage 230v 15W
 IP Rating IP20

**LED-943/SM**

230v 4W LED Liza Glass Wall Light
 Colour Smoky Grey Shadow
 Kelvin / Lumen Warm White 3000K
 Measurement in cm H: 21.5 L: 14 W: 20.4
 Lamps 4W LED SMD
 Wattage 230v 4W
 IP Rating IP20

LED-943/WH

230v 4W LED Liza Glass Wall Light
 Colour White Shadow
 Kelvin / Lumen Warm White 3000K
 Measurement in cm H: 21.5 L: 14 W: 20.4
 Lamps 4W LED SMD
 Wattage 230v 4W
 IP Rating IP20

**T-KLW-154-2/BL**

230v 40W 2 x E14 Sensu Wall Light
 Colour Black
 Measurement in cm H: 42 W: 14 D: 16
 Lamps 2 x E14
 Wattage 230v 40W
 IP Rating IP20

T-KLW-154-1/GD

230v 40W E14 Sensu Wall Light
 Colour Gold
 Measurement in cm H: 25 W: 14 D: 16
 Lamps 1 x E14
 Wattage 230v 40W
 IP Rating IP20

**T-KLW-154-1/BL**

230v 40W E14 Sensu Wall Light
 Colour Black
 Measurement in cm H: 25 W: 14 D: 16
 Lamps 1 x E14
 Wattage 230v 40W
 IP Rating IP20

T-KLW-154-2/GD

230v 40W 2 x E14 Sensu Wall Light
 Colour Gold
 Measurement in cm H: 42 W: 14 D: 16
 Lamps 2 x E14
 Wattage 230v 40W
 IP Rating IP20



GO-MB-48/BL

230v 2W LED Raindrop Wall Light

Colour Black

Measurement in cm H: 38 D: 19 Ø: 15

Lamps 2W LED SMD

Wattage 230v 2W

IP Rating IP20



GO-MB-48/WH

230v 2W LED Raindrop Wall Light

Colour White

Measurement in cm H: 38 D: 19 Ø: 15

Lamps 2W LED SMD

Wattage 230v 2W

IP Rating IP20

**GO-KLW-830/WH**

230v 3W G9 Marble Wall Light

Colour White Marble with Antique Brass

Measurement in cm H: 23.5 D: 18

Lamps 1 x 3W G9 LED

Wattage 230v 3W

IP Rating IP20

As marble is a product of nature, the pattern will differ with every fitting and will not be the same as in the picture.

**GO-KLW-830/BL**

230v 3W G9 Marble Wall Light

Colour Black Marble with Antique Brass

Measurement in cm H: 23.5 D: 18

Shade Ø: 10

Lamps 1 x G9

Wattage 230v 3W

IP Rating IP20





VE-KLW-800/BL

230v 40W E14 Infinity Wall Light
 Colour Matt Black
 Measurement in cm H: 42 W: 19 D: 23
 Shade Ø: 15
 Lamps 1 x E14
 Wattage 230v 40W
 IP Rating IP20

VE-KLW-800/GD

230v 40W E14 Infinity Wall Light
 Colour Satin Gold
 Measurement in cm H: 42 W: 19 D: 23
 Shade Ø: 15
 Lamps 1 x E14
 Wattage 230v 40W
 IP Rating IP20



**KLW-735/GD**

230v 3W G9 Curved Wall Light
 Colour Gold
 Measurement in cm H: 28 W: 12 D: 17
 Lamps 1 x 3W G9 LED
 Wattage 230v 3W
 IP Rating IP20

KLW-735/WH

230v 3W G9 Curved Wall Light
 Colour White
 Measurement in cm H: 28 W: 12 D: 17
 Lamps 1 x 3W G9 LED
 Wattage 230v 3W
 IP Rating IP20

**KLW-735/BL**

230v 3W G9 Curved Wall Light
 Colour Black
 Measurement in cm H: 28 W: 12 D: 17
 Lamps 1 x 3W G9 LED
 Wattage 230v 3W
 IP Rating IP20



3E-KLW-105/BL

230v 3W G9 LED Fizz Pop Wall Light

Colour Black with Smoke Glass

Measurement in cm H: 34 D: 20 Ø: 15

Lamps 1 x 3W G9 LED
(Including Non Dimmable Lamp)

Wattage 230v 3W

IP Rating IP20



3E-KLW-108/AB

230v 3W G9 LED Fizz Pop Wall Light

Colour Antique Brass with Opal white Glass

Measurement in cm H: 34 D: 20 Ø: 15

Lamps 1 x 3W G9 LED
(Including Non Dimmable Lamp)

Wattage 230v 3W

IP Rating IP20

3E-KLW-105/AB

230v 3W G9 LED Fizz Pop Wall Light

Colour Antique Brass with Clear Glass

Measurement in cm H: 34 D: 20 Ø: 15

Lamps 1 x 3W G9 LED
(Including Non Dimmable Lamp)

Wattage 230v 3W

IP Rating IP20

**T-KLW-900/L**

230v 3W G9 LED Urban Left Wall Light

Colour Gold with Opal White Glass

Measurement in cm H: 33 W: 35 D: 17

Lamps 2 x 3W G9 LED
(Including Non Dimmable Lamps)

Wattage 230v 6W

IP Rating IP20

**T-KLW-900/R**

230v 3W G9 LED Urban Right Wall Light

Colour Gold with Opal White Glass

Measurement in cm H: 33 W: 35 D: 17

Lamps 2 x 3W G9 LED
(Including Non dimmable Lamps)

Wattage 230v 6W

IP Rating IP20



CA-KLW1626/SG
230v 40W E27 Branch Glass Wall Light
Colour Satin Gold with Opal White Glass
Measurement in cm H: 22 D: 27 Glass: Ø: 20
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



MB-55
230v 5W LED Wall Light
Colour Gold with Opal White Glass
Measurement in cm H: 22.3 D: 25.9 W: 20 Glass Ø: 12 Plate H: 3.5 Ø: 20
Lamps 1 x 5W LED
Wattage 230v 5W
IP Rating IP20

T-KLW-130
230v 3W G9 LED Tear Drop Glass Wall Light
Colour Satin Gold with Opal White Glass
Measurement in cm H: 37 D: 16 Glass: Ø: 10
Lamps 1 x 3W G9 LED (Including Non Dimmable Lamp)
Wattage 230v 3W
IP Rating IP20

**PO-KLW-1921**

230v 4W E27 LED Eco Friendly Wall Light

Colour White

Specifications Recyclable Plastics

Measurement in cm H: 32.5 Ø: 19.5
Base Ø: 10 D: 2.5
Shade H: 22.5 Ø: 13.5

Lamps 1 x 4W E27 LED

Wattage 230v 4W

IP Rating IP20

**PO-KLW-1911**

230v 4W E27 LED Eco Friendly Wall Light

Colour White

Specifications Recyclable Plastics

Measurement in cm H: 28.2 Ø: 18
Base Ø: 10 H: 2.5
Shade H: 18.5 Ø: 11

Lamps 1 x 4W E27 LED

Wattage 230v 4W

IP Rating IP20

A60 4W LED bulbs must be used with this range, as they do not emit as much heat as the incandescent bulbs.



T-KLW-10/GD

230v 40W E27 Trends Cone Glass Wall Light
Colour Gold with Clear Glass
Measurement in cm H: 27 D: 25 Ø: 21
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

T-KLW-10/BL

230v 40W E27 Trends Cone Glass Wall Light
Colour Black with Clear Glass
Measurement in cm H: 27 D: 25 Ø: 21
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

T-KLW-10/SN

230v 40W E27 Trends Cone Glass Wall Light
Colour Satin Silver with Clear Glass
Measurement in cm H: 27 D: 25 Ø: 21
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**T-KLW-20/GD**

230v 40W E27 Trends Ball Glass Wall Light
 Colour Gold with Clear Glass
 Measurement in cm H: 28 D: 25 Ø: 20
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

T-KLW-20/SN

230v 40W E27 Trends Ball Glass Wall Light
 Colour Satin Silver with Clear Glass
 Measurement in cm H: 28 D: 25 Ø: 20
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**T-KLW-20/BL**

230v 40W E27 Trends Ball Glass Wall Light
 Colour Black with Clear Glass
 Measurement in cm H: 28 D: 25 Ø: 20
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20





T-KLW-40/GD
230v 40W E27 Trends Plate Wall Light
Colour Gold
Measurement in cm H: 17 D: 25 Ø: 18
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



T-KLW-40/BL
230v 40W E27 Trends Plate Wall Light
Colour Black
Measurement in cm H: 17 D: 25 Ø: 18
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



T-KLW-40/NS
230v 40W E27 Trends Plate Wall Light
Colour Satin Silver
Measurement in cm H: 17 D: 25 Ø: 18
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**T-KLW-50/BL**

230v 40W E27 Trends Wall Light
 Colour Black
 Measurement in cm H: 17 D: 16 Ø: 12
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

T-KLW-50/NS

230v 40W E27 Trends Wall Light
 Colour Satin Silver
 Measurement in cm H: 17 D: 16 Ø: 12
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**T-KLW-50/GD**

230v 40W E27 Trends Wall Light
 Colour Gold
 Measurement in cm H: 17 D: 16 Ø: 12
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20





G-KLW-8104/2
230v 40W E27 2 Light Traverse Wall Light
Colour Black and Satin Gold
Measurement in cm H: 36 W: 12 D: 15
Lamps 2 x E27
Wattage 230v 80W
IP Rating IP20



A-KLW-9225/1
230v 40W E27 Bubble Glass Wall Light
Colour Black with Smoke Glass
Measurement in cm H: 22 W: 20 D: 26.5
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



G-KLW-8106/1
230v 40W E27 1 Light Constellation Wall Light
Colour Black and Satin Gold
Measurement in cm H: 12 W: 10 D: 23
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



G-KLW-8107
230v 40W E27 Slick Wall Light
Colour Black
Measurement in cm H: 23 D: 14 Ø: 10
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**K-KLW-520/BL**

230v 40W E27 Mobile Single Wall Light
 Colour Black
 Measurement in cm H: 35 D: 32
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

K-KLW-520/ST

230v 40W E27 Mobile Single Wall Light
 Colour Satin Chrome
 Measurement in cm H: 35 D: 32
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**3E-KLW-101-1**

230v 3W G9 LED Bonbon Wall Light
 Colour Black and Antique Brass with Light Smoke Glass
 Measurement in cm Fitting: H: 36 Depth 24 Ø: 19
 Glass: H: 16 Ø: 14
 Metal around Glass: Ø: 18
 Lamps 1 x 3W G9 LED (Including Non Dimmable Lamp)
 Wattage 230v 3W
 IP Rating IP20



LW-KLW-5118/SM

230v 40W E27 New York Cylinder Wall Light
Colour Black Mesh with Smoke Glass
Measurement in cm Full Height: 65
Glass: D: 20 W: 13
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

LW-KLW-5118/CL

230v 40W E27 New York Cylinder Wall Light
Colour Satin Gold Mesh with Clear Glass
Measurement in cm Full Height: 65
Glass: D: 20 W: 13
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**LW-KLW-5120/CL**

230v 40W E27 New York 20cm Ball Wall Light
 Colour Satin Gold Mesh with Clear Glass
 Measurement in cm Full Height: 55
 Glass: D: 26 W: 20
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**LW-KLW-5120/SM**

230v 40W E27 New York 20cm Ball Wall Light
 Colour Black Mesh with Smoke Glass
 Measurement in cm Full Height: 55
 Glass: D: 26 W: 20
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20





CA-KLW-1099/BL

230v 40W E27 Rustic Rectangular Wall Light
 Colour Matt Black with Clear Glasses
 Measurement in cm H: 36 W: 16 D: 17
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

KLG-1133

230v 60W E27 Chic Bracket Wall Light
 Colour Matt Black with Clear Glass
 Specifications Iron (Non Coastal)
 Measurement in cm H: 35 W: 17 D: 17
 Lamps 1 x E27 (Excluding Lamp)
 Wattage 230v 60W
 IP Rating IP44

CA-KLW-1127/2

230v 40W E27 Art Deco 2 Glass Ball Wall Light
 Colour Black with Amber Glasses
 Measurement in cm H: 40 D: 20
 Lamps 2 x E27 (Recommended: Golf Ball)
 Wattage 230v 80W
 IP Rating IP20

**T-KLW-3139**

230v 40W E27 Glass Wall Light
 Colour Black, Antique Brass with Clear Glass
 Measurement in cm H: 30 W: 25 D: 25
 Glass: H: 15 Ø: 18
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

T-KLW-3140

230v 40W E27 Glass Ball Wall Light
 Colour Black, Antique Brass with Clear Glass
 Measurement in cm H: 32.5 D: 28
 Glass: H: 17 Ø: 20
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**CA-KLW-1125**

230v 40W E27 Metal Shade Wall Light
 Colour Black with Antique Brass
 Measurement in cm H: 19 W: 22 D: 27
 Metal Shade: H: 6 Ø: 22
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

CA-KLW-1124

230v 40W E27 Metal Shade Wall Light
 Colour Black with Antique Brass
 Measurement in cm H: 19 W: 22 D: 27
 Metal Shade: H: 8.5 Ø: 22
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20





DA-KLW-P28
 230v 40W E27 Caged Pipe Wall Light
 Colour: Antique Brass
 Measurement in cm: H: 33 L: 54 D: 9
 Lamps: 2 x E27
 Wattage: 230v 80W
 IP Rating: IP20

DA-KLW-P30
 230v 40W E27 Double Pipe Wall Light
 Colour: Antique Brass
 Measurement in cm: H: 39 L: 33 D: 9
 Lamps: 2 x E27
 Wattage: 230v 80W
 IP Rating: IP20

DA-KLW-P05
 230v 40W E27 Single Pipe Wall Light
 Colour: Antique Brass
 Measurement in cm: H: 26 L: 9 D: 14
 Lamps: 1 x E27
 Wattage: 230v 40W
 IP Rating: IP20

**WE-KLW-397/3**

230v 40W E14 Ranch Iron Wall Light
 Colour Black
 Measurement in cm H: 11 W: 24 D: 15
 Lamps 1 x E14
 Wattage 230v 40W
 IP Rating IP20

**WE-KLW-397/1**

230v 40W E14 Ranch Iron Wall Light
 Colour Black
 Measurement in cm H: 13 W: 10 D: 11
 Lamps 1 x E14
 Wattage 230v 40W
 IP Rating IP20



LW-KLW-4165

230v 40W E14 Vintage Cut Glass Wall Light
 Colour Satin Gold with Clear Glass
 Measurement in cm H: 90 D: 30
 Glass: H: 6 Ø: 22
 Lamps 1 x E14
 Wattage 230v 40W
 IP Rating IP20

LW-KLW-4164

230v 40W E14 Vintage Cut Glass Wall Light
 Colour Satin Gold with Clear Glass
 Measurement in cm H: 90 D: 24
 Glass: H: 13 Ø: 12
 Lamps 1 x E14
 Wattage 230v 40W
 IP Rating IP20



LW-KLW-4166

230v 40W E14 Vintage Cut Glass Wall Light
 Colour Satin Gold with Clear Glass
 Measurement in cm H: 90 D: 24
 Glass: H: 12 Ø: 11.5
 Lamps 1 x E14
 Wattage 230v 40W
 IP Rating IP20

LW-KLW-4163

230v 40W E14 Vintage Cut Glass Wall Light
 Colour Satin Gold with Clear Glass
 Measurement in cm H: 90 D: 24
 Glass: H: 14 Ø: 15
 Lamps 1 x E14
 Wattage 230v 40W
 IP Rating IP20

LW-KLW-4162

230v 40W E14 Vintage Cut Glass Wall Light
 Colour Satin Gold with Clear Glass
 Measurement in cm H: 90 D: 27
 Glass: H: 6 Ø: 19.5
 Lamps 1 x E14
 Wattage 230v 40W
 IP Rating IP20

**Y- K LW-79**

230v 40W E27 Flambouw Wall Light

Colour Antique Brass with Clear Glass

Measurement in cm H: 43 D: 15.5

Shade 1 x E27

Glass H: 22

Lamps

Wattage

IP Rating

1 x E27

230v 40W

IP20



B-KLW-2196/ST

230v 40W E27 Cone Glass Wall Light
 Colour Satin Chrome with Clear Glass
 Measurement in cm H: 35 W: 33.5 D: 16
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



LED-3048/1

230v 2W G4 LED Glass Wall Light
 Colour Chrome with Clear Glass
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm H: 32 D: 19
 Glass: H:13.5 Ø: 10
 LED SMD
 Wattage 2W
 IP Rating IP20

N-MB0195-3B

230v 20W G4 Bi-Pin Halogen Tusk Glass Wall Light
 Colour Chrome with Clear Glass
 Specifications Non Dimmable
 Measurement in cm H: 67 W: 30 D: 22
 Lamps 3 x 12v Bi-Pin G4
 (Including Lamps)
 Wattage 230v 60W
 IP Rating IP20

**Z-B3015/6**

230v 10W G4 Bi-Pin Dance 6 Flexible Arm Wall Light

Colour Chrome

Specifications Non Dimmable

Measurement in cm D: 44 Ø: 44

Lamps 6 x 12v Bi-Pin G4 (Including Lamps)

Wattage 230v 60W

IP Rating IP20

J-MW2053/3A

230v 20W G4 Bi-Pin Small 3 Drop Glass Wall Light

Colour Satin Chrome with Shiny White Glass

Specifications Non Dimmable

Measurement in cm H: 20 W: 20 D: 23

Lamps 3 x 12v Bi-Pin G4 (Including Lamps)

Wattage 230v 60W

IP Rating IP20

J-MW2053/3

230v 20W G4 Bi-Pin Medium 3 Drop Glass Wall Light

Colour Satin Chrome with Shiny White Glass


Specifications Non Dimmable

Measurement in cm H: 35 W: 34 D: 18

Lamps 3 x 12v Bi-Pin G4 (Including Lamps)

Wattage 230v 60W

IP Rating IP20

**Z-B001A/9**

230v 5W G4 Bi-Pin Wind Wall Light

Colour Chrome

Specifications Non Dimmable

Measurement in cm H: 55 W: 45 D: 35

Lamps 9 x 12v Bi-Pin G4 (Including Lamps)

Wattage 230v 45W

IP Rating IP20





S-KLW-2311/B

230v 40W E14 Large Round Crystal Wall Light
Colour Chrome
Specifications Clear K9 Crystals
Measurement in cm H: 30 W: 22 D: 13
Lamps 2 x E14
Wattage 230v 80W
IP Rating IP20

S-KLW-2311/S

230v 40W E14 Small Round Crystal Wall Light
Colour Chrome
Specifications Clear K9 Crystals
Measurement in cm H: 21 W: 17 D: 9
Lamps 1 x E14
Wattage 230v 40W
IP Rating IP20

S-KLW-2316/B

230v 40W E14 Large Square Crystal Wall Light
Colour Chrome
Specifications Clear K9 Crystals
Measurement in cm H: 30 W: 23 D: 11
Lamps 2 x E14
Wattage 230v 80W
IP Rating IP20

S-KLW-2316/S

230v 40W E14 Small Square Crystal Wall Light
Colour Chrome
Specifications Clear K9 Crystals
Measurement in cm H: 21 W: 17 D: 11
Lamps 2 x E14
Wattage 230v 80W
IP Rating IP20

**K LW-450/RED**

230v 150W Q1 78mm Magma Italian Crystal Wall Light

Colour	Chrome
Specifications	Red Italian Crystals
Measurement in cm	H: 12 W: 21 D: 9
Lamps	1 x Q1 78mm
Wattage	230v 150W
IP Rating	IP20

K LW-450/WH

230v 150W Q1 78mm Magma Italian Crystal Wall Light

Colour	Chrome
Specifications	Clear Italian Crystals
Measurement in cm	H: 12 W: 21 D: 9
Lamps	1 x Q1 78mm
Wattage	230v 150W
IP Rating	IP20

**S-K LW-8738/2**

230v 40W E14 Round Crystal Wall Light

Colour	Chrome
Specifications	Clear K9 Crystals
Measurement in cm	H: 18 W: 30 D: 18
Lamps	2 x E14
Wattage	230v 80W
IP Rating	IP20



KLW-6515/SG

230v 40W E14 Clear Crystal Wall Light
Colour Satin Gold
Specifications Clear K9 Crystals
Measurement in cm H: 30 W: 23 D: 15
Lamps 2 x E14
Wattage 230v 80W
IP Rating IP20



KLW-6515/BL

230v 40W E14 Crystal Wall Light
Colour Charcoal Grey
Specifications Smoke K9 Crystals
Measurement in cm H: 30 W: 23 D: 15
Lamps 2 x E14
Wattage 230v 80W
IP Rating IP20

**KLW-1558-1**

230v 8W LED SMD Curved Square Crystal and Glass Wall Light

Colour	Crystal with Frosted Glass
Specifications	Clear K9 Crystals
	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 360lm
Measurement in cm	H: 22 W: 20 D: 11
LED SMD	8W
Wattage	230v 8W
IP Rating	IP20

**KLW-1558-2**

230v 12W LED SMD Curved Rectangular Crystal and Glass Wall Light

Colour	Crystal with Frosted Glass
Specifications	Clear K9 Crystals
	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 270lm
Measurement in cm	H: 12 W: 32 D: 11
LED SMD	12W
Wattage	230v 12W
IP Rating	IP20





V-KLW-8816/1

230v 40W E14 1 Arm Metal and Crystal Wall Light

Colour Chrome
Specifications Clear K9 Crystals
Measurement in cm H: 30 W: 13 D: 23
Lamps 1 x E14
Wattage 230v 40W
IP Rating IP20

V-KLW-8816/2

230v 40W E14 2 Arm Metal and Crystal Wall Light

Colour Chrome
Specifications Clear K9 Crystals
Measurement in cm H: 30 W: 34 D: 20
Lamps 2 x E14
Wattage 230v 80W
IP Rating IP20

V-KLW-8004/1

230v 40W E14 1 Arm Glass and Crystal Wall Light

Colour Chrome with Clear Glass
Specifications Clear K9 Crystals
Measurement in cm H: 33 W: 12 D: 23
Lamps 1 x E14
Wattage 230v 40W
IP Rating IP20

V-KLW-8004/2

230v 40W E14 2 Arm Glass and Crystal Wall Light

Colour Chrome with Clear Glass
Specifications Clear K9 Crystals
Measurement in cm H: 34 W: 26 D: 23
Lamps 2 x E14
Wattage 230v 80W
IP Rating IP20

**KLW-8061/1**

230v 40W E14 1 Arm White Glass and Crystal Wall Light

Colour White Glass with Crystal
Specifications Clear K9 Crystals
Measurement in cm H: 33 W: 13 D: 21
Lamps 1 x E14
Wattage 230v 40W
IP Rating IP20

KLW-8061/2

230v 40W E14 2 Arm White Glass and Crystal Wall Light

Colour White Glass with Crystal
Specifications Clear K9 Crystals
Measurement in cm H: 39 W: 35 D: 18
Lamps 2 x E14
Wattage 230v 80W
IP Rating IP20

**MC-KLW-1310/1**

230v 40W E14 1 Arm Candelabra Wall Light

Colour Chrome
Specifications Clear Glass
Measurement in cm H: 41 W: 10 D: 20
Lamps 1 x E14
Wattage 230v 40W
IP Rating IP20



READING LIGHTS

All fittings exclude lamps unless otherwise stated.



K. LIGHT®

DESIGN • SERVICE • QUALITY



USB RECHARGEABLE PORT



MB-190/BL

230v 3W COB LED Wall Reading Light with USB Port
Colour Black

Specifications Rechargeable USB, 2.1 Amp
Aluminium & Steel
Beam Angle 30°

Kelvin / Lumen Warm White: 3000K / 60-70lm
Measurement in cm Base: H: 18 W: 5.5
Head: H: 12 Ø: 4

LED COB 3W
Wattage 230v 3W
IP Rating IP44

MB-190/WH

230v 3W COB LED Wall Reading Light with USB Port
Colour White

Specifications Rechargeable USB, 2.1 Amp
Aluminium & Steel
Beam Angle 30°

Kelvin / Lumen Warm White: 3000K / 60-70lm
Measurement in cm Base: H: 18 W: 5.5
Head: H: 12 Ø: 4

LED COB 3W
Wattage 230v 3W
IP Rating IP44

MB-190/AB

230v 3W COB LED Wall Reading Light with USB Port
Colour Antique Brass

Specifications Rechargeable USB, 2.1 Amp
Aluminium & Steel
Beam Angle 30°

Kelvin / Lumen Warm White: 3000K / 60-70lm
Measurement in cm Base: H: 18 W: 5.5
Head: H: 12 Ø: 4

LED COB 3W
Wattage 230v 3W
IP Rating IP44





MB-002/WH

230v 3W COB LED Round Head Wall Light
Colour White
Specifications Non Dimmable
Kelvin / Lumen Warm White: 2700K / 240lm
Measurement in cm Base: H: 14 W: 3.5 D: 8
Head: H: 12 Ø: 3
LED COB
Wattage 230v 3W
IP Rating IP20

MB-002/BL

230v 3W COB LED Round Head Wall Light
Colour Black
Specifications Non Dimmable
Kelvin / Lumen Warm White: 2700K / 240lm
Measurement in cm Base: H: 14 W: 3.5 D: 8
Head: H: 12 Ø: 3
LED COB
Wattage 230v 3W
IP Rating IP20



MB-003/WH

230v 3W COB LED Square Head Wall Light
Colour White
Specifications Non Dimmable
Kelvin / Lumen Warm White: 2700K / 240lm
Measurement in cm Base: H: 14 W: 3.5 D: 8
Head: H: 12 W: 3 L: 3
LED COB
Wattage 230v 3W
IP Rating IP20

MB-003/BL

230v 3W COB LED Square Head Wall Light
Colour Black
Specifications Non Dimmable
Kelvin / Lumen Warm White: 2700K / 240lm
Measurement in cm Base: H: 14 W: 3.5 D: 8
Head: H: 12 W: 3 L: 3
LED COB
Wattage 230v 3W
IP Rating IP20

**MB-005/BL**

230v 3W COB LED Goose Neck Wall Light

Colour Black
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 240lm
 Base: D: 6.5 Ø: 7.5
 Fitting Arm: L: 40
 LED COB
 Wattage 3W
 230v 3W
 IP Rating IP20

X-MB1216P/AL

230v 2W COB LED Square Base Flexi Wall Light

Colour Brushed Aluminium
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 160lm
 Base: H: 8 W: 8 D: 5.5
 LED Arm: L: 50
 LED COB
 Wattage 2W
 230v 2W
 IP Rating IP20

**MB-005/WH**

230v 3W COB LED Goose Neck Wall Light

Colour White
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 240lm
 Base: D: 6.5 Ø: 7.5
 Fitting Arm: L: 40
 LED COB
 Wattage 3W
 230v 3W
 IP Rating IP20



MB-140/BL

230v 3W LED COB & 8W LED Strip Round Wall

Reading Light
Colour

Black
Non Dimmable
Beam Angle 360°
Warm White: 3000K / 225lm
& 600lm

Kelvin / Lumen

Measurement in cm

Base: Ø: 14 D: 3
Arm: 3 - 15

Lamps
Wattage

1 x COB LED + LED Strip
230v Reading light: 3W &
Background light: 8W

IP Rating

IP44

MB-140/WH

230v 3W LED COB & 8W LED Strip Round Wall

Reading Light
Colour

White
Non Dimmable
Beam Angle 360°
Warm White: 3000K / 225lm
& 600lm

Kelvin / Lumen

Measurement in cm

Base: Ø: 14 D: 3
Arm: 3 - 15

Lamps
Wattage

1 x COB LED + LED Strip
230v Reading light: 3W &
Background light: 8W

IP Rating

IP44



MB-180/BL

230v 3W LED COB & 8W LED Strip Rectangular Wall

Reading Light
Colour

Black
Non Dimmable
Beam Angle 360°
Warm White: 3000K / 225lm
& 600lm

Kelvin / Lumen

Measurement in cm

Base: L: 18 W: 10 D: 3
Arm: 3.5 - 11.5

Lamps
Wattage

1 x COB LED + LED Strip
230v Reading light: 3W &
Background light: 8W

IP Rating

IP44

MB-180/WH

230v 3W LED COB & 8W LED Strip Rectangular Wall

Reading Light
Colour

White
Non Dimmable
Beam Angle 360°
Warm White: 3000K / 225lm
& 600lm

Kelvin / Lumen

Measurement in cm

Base: L: 18 W: 10 D: 3
Arm: 3.5 - 11.5

Lamps
Wattage

1 x COB LED + LED Strip
230v Reading light: 3W &
Background light: 8W

IP Rating

IP44



MB-170/AB

230v 3W LED COB Recessed Wall Reading Light

Colour	Antique Brass
Specifications	Switch is situated on the base under the reading light arm. When lifting the arm the light will switch on and when pushing the arm down in the base the light will switch off. Beam Angle 30°
Kelvin / Lumen	Warm White: 3000K / 240lm
Measurement in cm	Base: L: 17 W: 7 D: 5 Arm: 3.5 - 11.5
LED COB	3W
Wattage	230v 3W
IP Rating	IP44

MB-170/BL

230v 3W LED COB Recessed Wall Reading Light

Colour	Black
Specifications	Switch is situated on the base under the reading light arm. When lifting the arm the light will switch on and when pushing the arm down in the base the light will switch off. Beam Angle 30°
Kelvin / Lumen	Warm White: 3000K / 240lm
Measurement in cm	Base: L: 17 W: 7 D: 5 Arm: 3.5 - 11.5
LED COB	3W
Wattage	230v 3W
IP Rating	IP44

MB-170/WH

230v 3W LED COB Recessed Wall Reading Light

Colour	White
Specifications	Switch is situated on the base under the reading light arm. When lifting the arm the light will switch on and when pushing the arm down in the base the light will switch off. Beam Angle 30°
Kelvin / Lumen	Warm White: 3000K / 240lm
Measurement in cm	Base: L: 17 W: 7 D: 5 Arm: 3.5 - 11.5
LED COB	3W
Wattage	230v 3W
IP Rating	IP44



**X-MB6019**

230v 40W E27 Fabric Shade Wall Light

Colour Chrome with
White Fabric Shade

Measurement in cm H: 31 W: 20 D: 16
Fabric Shade: H: 19 W: 20 D: 12
Base: L: 12 W: 12 D: 2.5

Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**X-MB6020**

230v 40W E27 Fabric Shade Wall Light

Colour Chrome & Wood colour with
Cream Fabric Shade

Measurement in cm H: 29 W: 20 D: 20
Fabric Shade: H: 19 W: 20 D: 12
Base: L: 12 W: 12 D: 2.5

Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



PICTURE LIGHTS

All fittings exclude lamps unless otherwise stated.



K. LIGHT®

DESIGN • SERVICE • QUALITY

**Z-102-12/ST**

230v 12W LED SMD 67.5cm Picture Light

Colour	Satin
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 924lm
Measurement in cm	H: 12 L: 67.5 D: 21
LED SMD	12W
Wattage	230v 12W
IP Rating	IP20

**Z-102-8/ST**

230v 8W LED SMD 46cm Picture Light

Colour	Satin
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 616lm
Measurement in cm	H: 12 L: 46 D: 21
LED SMD	8W
Wattage	230v 8W
IP Rating	IP20

**Z-102-12/AB**

230v 12W LED SMD 67.5cm Picture Light

Colour	Antique Brass
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 924lm
Measurement in cm	H: 12 L: 67.5 D: 21
LED SMD	12W
Wattage	230v 12W
IP Rating	IP20

**Z-102-8/AB**

230v 8W LED SMD 46cm Picture Light


Colour	Antique Brass
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 616lm
Measurement in cm	H: 12 L: 46 D: 21
LED SMD	8W
Wattage	230v 8W
IP Rating	IP20

**Z-101-8/ST**

230v 8W LED SMD 56cm Picture Light
 Colour Satin
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 616lm
 Measurement in cm H: 6 L: 56 D: 19
 LED SMD 8W
 Wattage 230v 8W
 IP Rating IP20

**Z-101-8/AB**

230v 8W LED SMD 56cm Picture Light
 Colour Antique Brass
 Specifications Non Dimmable
 Kelvin / Lumen Warm White: 3000K / 616lm
 Measurement in cm H: 6 L: 56 D: 19
 LED SMD 8W
 Wattage 230v 8W
 IP Rating IP20



Z-106-10/ST
230v 10W LED SMD 61cm Picture Light
Colour Satin
Specifications Non Dimmable
Kelvin / Lumen Warm White: 3000K / 770lm
Measurement in cm H: 7 L: 61 D: 12
LED SMD 10W
Wattage 230v 10W
IP Rating IP20

Z-106-8/ST
230v 8W LED SMD 46cm Picture Light
Colour Satin
Specifications Non Dimmable
Kelvin / Lumen Warm White: 3000K / 616lm
Measurement in cm H: 7 L: 46 D: 12
LED SMD 8W
Wattage 230v 8W
IP Rating IP20

Z-106-10/BL
230v 10W LED SMD 61cm Picture Light
Colour Black
Specifications Non Dimmable
Kelvin / Lumen Warm White: 3000K / 770lm
Measurement in cm H: 7 L: 61 D: 12
LED SMD 10W
Wattage 230v 10W
IP Rating IP20

Z-106-8/BL
230v 8W LED SMD 46cm Picture Light
Colour Black
Specifications Non Dimmable
Kelvin / Lumen Warm White: 3000K / 616lm
Measurement in cm H: 7 L: 46 D: 12
LED SMD 8W
Wattage 230v 8W
IP Rating IP20







K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



BATHROOM FITTINGS

All fittings exclude lamps unless otherwise stated.



K. LIGHT®

DESIGN • SERVICE • QUALITY

**F-MB-008/60**

230v 12W SMD LED Square Cover Wall Light

Colour	Chrome with Opal White Acrylic Diffuser
Specifications	Non Dimmable
Kelvin / Lumen	Natural White: 4000K / 540lm
Measurement in cm	H: 6 L: 60 D: 9.5
LED SMD	12W
Wattage	230v 12W
IP Rating	IP44

**F-MB-008/90 or F-MB-008/90/WW**

230v 18W SMD LED Square Cover Wall Light

Colour	Chrome with Opal White Acrylic Diffuser
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 810lm OR Natural White: 4000K / 810lm
Measurement in cm	H: 6 L: 90 D: 9.5
LED SMD	18W
Wattage	230v 18W
IP Rating	IP44

**F-MB-001/60**


230v 12W SMD LED Round Cover Wall Light

Colour	Chrome with Opal White Acrylic Diffuser
Specifications	Non Dimmable
Kelvin / Lumen	Natural White: 4000K / 540lm
Measurement in cm	H: 6 L: 60 D: 10
LED SMD	12W
Wattage	230v 12W
IP Rating	IP44

**F-MB-001/90**

230v 18W SMD LED Round Cover Wall Light

Colour	Chrome with Opal White Acrylic Diffuser
Specifications	Non Dimmable
Kelvin / Lumen	Natural White: 4000K / 810lm
Measurement in cm	H: 6 L: 90 D: 10
LED SMD	18W
Wattage	230v 18W
IP Rating	IP44

**F-MB-007/4 or F-MB-007/4/WW**

230v 12W SMD LED Cube Wall Light

Colour	Chrome with Frosted Acrylic Diffusers
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 540lm OR Natural White: 4000K / 540lm
Measurement in cm	H: 6 L: 73 D: 11
LED SMD	4 x 3W
Wattage	230v 12W
IP Rating	IP44

F-MB-003/60

230v 12W SMD LED Slim Wall Light

Colour Chrome with Frosted Acrylic Diffuser

Specifications Non Dimmable

Kelvin / Lumen Natural White: 4000K / 540lm

Measurement in cm H: 6 L: 60 D: 9

LED SMD 12W

Wattage 230v 12W

IP Rating IP44

**F-MB-003/90**

230v 18W SMD LED Slim Wall Light

Colour Chrome with Frosted Acrylic Diffuser

Specifications Non Dimmable

Kelvin / Lumen Natural White: 4000K / 810lm

Measurement in cm H: 6 L: 90 D: 9

LED SMD 18W

Wattage 230v 18W

IP Rating IP44

**F-MB-002/60**

230v 12W SMD LED Straight Wall Light

Colour Chrome with Frosted Acrylic Diffuser

Specifications Non Dimmable


Kelvin / Lumen Natural White: 4000K / 540lm

Measurement in cm H: 6 L: 60 D: 10

LED SMD 12W

Wattage 230v 12W

IP Rating IP44

**F-MB-002/90 or F-MB-002/90/WW**

230v 18W SMD LED Straight Wall Light

Colour Chrome with Frosted Acrylic Diffuser

Specifications Non Dimmable

Kelvin / Lumen Warm White: 3000K / 810lm OR

Natural White: 4000K / 810lm

Measurement in cm H: 6 L: 90 D: 10

LED SMD 18W

Wattage 230v 18W


IP Rating IP44



**MG-GLORIOSA/M**

230v 40W G9 Double Horizontal Bathroom
Wall Light

Colour	Satin Chrome with Frosted Glass
Measurement in cm	H: 17.5 W: 22.5 D: 16.2
Lamps	2 x G9
Wattage	230v 80W
IP Rating	IP44

**MG-GLORIOSA/1**

230v 40W G9 Single Vertical Bathroom
Wall Light

Colour	Satin Chrome with Frosted Glass
Measurement in cm	H: 16.5 W: 10 D: 11.5
Lamps	1 x G9
Wattage	230v 40W
IP Rating	IP44

MG-GLORIOSA/2

230v 40W G9 Double Vertical Bathroom
Wall Light

Colour	Satin Chrome with Frosted Glass
Measurement in cm	H: 22.5 W: 10 D: 11.5
Lamps	2 x G9
Wattage	230v 80W
IP Rating	IP44



FLOOR & TABLE LAMPS

All fittings exclude lamps unless otherwise stated.



K. LIGHT®

DESIGN • SERVICE • QUALITY

**T-KLT-155**

230v 40W E27 Mozart Table Lamp

Colour White Shade, White Marble & Gold

Measurement in cm Fitting Height + Shade: 62

Shade H: 25 Ø: 35

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**T-KLT-156**

230v 40W E27 Chopin Table Lamp

Colour White Shade, White Marble & Gold

Measurement in cm Fitting Height + Shade: 48

Shade H: 21 Ø: 25

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**T-KLT-150**

230v 40W E27 Tchaikovsky Table Lamp

Colour White Shade, Black Marble & Gold

Measurement in cm Fitting Height + Shade: 86
Shade H: 26 Ø: 25

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**T-KLT-153**

230v 40W E27 Vivaldi Table Lamp

Colour Black Shade, White Marble & Gold

Measurement in cm Fitting Height + Shade: 64
Shade H: 28.5 Top Ø: 30 Bottom Ø: 36

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20



T-KLT-151
230v 40W E27 Verdi Table Lamp
Colour White Shade, White Marble & Gold
Measurement in cm Fitting Height + Shade: 62
Shade L: 36 W: 22 H: 23
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



T-KLT-154
230v 40W E27 Beethoven Table Lamp
Colour White Shade, White Marble & Gold
Measurement in cm Fitting Height + Shade: 62
Shade L: 38 H: 25 W: 25
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**T-KLT-152**

230v 40W E27 Bach Table Lamp

Colour White Shade, White Marble & Gold

Measurement in cm Fitting Height + Shade: 55

Shade L: 35 H: 25 W: 20

1 x E27

Lamps 230v 40W

Wattage IP Rating IP20



DL-KLT-1027

230v 40W E27 Arum	Lily Glass Table Lamp
Colour	Amber
Measurement in cm	H: 20 W: 25 L: 22
Lamps	1 x E27 (Including Lamp: Mirror LED Filament Bulb E27 4W 2700K
Wattage	230v 40W
IP Rating	IP20

**T-KLT-133/BL**

230v 40W E27 Medium Chicago Glass Table Lamp

Colour Black with Smoke Glass

Measurement in cm H: 33 Ø: 21.5

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**T-KLT-133/SG**

230v 40W E27 Medium Chicago Glass Table Lamp

Colour Satin Gold With Amber Glass

Measurement in cm H: 33 Ø: 21.5

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20



E-KLT-600F
230v 40W E27 Rattan Floor Lamp
Colour Rattan with Satin Gold
Measurement in cm H: 183 W: 40 D: 49
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**E-KLT-610**

230v 40W E27 Rattan Table Lamp

Colour Rattan with Satin Gold

Measurement in cm H: 50 W: 23 D: 30

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20



P0-KLT-1911

230v 4W E27 LED Eco Friendly Table Lamp
 Colour White & Gold
 Specifications Recyclable Plastics
 Measurement in cm H: 29.3 Ø: 16
 Base Ø: 12 H: 2.5
 Shade H: 26.8
 Lamps 1 x 4W E27 LED
 Wattage 230v 4W
 IP Rating IP20



P0-KLT-1921

230v 4W E27 LED Eco Friendly Table Lamp
 Colour White & Gold
 Specifications Recyclable Plastics
 Measurement in cm H: 35 Ø: 20
 Base Ø: 12 H: 2.5
 Shade H: 32.5
 Lamps 1 x 4W E27 LED
 Wattage 230v 4W
 IP Rating IP20

A60 4W LED bulbs must be used with this range, as they do not emit as much heat as the incandescent bulbs.



H-KLT-210251/GR

230v 40W E27 Flexi Desk Lamp with in-line switch

Colour Grey
Measurement in cm Base: Ø: 17
H: 44

Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

H-KLT-210265/GR

230v 40W E27 Tripod Desk Lamp with in-line switch

Colour Grey
Measurement in cm Tri Pod Base: Ø: 17
H: 64

Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



H-KLT-210265/BL

230v 40W E27 Tripod Desk Lamp with in-line switch

Colour Black

Measurement in cm Tri Pod Base: Ø: 17

H: 64

Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



**G-KLT-8107/F**

230v 40W E27 Slick Floor Lamp
 Colour Black
 Measurement in cm H: 152 W: 15 L: 26
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**G-KLT-8107**

230v 40W E27 Slick Table Lamp
 Colour Black
 Measurement in cm H: 52 W: 12 L: 20
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

G-KLT-84/BL

230v 40W E27 Cube Table Lamp
 Colour Black
 Measurement in cm H: 23 W: 12 L: 15
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**G-KLT-8105/BL**

230v 40W E27 Constellation Table Lamp

Colour Black and Satin Gold

Measurement in cm H: 39 W: 17

Base: L: 12 H: 3 W: 10

Lamps 1 x E27 (Including Lamp)

Wattage 230v 40W

IP Rating IP20

**G-KLT-8105/WH**

230v 40W E27 Constellation Table Lamp

Colour White and Satin Gold

Measurement in cm H: 39 W: 17

Base: L: 12 H: 3 W: 10

Lamps 1 x E27 (Including Lamp)

Wattage 230v 40W

IP Rating IP20

**T-LED-672/BL**

230v 12W LED Table Lamp

Colour Black

Specifications Steel + Aluminium + Acrylic

Kelvin / Lumen Warm White: 3000K / 410lm

Measurement in cm H: 29.5 Ø: 29

Lamps LED

Wattage 230v 12W

IP Rating IP20

**T-LED-672/GD**

230v 12W LED Table Lamp

Colour Gold

Specifications Steel + Aluminium + Acrylic

Kelvin / Lumen Warm White: 3000K / 450lm

Measurement in cm H: 29.5 Ø: 29

Lamps LED

Wattage 230v 12W

IP Rating IP20



V-LED-5210/1W-WW or V-LED-5210/1W-CW
230v 7.8W LED SMD Curve Floor Lamp with switch on arm

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 325lm Cool White: 6000K / 325lm
Measurement in cm	Base: H: 3 L: 26 W: 18 H: 175 Arm: W: 4
LED SMD	7.8W
Wattage	230v 7.8W
IP Rating	IP20



T-LED-6281/CH
230v 6.3W LED SMD Table Lamp with Hand Dimmer

Colour	Chrome
Specifications	Dimmable
Kelvin / Lumen	Warm White: 3000K / 480lm
Measurement in cm	Base: L: 20 W: 13 H: 52 Arm: W: 2
LED SMD	6.3W
Wattage	230v 6.3W
IP Rating	IP20

T-LED-6281/WH
230v 6.3W LED SMD Table Lamp with Hand Dimmer

Colour	White
Specifications	Dimmable
Kelvin / Lumen	Warm White: 3000K / 480lm
Measurement in cm	Base: L: 20 W: 13 H: 52 Arm: W: 2
LED SMD	6.3W
Wattage	230v 6.3W
IP Rating	IP20

**K-LED-9182**

230v 28W LED Slim Enigma Floor Lamp
 Colour Black
 Specifications Non-Dimmable
 Kelvin / Lumen Warm White: 3000K
 Measurement in cm H: 91 Ø: 19
 LED SMD LED
 Wattage 230v 28W
 IP Rating IP20

**K-LED-7754**

230v 40W LED Enigma Floor Lamp
 Colour Black
 Specifications 3 Illumination Settings
 Kelvin / Lumen Warm White: 3000K / 2600lm
 Measurement in cm H: 162 W: 42
 LED SMD 40W
 Wattage 230v 40W
 IP Rating IP20

**3E-KLT-200/BL**

230v 40W E27 Ringmaster Floor Lamp

Colour Black

Measurement in cm Fitting Height: 136

Length: 32

Width: 22

Base: L: 32 W: 22

Lamps 3 x E27 (Excluding Lamps)

Wattage 230v 40W

IP Rating IP20

**M-KLT-210266**

230v 40W E27 Cantilever Floor Lamp with Foot switch

Colour Black wood base, aluminium with black fabric shade

Measurement in cm
Base: H: 5 Ø: 42
H: 194-198 W: 158
Shade: H: 26 Ø: 37Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20**M-KLT-210265**

230v 40W E27 Cantilever Floor Lamp with Foot switch

Colour Natural wood base, aluminium with white fabric shade

Measurement in cm
Base: H: 5 Ø: 42
H: 194-198 W: 158
Shade: H: 26 Ø: 37Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



G-KLT-820F/WH
230v 40W E27 Laser Cut Floor Lamp
Colour Sandy White, Inside White
Leg: Satin Nickel
Measurement in cm H: 160 Ø: 40
Shade Ø: 40 H: 38
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



G-KLT-820F/BL
230v 40W E27 Laser Cut Floor Lamp
Colour Matt Black, Inside White
Leg: Satin Nickel
Measurement in cm H: 160 Ø: 40
Shade Ø: 40 H: 38
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**G-KLT-820T/WH**

230v 40W E27 Laser Cut Table Lamp
 Colour Sandy White, Inside White
 Measurement in cm H: 22 Ø: 25
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**G-KLT-820T/BL**

230v 40W E27 Laser Cut Table Lamp
 Colour Matt Black, Inside White
 Measurement in cm H: 22 Ø: 25
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



G-KLT-8103T
 230v 40W E27 Boston Mesh Table Lamp
 Colour Black & Gold
 Measurement in cm Fitting Height: 73 Ø: 26
 Shade H: 40 Ø: 24
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20



G-KLT-8103F
 230v 40W E27 Boston Mesh Floor Lamp
 Colour Black & Gold
 Measurement in cm Fitting Height: 114 Ø: 37
 Shade H: 59 Ø: 30
 Lamps 1 x E27
 Wattage 230v 40W
 IP Rating IP20

**G-KLT-86/GD**

230v 40W E27 Mesh Table Lamp

Colour Gold

Measurement in cm Fitting Height: 41 Ø: 30

Shade H: 15

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20

**G-KLT-86/BL**

230v 40W E27 Mesh Table Lamp

Colour Black

Measurement in cm Fitting Height: 41 Ø: 30

Shade H: 15

Lamps 1 x E27

Wattage 230v 40W

IP Rating IP20



T-KLT-1472/BL

230v 40W E27 Inspiration Cone Glass Table Lamp
Colour Black
Measurement in cm H: 49
Ø: 20
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

T-KLT-1473/GD

230v 40W E27 Inspiration Ball Glass Table Lamp
Colour Gold
Measurement in cm H: 50
Ø: 26
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

T-KLT-1473/BL

230v 40W E27 Inspiration Ball Glass Table Lamp
Colour Black
Measurement in cm H: 50
Ø: 26
Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20



**T-KLT-1472/GD**

230v 40W E27 Inspiration Cone Glass Table Lamp

Colour Gold

Measurement in cm H: 49

Ø: 20

Lamps 1 x E27

Wattage 230v 40W



IP Rating IP20



T-KLT-1470
230v 3W G9 LED Glass & Gold Table Lamp
Colour Gold with Opal White Glass
Measurement in cm H: 45
Ø: 24
Lamps 1 x 3W G9 LED
(Including Non Dimmable Lamp)
Wattage 230v 3W
IP Rating IP20



T-KLT-130T
230v 3W G9 LED Tear Drop Table Lamp with in-line switch
Colour Satin Gold with Opal White Glass
Measurement in cm Base: Ø: 18
H: 50
Lamps 1 x 3W G9 LED
(Including Non Dimmable Lamp)
Wattage 230v 40W
IP Rating IP20

**CA-KLT1626S**

230v 40W E27 Small Table Lamp with
in-line switch

Colour Gold with Opal White Glass
Measurement in cm H: 32 W: 29
Glass Ø: 20

Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

CA-KLT1626L

230v 40W E27 Long Table Lamp with
in-line switch

Colour Gold with Opal White Glass
Measurement in cm H: 60 W: 29
Glass Ø: 20

Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**CA-KLT1626F**

230v 40W E27 Floor Lamp with Foot Switch

Colour Gold with Opal White Glass
Measurement in cm Base: Ø: 33
H: 143

Lamps 1 x E27
Wattage 230v 40W
IP Rating IP20

**N-ML0195/SB**

230v 20W G4 Bi-Pin Tusk Floor Lamp with
Foot Dimmer

Colour Chrome with Clear glasses
Specifications Dimmable

Measurement in cm Base: Ø: 22
H: 147 Ø: 40
Lamps 5 x 12v G4 Bi-Pin (Including Lamps)
Wattage 230v 100W
IP Rating IP20

**N-MB0195-3B**

230v 20W G4 Bi-Pin Tusk Glass Wall Light

Colour Chrome with Clear Glass

Specifications Non Dimmable

Measurement in cm H: 67 W: 30 D: 22

Lamps 3 x 12v Bi-Pin G4 (Including Lamps)

Wattage 230v 60W

IP Rating IP20

**J-MT2039/3**

230v 20W G4 Bi-Pin Ball Glass Table Lamp with
Hand Dimmer

Colour Satin Chrome with
Opal White glasses

Specifications Dimmable
Measurement in cm Base: Ø: 16
H: 40

Lamps 3 x 12v G4 Bi-Pin (Including Lamps)
Wattage 230v 60W
IP Rating IP20

**J-MT2053A/2**

230v 20W G4 Bi-Pin Drop Glass Table Lamp with
Hand Dimmer

Colour Satin Chrome with
Shiny White glasses

Specifications Dimmable
Measurement in cm Base: Ø: 16
H: 50

Lamps 2 x 12v G4 Bi-Pin (Including Lamps)
Wattage 230v 40W
IP Rating IP20

**X-LDD39**

230v 40W E27 Adjustable Floor Lamp with Foot switch
 Colour Satin Chrome with silver parchment shade
 Measurement in cm Base: Ø: 33

H: 146-195
 Shade: H: 22 Ø: 46


Lamps 1 x E27
 Wattage 230v40W
 IP Rating IP20

**A-KLF6149/50**

230v 40W E27 Floor Lamp with Acrylic Shade with Foot switch
 Colour Chrome with crystal embedded chrome acrylic shade
 Measurement in cm Base: Ø: 32

H: 160
 Shade: H: 29 Ø: 51

Lamps 3 x E27
 Wattage 230v 120W
 IP Rating IP20

**V-KLT-5032/2**

230v 40W G9 Folded Glass Floor Lamp with

Foot switch

Colour

Satin Chrome with
Opal White glasses

Measurement in cm Base: W: 24 L: 20

H: 153

Lamps

2 x G9

Wattage

230v 80W

IP Rating

IP20

KLF-GEELONG/BL

230v 300W QI 118 Halogen Floor Lamp with

Foot Dimmer

Colour

Black & Silver

Specifications

Dimmable

Measurement in cm Base: Ø: 26

H: 181

Lamps

1 x QI 118mm

Wattage

230v 300W

IP Rating

IP20





RECHARGEABLE TABLE LAMPS

All fittings exclude lamps unless otherwise stated.



K. LIGHT®

DESIGN • SERVICE • QUALITY

**KLT-8006/GD**

230v 3W LED Vogue Rechargeable Table Lamp

Colour Gold

Specifications Dimmable - 3 Colour Option (CCT)

Battery: 1800MA

Rechargeable with USB Cable

Kelvin / Lumen Warm White 3000K

Measurement in cm H: 34 Ø: 8

Shade Height: 9

LED SMD 3W

Wattage 230v 3W

IP Rating IP20

**KLT-8006/BL**

230v 3W LED Vogue Rechargeable Table Lamp

Colour Black

Specifications Dimmable - 3 Colour Option (CCT)

Battery: 1800MA

Rechargeable with USB Cable

Kelvin / Lumen Warm White 3000K

Measurement in cm H: 34 Ø: 8

Shade Height: 9

LED SMD 3W

Wattage 230v 3W

IP Rating IP20

**KLT-8001/CO**

230v 2W LED Turret Rechargeable Table Lamp

Colour Copper
 Specifications Dimmable - 3 Colour Option (CCT)
 Battery: 1800MA
 Rechargeable with USB Cable

Kelvin / Lumen Warm White 3000K
 Measurement in cm H: 21 Ø: 9
 LED SMD 2W
 Wattage 230v 2W
 IP Rating IP20

**KLT-8004/CO**

230v 2W LED Beacon Rechargeable Table Lamp

Colour Copper
 Specifications Dimmable - 3 Colour Option (CCT)
 Battery: 1800MA
 Rechargeable with USB Cable

Kelvin / Lumen Warm White 3000K
 Measurement in cm H: 21 Ø: 9
 LED SMD 2W
 Wattage 230v 2W
 IP Rating IP20

**KLT-8004/GD**


230v 2W LED Beacon Rechargeable Table Lamp

Colour	Gold
	Chromed Brushed Iron
Specifications	Dimmable - 3 Colour Option (CCT)
	Battery: 1800MA
	Rechargeable with USB Cable
Kelvin / Lumen	Warm White 3000K
Measurement in cm	H: 21 Ø: 9
LED SMD	2W
Wattage	230v 2W
IP Rating	IP20

**KLT-8001/GD**

230v 2W LED Turret Rechargeable Table Lamp

Colour	Gold
	Chromed Brushed Iron
Specifications	Dimmable - 3 Colour Option (CCT)
	Battery: 1800MA
	Rechargeable with USB Cable
Kelvin / Lumen	Warm White 3000K
Measurement in cm	H: 21 Ø: 9
LED SMD	2W
Wattage	230v 2W
IP Rating	IP20

**KLT-013/BL**

230v 3.5W LED SMD Rechargeable Table Lamp

Colour Black
 Specifications Touch Switch
 Dimmable
 Battery: 5V/2A
 Rechargeable with USB Cable
 Charging Time approx: 4 Hours
 Working Time approx: 6-8 Hours

Measurement in cm Base: H: 9.8 W: 9.8
 Full Height: 38
 Shade Ø: Top: 8.5 Bottom: 11.5
 Shade Height: 9

LED SMD
 Wattage 3.5W
 IP Rating 20

KLT-013/WH

230v 3.5W LED SMD Rechargeable Table Lamp

Colour White
 Specifications Touch Switch
 Dimmable
 Battery: 5V/2A
 Rechargeable with USB Cable
 Charging Time approx: 4 Hours
 Working Time approx: 6-8 Hours

Measurement in cm Base: H: 9.8 W: 9.8
 Full Height: 38
 Shade Ø: Top: 8.5 Bottom: 11.5
 Shade Height: 9

LED SMD
 Wattage 3.5W
 IP Rating 20

**KLT-8011/GD**

230v 3W LED Pixie Rechargeable Table Lamp

Colour

Gold

Specifications

Material: PMMA

Battery: 1800MA

Rechargeable with USB Cable

Warm White 3000K

Kelvin / Lumen
Measurement in cm

H: 27.5 Ø: 15

LED SMD

3W

Wattage

230v 3W

IP Rating

IP20

**KLT-001/BL**

230v 1W LED SMD Acrylic Tri Coloured Dimmable
Rechargeable Table Lamp

Colour Smoke Black
Specifications Touch Switch
Dimmable
Battery: 5V/2A

Rechargeable with USB Cable

Kelvin / Lumen Warm White: 3000K
Natural White: 4000K
Cool White: 6000K

Measurement in cm Base: H: 8.5 W: 8.5
Full Height: 26 Ø: 12

LED SMD 1W
Wattage 230v 1W
IP Rating IP20

KLT-001/CL

230v 1W LED SMD Acrylic Tri Coloured Dimmable
Rechargeable Table Lamp

Colour Clear
Specifications Touch Switch
Dimmable
Battery: 5V/2A

Rechargeable with USB Cable

Kelvin / Lumen Warm White: 3000K
Natural White: 4000K
Cool White: 6000K

Measurement in cm Base: H: 8.5 W: 8.5
Full Height: 26 Ø: 12

LED SMD 1W
Wattage 230v 1W
IP Rating IP20

**KLT-005**

230v 1W LED SMD Acrylic Colour Changing Rechargeable Table Lamp

Colour

Clear

Specifications

Touch Switch

Dimmable

With Remote Control

Battery: 5V/2A

Rechargeable with USB Cable

Charging Time approx: 4 Hours

Working Time approx: 6-8 Hours

Full Height: 22 Ø: 9

Measurement in cm

LED SMD

1W

Wattage

230v 1W

IP Rating

IP20





KLT-26

230v 1.2W LED SMD Chickabiddy Night Light

Colour White

Specifications Material: ABS & Silicon & PC

Rechargeble with USB Cable

Dimmable

Battery: 5V/1A

Touch Switchs

It's a decoration, a decompression toy and a lamp

Kelvin / Lumen Warm White: 3000K

Cool White: 6500K

Measurement in cm H: 11.8 W: 10.4 L: 10.4

Weight 200g

LED SMD 1.2W

Wattage 230v 1.2W

IP Rating IP20



KLT-23

230v 2.6W LED SMD Elephant Night Light

Colour White

Specifications Material: ABS & HIPS & Silicon

Rechargeble with USB Cable

Dimmable

Battery: 5V/1A

Timer

Touch Switchs

It's a decoration, a decompression toy and a lamp

Kelvin / Lumen Warm White: 3000K

Cool White: 6500K

Measurement in cm H: 15.1 W: 8.2 L: 9.6

Weight 200g

LED SMD 2.6W

Wattage 230v 2.6W

IP Rating IP20



KLT-22

230v 0.4W LED SMD Goose Night Light

Colour White

Specifications Material: ABS & Silicon & PC

Rechargeble with USB Cable

Dimmable

Battery: 5V/1A

Timer

It's a decoration, a decompression toy and a lamp

Measurement in cm H: 13.1 W: 7.8 L: 10.5

Weight 211g

LED SMD 0.4W

Wattage 230v 0.4W

IP Rating IP20



KLT-25

230v 1W LED SMD Kitty Night Light

Colour White

Specifications Material: ABS & Silicon & PC

Rechargeble with USB Cable

Dimmable

Battery: 5V/1A

Timer

Touch Switchs

It's a decoration, a decompression toy and a lamp

Measurement in cm H: 10.2 W: 10.9 L: 15.2

Weight 278g

LED SMD 1W

Wattage 230v 1W

IP Rating IP20

Baby Night Lights

KLT-27

230v 1.5W LED SMD Dog Night Light

Colour White

Specifications

Material: ABS & Silicon

Rechargeble with USB Cable

Dimmable

Battery: 5V/1A

Timer

Touch Switches

It's a decoration, a decompression toy and a lamp

Measurement in cm H: 7.6 W: 9 L: 16

Weight 174g

LED SMD 1.5W

Wattage 230v 1.5W

IP Rating IP20

KLT-20

230v 1W LED SMD Pear Night Light

Colour White

Specifications

Material: ABS & Silicon & PC

Rechargeble with USB Cable

Dimmable

Battery: 5V/1A

Timer

Colour Changing

It's a decoration, a decompression toy and a lamp

Measurement in cm H: 13 W: 11.4 L: 11.7

Weight 173g

LED SMD 1W

Wattage 230v 1W

IP Rating IP20

KLT-21

230v 1W LED SMD Tiger Night Light

Colour Yellow/Orange

Specifications

Material: ABS & Silicon

Rechargeble with USB Cable

Dimmable

Battery: 5V/1A

Timer

It's a decoration, a decompression toy and a lamp

Measurement in cm H: 15.2 W: 11 L: 13.2

Weight 232g

LED SMD 1W

Wattage 230v 1W

IP Rating IP20

KLT-24

230v 0.45W LED SMD Little Cloud Night Light

Colour White

Specifications

Material: ABS & Silicon

Rechargeble with USB Cable

Non-Dimmable

Battery: 5V/1A

Timer

Touch Switches

Colour Changing

It's a decoration, a decompression toy and a lamp

Measurement in cm H: 9 W: 11.4 L: 14.2

Weight 250g

LED SMD 0.45W

Wattage 230v 0.45W

IP Rating IP20





K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



SPOTLIGHTS

- 230v GU10 & G9
- 12v G5.3



K. LIGHT®

DESIGN • SERVICE • QUALITY

**N-KLS-851-1B/BL**

230v 50W GU10 Single Adjustable Spot Light on a Bar

Colour	Black & Copper with Red Cord
Measurement in cm	Length: 12.2 Width: 10 Depth: 11.5
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**N-KLS-851-2P/BL**

230v 50W GU10 Two Adjustable Spot Lights on a Plate

Colour	Black & Copper with Red Cord
Measurement in cm	Diameter: 17 Depth: 11.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 100W
IP Rating	IP20

**N-KLS-851-3P/BL**

230v 50W GU10 Three Adjustable Spot Lights on a Plate

Colour	Black & Copper with Red Cord
Measurement in cm	Diameter: 23 Depth: 11.5
Lamps	3 x GU10 (Excluding Lamps)
Wattage	230v 150W
IP Rating	IP20

**N-KLS-851-2B/BL**

230v 50W GU10 Two Adjustable Spot Lights on a Bar

Colour	Black & Copper with Red Cord
Measurement in cm	Length: 30 Width: 6.5 Depth: 11.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 100W
IP Rating	IP20

**N-KLS-851-3B/BL**

230v 50W GU10 Three Adjustable Spot Lights on a Bar

Colour	Black & Copper with Red Cord
Measurement in cm	Length: 43 Width: 6.5 Depth: 11.5
Lamps	3 x GU10 (Excluding Lamps)
Wattage	230v 150W
IP Rating	IP20

**N-KLS-851-1B/WH**

230v 50W GU10 Single Adjustable Spot Light on a Bar

Colour	White & Chrome with Red Cord
Measurement in cm	Length: 12.2 Width: 10 Depth: 11.5
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**N-KLS-851-2P/WH**

230v 50W GU10 Two Adjustable Spot Lights on a Plate

Colour	White & Chrome with Red Cord
Measurement in cm	Diameter: 17 Depth: 11.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 100W
IP Rating	IP20

**N-KLS-851-3P/WH**

230v 50W GU10 Three Adjustable Spots Lights on a Plate

Colour	White & Chrome with Red Cord
Measurement in cm	Diameter: 23 Depth: 11.5
Lamps	3 x GU10 (Excluding Lamps)
Wattage	230v 150W
IP Rating	IP20

**N-KLS-851-2B/WH**

230v 50W GU10 Two Adjustable Spot Lights on a Bar

Colour	White & Chrome with Red Cord
Measurement in cm	Length: 30 Width: 6.5 Depth: 11.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 100W
IP Rating	IP20

**N-KLS-851-3B/WH**

230v 50W GU10 Three Adjustable Spot Lights on a Bar

Colour	White & Chrome with Red Cord
Measurement in cm	Length: 43 Width: 6.5 Depth: 11.5
Lamps	3 x GU10 (Excluding Lamps)
Wattage	230v 150W
IP Rating	IP20

**N-KLS-644-1B/WH**

230v 50W GU10 Single Adjustable Spot Light on a Bar

Colour	White
Measurement in cm	Length: 12.5 Width: 10 Depth: 12
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**N-KLS-644-2P/WH**

230v 50W GU10 Two Adjustable Spot Lights on a Plate

Colour	White
Measurement in cm	Diameter: 17 Depth: 12
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 100W
IP Rating	IP20

**N-KLS-644-3P/WH**

230v 50W GU10 Three Adjustable Spot Lights on a Plate

Colour	White
Measurement in cm	Diameter: 23 Depth: 12
Lamps	3 x GU10 (Excluding Lamps)
Wattage	230v 150W
IP Rating	IP20

**N-KLS-644-2B/WH**

230v 50W GU10 Two Adjustable Spot Lights on a Bar

Colour	White
Measurement in cm	Length: 35 Width: 6.5 Depth: 13.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 100W
IP Rating	IP20

**N-KLS-644-3B/WH**

230v 50W GU10 Three Adjustable Spot Lights on a Bar

Colour	White
Measurement in cm	Length: 56.5 Width: 6.5 Depth: 13.5
Lamps	3 x GU10 (Excluding Lamps)
Wattage	230v 150W
IP Rating	IP20

**N-KLS-95-1B/NS**

230v 50W GU10 Single Adjustable Spot Light on a Bar

Colour	Brushed Aluminium
Measurement in cm	Length: 12.5 Width: 6.5 Depth: 11.5
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**N-KLS-95-2P/NS**

230v 50W GU10 Two Adjustable Spot Lights on a Plate

Colour	Brushed Aluminium
Measurement in cm	Diameter: 17 Depth: 12.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 100W
IP Rating	IP20

**N-KLS-95-3P/NS**

230v 50W GU10 Three Adjustable Spot Lights on a Plate

Colour	Brushed Aluminium
Measurement in cm	Diameter: 23 Depth: 12.5
Lamps	3 x GU10 (Excluding Lamps)
Wattage	230v 150W
IP Rating	IP20

**N-KLS-95-2B/NS**

230v 50W GU10 Two Adjustable Spot Lights on a Bar

Colour	Brushed Aluminium
Measurement in cm	Length: 35 Width: 6.5 Depth: 11.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 100W
IP Rating	IP20

**N-KLS-95-3B/NS**


230v 50W GU10 Three Adjustable Spot Lights on a Bar

Colour	Brushed Aluminium
Measurement in cm	Length: 45 Width: 6.5 Depth: 11.5
Lamps	3 x GU10 (Excluding Lamps)
Wattage	230v 150W
IP Rating	IP20

**FL-3090/1**

230v 50W GU10 Single Adjustable Spot Light on Plate

Colour	White with Red Cord
Measurement in cm	Diameter: 10 Depth: 14
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**FL-3090B/4**

230v 50W GU10 Four Adjustable Spot Lights on Bar

Colour	White with Red Cord
Measurement in cm	Length: 79 Width: 6.5 Depth: 14.5
Lamps	4 x GU10 (Excluding Lamps)
Wattage	230v 200W
IP Rating	IP20

**HP-9024D**

12v 50W G5.3 DR111 4 Spot Lights on a Bar

Colour	Oxidized Silver
Specifications	Reflector available in 24° & 48°
Measurement in cm	Length: 68 Width: 7 Depth: 15.5
Lamps	4 x BiPin (Including Lamps)
Wattage	230v 200W
IP Rating	IP20

**MG-VELA/4**

230v 40W G9 Four Adjustable Spot Lights on Square Plate

Colour	Satin
Measurement in cm	Length: 25 Width: 25 Depth: 12
Lamps	4 x G9 (Excluding Lamps)
Wattage	230v 160W
IP Rating	IP20



FL-5351/1
230v 50W GU10 Single Adjustable Wood Finish Spot Light on Bar

Colour	Chrome with Wood Finish
Measurement in cm	Length: 10 Width: 10 Depth: 12
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



FL-5781-P/3
230v 50W GU10 Three Adjustable Bubble Spot Lights on Plate

Colour	Brushed Aluminium
Measurement in cm	Diameter: 21 Depth: 11.5
Lamps	3 x GU10 (Excluding Lamps)
Wattage	230v 150W
IP Rating	IP20



MG-SPECTRUM/3B
12v 50W G5.3 Three Adjustable Colour Glass Spot Lights on Bar

Colour	Satin with Blue, Red or Clear Glass
Measurement in cm	Length: 54.5 Width: 7.7 Depth: 12.3
Lamps	3 x MR16 (Excluding Lamps)
Wattage	12v 150W
IP Rating	IP20



MG-SPECTRUM/3P
12v 50W G5.3 Three Adjustable Colour Glass Spot Lights on Plate

Colour	Satin with Blue, Red or Clear Glass
Measurement in cm	Length: 24 Width: 23 Depth: 10.5
Lamps	3 x MR16 (Excluding Lamps)
Wattage	12v 150W
IP Rating	IP20



K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



GU10 TRACK SPOTLIGHTS

- 230v GU10
- Tracks & Connectors
- Suspension Track



K. LIGHT®

DESIGN • SERVICE • QUALITY



VR-KLS-100/BL
230v 50W GU10 Spot Light for 3 Wire Track
(Recessed Adaptor)

Colour	Black
Measurement in cm	Height: 11 Length: 8.5 Diameter: 5.5
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-100/WH
230v 50W GU10 Spot Light for 3 Wire Track
(Recessed Adaptor)

Colour	White
Measurement in cm	Height: 11 Length: 8.5 Diameter: 5.5
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-160/BL
230v 50W GU10 Spot Light for 3 Wire Track
(Recessed Adaptor)

Colour	Black
Measurement in cm	Height: 9.2 Length: 8.6 Diameter: 5.6
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-160/WH
230v 50W GU10 Spot Light for 3 Wire Track
(Recessed Adaptor)

Colour	White
Measurement in cm	Height: 9.2 Length: 8.6 Diameter: 5.6
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-150/BL
230v 50W GU10 Anti-Glare Spot Light for 3 Wire Track

Colour	Black
Measurement in cm	Height: 16 Length: 8.5 Diameter: 5.5
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-150/WH
230v 50W GU10 Anti-Glare Spot Light for 3 Wire Track

Colour	White
Measurement in cm	Height: 16 Length: 8.5 Diameter: 5.5
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-150/SG
230v 50W GU10 Anti-Glare Spot Light for 3 Wire Track

Colour	Satin Gold
Measurement in cm	Height: 16 Length: 8.5 Diameter: 5.5
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-105/BL
230v 50W GU10 Long Spot Light for 3 Wire Track

Colour	Black
Measurement in cm	Height: 18 Length: 13 Diameter: 6
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-105/WH
230v 50W GU10 Long Spot Light for 3 Wire Track

Colour	White
Measurement in cm	Height: 18 Length: 13 Diameter: 6
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-140/BL
230v 50W GU10 Slim Spot Light for 3 Wire Track
(Recessed Adaptor)

Colour	Black
Measurement in cm	Height: 21.5 Length: 15.2 Diameter: 5.5
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-140/WH
230v 50W GU10 Slim Spot Light for 3 Wire Track
(Recessed Adaptor)

Colour	Black
Measurement in cm	Height: 21.5 Length: 15.2 Diameter: 5.5
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-110/BL
230v 50W GU10 Round Spot Light for 3 Wire Track

Colour	Black
Measurement in cm	Height: 14 Length: 7 Diameter: 6
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-110/WH
230v 50W GU10 Round Spot Light for 3 Wire Track

Colour	White
Measurement in cm	Height: 14 Length: 7 Diameter: 6
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-120/BL
230v 50W GU10 Square Spot Light for 3 Wire Track

Colour	Black
Measurement in cm	Height: 14 Length: 6 Width: 6
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-120/WH
230v 50W GU10 Square Spot Light for 3 Wire Track

Colour	White
Measurement in cm	Height: 14 Length: 6 Width: 6
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-130/BL
230v 50W GU10 Goose Neck Spot Light for 3 Wire Track

Colour	Black
Measurement in cm	Height: 30 Length: 8.5 Diameter: 5.5
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-130/WH
230v 50W GU10 Goose Neck Spot Light for 3 Wire Track

Colour	White
Measurement in cm	Height: 30 Length: 8.5 Diameter: 5.5
Lamps	1 x GU10 (Excluding Lamps)
Wattage	230v 50W
IP Rating	IP20



LED TRACK SPOTLIGHTS

- 230v LED
- Tracks & Connectors
- Suspension Track



K. LIGHT®

DESIGN • SERVICE • QUALITY



P-700-3500K/BL or P-700-4000K/BL
230v 35W LED 3 Wire Track Spot Light

Colour	Black
Specifications	Beam angle: 38° Aluminium
Kelvin / Lumen	Warm White: 3000K, 3183lm or Natural White: 4000K, 3360lm
Measurement in cm	Spot Light: Height: 14.5 Length: 13 Diameter: 9
LED SMD	35W
Wattage	230v 35W
IP Rating	IP20



P-700-3500K/WH or P-700-4000K/WH
230v 35W LED 3 Wire Track Spot Light

Colour	White
Specifications	Beam angle: 38° Aluminium
Kelvin / Lumen	Warm White: 3000K, 3183lm or Natural White: 4000K, 3360lm
Measurement in cm	Spot Light: Height: 14.5 Length: 13 Diameter: 9
LED SMD	35W
Wattage	230v 35W
IP Rating	IP20



P-520/WH-3000K
230v 35W LED COB Spot Light for 3 Wire Track

Colour	White
Specifications	Reflector angle: 38°
Kelvin / Lumen	Warm White: 3000K, 3400lm
Measurement in cm	Spot Light: Height: 15.5 Length: 17.5 Diameter: 12
LED COB	1 x 35W Cree
Wattage	230v 35W
IP Rating	IP20

COMMERCIAL



P-600/BL
230v 10W LED 3 Wire Track Spot Light

Colour	Black with a Gold Inner Ring
Specifications	Beam angle: 38° Aluminium
Kelvin / Lumen	Warm White: 3000K, 904lm
Measurement in cm	Spot Light: Height: 16 Length: 13.5 Diameter: 5
LED SMD	10W
Wattage	230v 10W
IP Rating	IP20



P-600/WH
230v 10W LED 3 Wire Track Spot Light

Colour	White with a Gold Inner Ring
Specifications	Beam angle: 38° Aluminium
Kelvin / Lumen	Warm White: 3000K, 904lm
Measurement in cm	Spot Light: Height: 16 Length: 13.5 Diameter: 5
LED SMD	10W
Wattage	230v 10W
IP Rating	IP20

SURFACE MOUNTED TRACK WITH COMPONENTS



YB-3W-TRACK
3-Wire 1-Circuit Surface Mounted Track

Colour	Black or White
Measurements	Track Length: 1M, 1.5M, 2M or 3M Sold incl. power feed and end cap. Track Measurements: W: 3.5 H: 1.6



YB-3W-AD
3-Wire Track Adaptor for pendants

Colour	Black or White
--------	----------------



YB-3W-IJ
3-Wire I-Joiner without Power Feed

Colour	Black or White
--------	----------------



YB-3W-LC
3-Wire L Connector

Colour	Black or White
--------	----------------



YB-3W-IC
3-Wire I Connector

Colour	Black or White
--------	----------------



YB-3W-EC AND YB-3W-PF
3-Wire Power Feed with 3-Wire End Cap

Colour	Black or White
--------	----------------



YB-3W-TC
3-Wire T Connector

Colour	Black or White
--------	----------------



YB-3W-XC
3-Wire X Connector

Colour	Black or White
--------	----------------



YB-3W-FLEXI
3-Wire Flexi Connector

Colour	Black or White
--------	----------------

SUSPENSION TRACK



YB-3WS-TRACK
3 Wire 1-Circuit Suspension Track

Colour	Black or White
Measurements	Track Length: 1M, 1.5M, 2M or 3M Sold incl. power feed and end cap. Track Measurements: W: 3.5 H: 1.6



YB-3WS-KIT

Colour	Black or White
Components	Ceiling Cup Metalwire 1.5m Track Connector

RECESSED TRACK



YB-3WR-TRACK

3-Wire 1-Circuit Recessed Track

Colour	Black or White
Measurements	Track Length: 1M, 1.5M, 2M or 3M Sold incl. power feed and end cap. Track Measurements: W: 5.8 H: 1.6 Cut Out: 3.4



YB-3WR-TR-MB

Components	Mounting Bracket for Recessed Track
------------	-------------------------------------



YB-3WR-IJ

3-Wire I-Joiner without Power Feed

Colour	Black or White
--------	----------------



YB-3WR-EC AND YB-3WR-PF

3-Wire Power Feed with 3-Wire End Cap

Colour	Black or White
--------	----------------



K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



RECESSED DOWNLIGHTS

- 230v LED
- 230v GU10 & BRACKET
- 12v G4 & G5.3 LOW VOLTAGE
- 230v COMPACT FLUORESCENT G24
- 230v METAL HALIDE G12 & R7S
- 230v LUXMAN TRANSFORMERS



K. LIGHT®

DESIGN • SERVICE • QUALITY



LED-02/NW
230v 1W COB LED Star Light

Colour	White
Specifications	Beam angle: 120° Anti Glare
Kelvin / Lumen	Natural White: 4000K / 50lm
Measurement in cm	Diameter: 2.4 Height: 5 Cut Out: 2
LED COB	1W
Wattage	230v 1W
IP Rating	IP44



LED-02/WW
230v 1W COB LED Star Light

Colour	White
Specifications	Beam angle: 120° Anti Glare
Kelvin / Lumen	Warm White: 3000K / 45lm
Measurement in cm	Diameter: 2.4 Height: 5 Cut Out: 2
LED COB	1W
Wattage	230v 1W
IP Rating	IP44



LED-03-WH/CW or LED-03-WH/WW
230v 1W COB LED Star Light

Colour	White
Specifications	Beam angle: 120°
Kelvin / Lumen	Cool White: 6000K / 100lm Warm White: 3000K / 90lm
Measurement in cm	Diameter: 3.1 Height: 2 Cut Out: 2.5
LED COB	1W
Wattage	230v 1W
IP Rating	IP20



LED-03-ST/CW or LED-03-ST/WW
230v 1W COB LED Star Light

Colour	Satin
Specifications	Beam angle: 120°
Kelvin / Lumen	Cool White: 6000K / 100lm Warm White: 3000K / 90lm
Measurement in cm	Diameter: 3.1 Height: 2 Cut Out: 2.5
LED COB	1W
Wattage	230v 1W
IP Rating	IP20

**LED-01/5WH-CW**

230v 5W COB LED Tilt Down Light

Colour	White
Specifications	Beam angle 60° Non Dimmable Includes CE Approved KLight LED External Driver
Kelvin / Lumen	Cool White: 6000K
Measurement in cm	Diameter: 7.8 Height: 5.5 Cut Out: 7
LED COB	5W
Wattage	230v 5W
IP Rating	IP20

**LED-01/D10WH-CW**

230v 10W COB LED Tilt Down Light

Colour	White
Specifications	Beam angle 60° Dimmable Includes CE Approved All-Top LED External Driver
Kelvin / Lumen	Cool White: 6000K / 1100lm
Measurement in cm	Diameter: 9 Height: 8 Cut Out: 7.3
LED COB	10W
Wattage	230v 10W
IP Rating	IP20

**LED-01/D10WH-WW**

230v 10W COB LED Tilt Down Light

Colour	White
Specifications	Beam angle 60° Dimmable Includes CE Approved All-Top LED External Driver
Kelvin / Lumen	Warm White: 3000K / 1000lm
Measurement in cm	Diameter: 9 Height: 8 Cut Out: 7.3
LED COB	10W
Wattage	230v 10W
IP Rating	IP20



LED-1031-8/CW or LED-1031-8/WW
230v 8W SMD LED (Indirect Light)

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 350lm Warm White: 3000K / 300lm
Measurement in cm	Diameter: 10.5 Height: 4 Cut Out: 9.5
LED Epistar SMD	8W
Wattage	230v 8W
IP Rating	IP20



LED-1031-12/CW or LED-1031-12/WW
230v 12W SMD LED (Indirect Light)

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 650lm Warm White: 3000K / 600lm
Measurement in cm	Diameter: 14.5 Height: 6 Cut Out: 13.5
LED Epistar SMD	12W
Wattage	230v 12W
IP Rating	IP20



LED-1031-20/CW or LED-1031-20/WW
230v 20W SMD LED (Indirect Light)

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 950lm Warm White: 3000K / 850lm
Measurement in cm	Diameter: 17.5 Height: 6 Cut Out: 15.5
LED Epistar SMD	20W
Wattage	230v 20W
IP Rating	IP20

**LED-1031-D8/CW or LED-1031-D8/WW**

230v 8W SMD LED (Indirect Light)

Colour	White
Specifications	Dimmable
Kelvin / Lumen	Cool White: 6000K / 350lm Warm White: 3000K / 300lm
Measurement in cm	Diameter: 10.5 Height: 4 Cut Out: 9.5
LED Epistar SMD	8W
Wattage	230v 8W
IP Rating	IP20

**LED-1031-D12/CW or LED-1031-D12/WW**

230v 12W SMD LED (Indirect Light)

Colour	White
Specifications	Dimmable
Kelvin / Lumen	Cool White: 6000K / 650lm Warm White: 3000K / 600lm
Measurement in cm	Diameter: 14.5 Height: 6 Cut Out: 13.5
LED Epistar SMD	12W
Wattage	230v 12W
IP Rating	IP20

**LED-1031-D20/CW or LED-1031-D20/WW**

230v 20W SMD LED (Indirect Light)

Colour	White
Specifications	Dimmable
Kelvin / Lumen	Cool White: 6000K / 950lm Warm White: 3000K / 850lm
Measurement in cm	Diameter: 17.5 Height: 6 Cut Out: 15.5
LED Epistar SMD	20W
Wattage	230v 20W
IP Rating	IP20



ELC-146/WH-GU
230v 50W GU10 Aluminium Straight Down Light

Colour	White
Specifications	-
Measurement in cm	Diameter: 7.8 Height: 9 Cut Out: 5.8
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



ELC-146/NM-GU
230v 50W GU10 Aluminium Straight Down Light

Colour	Satin
Specifications	-
Measurement in cm	Diameter: 7.8 Height: 9 Cut Out: 5.8
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



ELC-229/WH-GU
230v 50W GU10 Aluminium Tilt Down Light

Colour	White
Specifications	-
Measurement in cm	Diameter: 8.4 Height: 9 Cut Out: 7.5
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



ELC-229/NM-GU
230v 50W GU10 Aluminium Tilt Down Light

Colour	Satin
Specifications	-
Measurement in cm	Diameter: 8.4 Height: 9 Cut Out: 7.5
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



ELC-GU/BRACKET
230v GU10 Lamp Holder with Earth Wire and Metal Bracket

IP Rating	IP20
-----------	------

**ELC-57/WH-GU**

230v 50W GU10 CNC Tilt Down Light

Colour	Matt White
Specifications	-
Measurement in cm	Diameter: 8.3 Height: 10 Cut Out: 7
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**ELC-57/CNC-GU**

230v 50W GU10 CNC Tilt Down Light

Colour	Brushed Aluminum
Specifications	-
Measurement in cm	Diameter: 8.3 Height: 10 Cut Out: 7
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**ELC-57/BL-GU**

230v 50W GU10 CNC Tilt Down Light

Colour	Black
Specifications	-
Measurement in cm	Diameter: 8.3 Height: 10 Cut Out: 7
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**ELC-58/CNC-GU**

230v 50W GU10 CNC Square Tilt Down Light

Colour	Brushed Aluminium
Specifications	-
Measurement in cm	Width: 9.2 x 9.2 Height: 10.5 Cut Out: 7.8
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**HP-9604FM-GU**

230v 50W GU10 Commercial Square Tilt Down Light

Colour	Oxidized Silver
Specifications	-
Measurement in cm	Frame: Length: 19.6 Width: 19.6 Cut Out: Height: 12.6 Length: 17.5 Width: 17.5
Lamps	4 x GU10 (Excluding Lamps)
Wattage	230v 200W
IP Rating	IP20



ELC-1120/WH
230v 70W G12 Metal Halide Tilt Down Light

Colour	White with Frosted Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 19.5 Length: 20.8 Width: 20.8	Cut Out: Height: 19.5 Length: 16 Width: 16
Lamps	1 x G12 (Excluding Lamp and Control Gear)	
Wattage	230v 70W	
IP Rating	IP20	



ELC-3120/WH
230v 70W G12 Metal Halide Tilt Down Light

Colour	White with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 19.5 Length: 49.7 Width: 20.8	Cut Out: Height: 19.5 Length: 46 Width: 16
Lamps	3 x G12 (Excluding Lamps and Control Gear)	
Wattage	230v 210W	
IP Rating	IP20	



ELC-3120/SL
230v 70W G12 Metal Halide Tilt Down Light

Colour	Silver with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 19.5 Length: 49.7 Width: 20.8	Cut Out: Height: 19.5 Length: 46 Width: 16
Lamps	3 x G12 (Excluding Lamps and Control Gear)	
Wattage	230v 210W	
IP Rating	IP20	



ELC-1120P
230v 70W G12 Metal Halide Tilt Down Light with Profile

Colour	Matt Silver with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 19.5 Length: 20.8 Width: 20.8 Profile Height: 2	Cut Out: Height: 19.5 Length: 17 Width: 17
Lamps	1 x G12 (Excluding Lamp and Control Gear)	
Wattage	230v 70W	
IP Rating	IP20	



ELC-3120P
230v 70W G12 Metal Halide Tilt Down Light with Profile

Colour	Matt Silver with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 19.5 Length: 49.7 Width: 20.8 Profile Height: 2	Cut Out: Height: 19.5 Length: 47 Width: 17
Lamps	3 x G12 (Excluding Lamps and Control Gear)	
Wattage	230v 210W	
IP Rating	IP20	

**ELC-2496A/WH**

230v 26W G24 Compact Fluorescent Tilt Down Light

Colour	White with Clear Glass	
Specifications	-	
Measurement in cm	Fitting:	Cut Out:
	Height: 13	Height: 13
	Length: 23.1	Length: 21.5
	Width: 14.6	Width: 13
Lamps	2 x G24 (Including Lamps and Ballast)	
Wattage	230v 2x13W	
IP Rating	IP20	

**ELC-2496A/SL**

230v 26W G24 Compact Fluorescent Tilt Down Light

Colour	Silver with Clear Glass	
Specifications	-	
Measurement in cm	Fitting:	Cut Out:
	Height: 13	Height: 13
	Length: 23.1	Length: 21.5
	Width: 14.6	Width: 13
Lamps	2 x G24 (Including Lamps and Ballast)	
Wattage	230v 2x13W	
IP Rating	IP20	

**DG-950305/W-26W**

230v 26W PLC Compact Fluorescent Down Light

Colour	White with Frosted Glass	
Specifications	-	
Measurement in cm	Fitting:	Cut Out:
	Height: 14.5	Height: 14.5
	Length: 27	Length: 25.6
	Width: 27	Width: 25.6
Lamps	1 x PLC (Excluding Lamp and Ballast)	
Wattage	230v 26W	
IP Rating	IP20	

**DG-950305/S-26W**

230v 26W PLC Compact Fluorescent Down Light

Colour	Silver with Frosted Glass	
Specifications	-	
Measurement in cm	Fitting:	Cut Out:
	Height: 14.5	Height: 14.5
	Length: 27	Length: 25.6
	Width: 27	Width: 25.6
Lamps	1 x PLC (Excluding Lamp and Ballast)	
Wattage	230v 26W	
IP Rating	IP20	



DG-S431BF/WH
230v 70W G12 Tilt Round Down light

Colour	White with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 16.5 Diameter: 18.8	Cut Out: Height: 16.5 Diameter: 17.2
Lamps	1 x G12 (Excluding Lamp and Control Gear)	
Wattage	230v 70W	
IP Rating	IP20	



DG-S431BF/SL
230v 70W G12 Tilt Round Down light

Colour	Silver with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 16.5 Diameter: 18.8	Cut Out: Height: 16.5 Diameter: 17.2
Lamps	1 x G12 (Excluding Lamp and Control Gear)	
Wattage	230v 70W	
IP Rating	IP20	



L-ETH-60
12v 60VA Electronic Transformer

Colour	White	
Specifications	Protection: Short Circuit, Overload, Thermal Dimmable with Leading and Trailing Edge Dimmer Casing Temperature 80° C	
Measurement in cm	Height: 2.5 Length: 11.5 Width: 4	
Wattage	12v 60W	
IP Rating	IP20	



L-ETH-60.2
12v 60VA Looping Electronic Transformer

Colour	White	
Specifications	Protection: Short Circuit, Overload, Thermal Dimmable with Leading and Trailing Edge Dimmer Casing Temperature 80° C	
Measurement in cm	Height: 2.5 Length: 10.6 Width: 4	
Wattage	12v 60W	
IP Rating	IP20	

**DG-S318F/WH**

230v 70W R7S Metal Halide Tilt Flood Light

Colour	White with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 14.5 Length: 25.5 Width: 17.5	Cut Out: Height: 14.5 Length: 24.2 Width: 16
Lamps	1 x R7S (Excluding Lamp and Control Gear)	
Wattage	230v 70W	
IP Rating	IP20	

**DG-S318F/SL**

230v 70W R7S Metal Halide Tilt Flood Light

Colour	Silver with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 14.5 Length: 25.5 Width: 17.5	Cut Out: Height: 14.5 Length: 24.2 Width: 16
Lamps	1 x R7S (Excluding Lamp and Control Gear)	
Wattage	230v 70W	
IP Rating	IP20	

**DG-950305/WH**

230v 70W R7S Metal Halide Down Light

Colour	White with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 14.5 Length: 27 Width: 27	Cut Out: Height: 14.5 Length: 25.6 Width: 25.6
Lamps	1 x R7S (Excluding Lamp and Control Gear)	
Wattage	230v 70W	
IP Rating	IP20	

**DG-950305/SL**

230v 70W R7S Metal Halide Down Light

Colour	Silver with Clear Glass	
Specifications	-	
Measurement in cm	Fitting: Height: 14.5 Length: 27 Width: 27	Cut Out: Height: 14.5 Length: 25.6 Width: 25.6
Lamps	1 x R7S (Excluding Lamp and Control Gear)	
Wattage	230v 70W	
IP Rating	IP20	



K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



SURFACE MOUNTED DOWNLIGHTS

- 230v LED
- 230v GU10
- 12v G5.3 LOW VOLTAGE



K. LIGHT®

DESIGN • SERVICE • QUALITY



O-KLS-5220/WH
230v 50W GU10 Surface Mounted Adjustable Down Light

Colour	White
Specifications	-
Measurement in cm	Height: 18 Diameter: 7
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



O-KLS-5220/BL
230v 50W GU10 Surface Mounted Adjustable Down Light

Colour	Black
Specifications	-
Measurement in cm	Height: 18 Diameter: 7
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



JB-LED-2006/WH
230v 6W LED SMD Round Surface Mounted Ceiling Light

Colour	White
Specifications	-
Measurement in cm	Height: 11 Diameter: 9
Lamps	LED 6W
Wattage	230v 6W
IP Rating	IP20





JB-LED-2006/BL
230v 6W LED SMD Round Surface Mounted Ceiling Light

Colour	Black
Specifications	-
Measurement in cm	Height: 11 Diameter: 9
Lamps	LED 6W
Wattage	230v 6W
IP Rating	IP20


Surface Mount Installation:

1. Position and securely fix the bracket to the ceiling
2. Feed the mains wires through the bracket and connect to the fitting
3. Position the fitting over the bracket and twist clockwise to secure



Recessed Installation:

1. Attached and position the two springs to the bracket
2. Feed the fitting wires through the bracket centre hole, attach the bracket to the fitting and twist to secure
3. Connect fitting wires to the mains, lift the springs and install the fitting through the pre-cut hole.



LED-6-D/CW

230v 6W LED SMD Round Mini Panel Light, Dimmable

Colour	White
Specifications	Dimmable with built-in driver
Kelvin / Lumen	Cool White: 6000K / 420lm
Measurement in cm	Diameter: 12 Height : 1.5
LED SMD	6W
Wattage	230v 6W
IP Rating	IP20

LED-18-D/CW or LED-18-D/WW

230v 18W LED SMD Round Mini Panel Light, Dimmable

Colour	White
Specifications	LED Dimmable with built-in driver
Kelvin / Lumen	Cool White: 6000K / 1400lm Warm White: 3000K / 1300lm
Measurement in cm	Diameter: 23 Height : 1.5
LED SMD	18W
Wattage	230v 18W
IP Rating	IP20



VR-KLS-3051RD/B
230v 50W GU10 Round Surface Mounted

Colour	Black
Specifications	-
Measurement in cm	Height: 12 Top Diameter: 10 Bottom Diameter: 11
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-3051RD/WH
230v 50W GU10 Round Surface Mounted

Colour	White
Specifications	-
Measurement in cm	Height: 12 Top Diameter: 10 Bottom Diameter: 11
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-3051SQ/B
230v 50W GU10 Square Surface Mounted

Colour	Black
Specifications	-
Measurement in cm	Height: 12 Top Width: 10 Bottom Width: 11
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



VR-KLS-3051SQ/WH
230v 50W GU10 Square Surface Mounted

Colour	White
Specifications	-
Measurement in cm	Height: 12 Top Width: 10 Bottom Width: 11
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**O-KLS-5180/BL**

230v 50W GU10 Surface Mounted Round Down Light

Colour	Black or Black with Aluminium or Black with Gold
Specifications	-
Measurement in cm	Height: 8.5 Diameter: 6
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**O-KLS-5180/WH**

230v 50W GU10 Surface Mounted Round Down Light

Colour	White or White with Aluminium or White with Gold
Specifications	-
Measurement in cm	Height: 8.5 Diameter: 6
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**O-KLS-5230/WH**

230v 50W GU10 Surface Mounted Square Down Light

Colour	White
Specifications	-
Measurement in cm	Height: 8.5 Width: 6.5 Lenth: 6.5
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20

**O-KLS-5230/BL**

230v 50W GU10 Surface Mounted Square Down Light

Colour	Black
Specifications	-
Measurement in cm	Height: 8.5 Width: 6.5 Lenth: 6.5
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 50W
IP Rating	IP20



HP-9723D/BL
230v 50W G5.3 BiPin DR111 Rectangular Surface Mounted

Colour	Black
Specifications	Reflector available in 24° or 48°
Measurement in cm	Height: 13 Length: 45 Width: 15
Lamps	3 x 50w BiPin (Including Lamps and Transformers)
Wattage	230v 150W
IP Rating	IP20



HP-9723D/SL
230v 50W G5.3 BiPin DR111 Rectangular Surface Mounted

Colour	Oxidized Silver
Specifications	Reflector available in 24° or 48°
Measurement in cm	Height: 13 Length: 45 Width: 15
Lamps	3 x 50w BiPin (Including Lamps and Transformers)
Wattage	230v 150W
IP Rating	IP20




HP-9724D/BL
230v 50W G5.3 BiPin DR111 Rectangular Surface Mounted

Colour	Black
Specifications	Reflector available in 24° or 48°
Measurement in cm	Height: 13 Length: 60 Width: 15
Lamps	4 x 50w BiPin (Including Lamps and Transformers)
Wattage	230v 200W
IP Rating	IP20



HP-9724D/SL
230v 50W G5.3 BiPin DR111 Rectangular Surface Mounted

Colour	Oxidized Silver
Specifications	Reflector available in 24° or 48°
Measurement in cm	Height: 13 Length: 60 Width: 15
Lamps	4 x 50w BiPin (Including Lamps and Transformers)
Wattage	230v 200W
IP Rating	IP20



LED STRIP LIGHTS

- 12v LED STRIP LIGHTS IP20
- DC12v POWER SUPPLIES
- 24v LED STRIP LIGHTS IP20
- DC24v LED DRIVER
- 230v LED STRIP LIGHTS IP65



K. LIGHT®

DESIGN • SERVICE • QUALITY

12V LED STRIP LIGHT IP20



YM-3528-60/WW 12v 4.8W 60 LED's SMD Open Flexi Strip per meter	
Colour	White PC Board
Specifications	Open Flexi Strip Available in 50m roll
Kelvin / Lumen	Warm White: 3000K / 565lm per meter
Measurement in mm	Height: 1 Width: 8
LED SMD	60 x 0.08W per meter
Wattage	12v 4.8W per meter
IP Rating	IP20



YM-3528-60/CW 12v 4.8W 60 LED's SMD Open Flexi Strip per meter	
Colour	Brown PC Board
Specifications	Open Flexi Strip Available in 50m roll
Kelvin / Lumen	Cool White: 6000K / 565lm per meter
Measurement in mm	Height: 1 Width: 8
LED SMD	60 x 0.08W per meter
Wattage	12v 4.8W per meter
IP Rating	IP20

12V LED STRIP LIGHT IP20



YM-2835-120/WW

12v 9W 120 LED's SMD Open Flexi Strip per meter

Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Warm White: 3000K
Measurement in mm	Height: 1 Width: 8
LED SMD	120 x 0.075W per meter
Wattage	12v 9W per meter
IP Rating	IP20



YM-2835-120/CW

12v 9W 120 LED's SMD Open Flexi Strip per meter


Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Cool White: 6500K
Measurement in mm	Height: 1 Width: 8
LED SMD	120 x 0.075W per meter
Wattage	12v 9W per meter
IP Rating	IP20

12V LED STRIP LIGHT IP20



YM-3528-240S/WW
12v 16W 240 LED's SMD Open Flexi Strip per meter

Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Warm White: 3000K / 2000lm per meter
Measurement in mm	Height: 1 Width: 10
LED SMD	240 x 0.0667W per meter
Wattage	12v 16W per meter
IP Rating	IP20



YM-3528-240S/CW
12v 16W 240 LED's SMD Open Flexi Strip per meter

Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Cool White: 6000K / 2000lm per meter
Measurement in mm	Height: 1 Width: 10
LED SMD	240 x 0.0667W per meter
Wattage	12v 16W per meter
IP Rating	IP20

DC12V POWER SUPPLIES FOR LED STRIP LIGHTS



K-25W-DC12V 12v 25W Power Supply for LED Strip Light	
Colour	Chrome
Specifications	DC12v 25W Power Supply for LED Strip Light
Measurement in cm	Height: 3.5 Width: 6 Length: 8.5
Wattage	12v 25W
IP Rating	IP20



K-35W-DC12V 12v 35W Power Supply for LED Strip Light	
Colour	Chrome
Specifications	DC12v 35W Power Supply for LED Strip Light
Measurement in cm	Height: 3 Width: 6 Length: 10
Wattage	12v 35W
IP Rating	IP20



K-50W-DC12V 12v 50W Power Supply for LED Strip Light	
Colour	Chrome
Specifications	DC12v 50W Power Supply for LED Strip Light
Measurement in cm	Height: 3.5 Width: 8 Length: 11
Wattage	12v 50W
IP Rating	IP20



K-80W-DC12V 12v 80W Power Supply for LED Strip Light	
Colour	Chrome
Specifications	DC12v 80W Power Supply for LED Strip Light
Measurement in cm	Height: 4 Width: 10 Length: 16
Wattage	12v 80W
IP Rating	IP20



K-120W-DC12V 12v 120W Power Supply for LED Strip Light	
Colour	Chrome
Specifications	DC12v 120W Power Supply for LED Strip Light
Measurement in cm	Height: 4 Width: 10 Length: 20
Wattage	12v 120W
IP Rating	IP20

24V LED STRIP LIGHT IP20



YM-100-24V/WW 24v 16W 240 LED's SMD Open Flexi Strip per meter	
Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Warm White: 3000K / 2000lm per meter
Measurement in mm	Height: 1 Width: 10
LED SMD	240 x 0.0667W per meter
Wattage	24v 16W per meter
IP Rating	IP20



YM-100-24V/NW 24v 16W 240 LED's SMD Open Flexi Strip per meter	
Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Natural White: 4000K / 2000lm per meter
Measurement in mm	Height: 1 Width: 10
LED SMD	240 x 0.0667W per meter
Wattage	24v 16W per meter
IP Rating	IP20



YM-100-24V/CW 24v 16W 240 LED's SMD Open Flexi Strip per meter	
Colour	White PC Board
Specifications	Single Row Open Flexi Strip
Kelvin / Lumen	Cool White: 6000K / 2000lm per meter
Measurement in mm	Height: 1 Width: 10
LED SMD	240 x 0.0667W per meter
Wattage	24v 16W per meter
IP Rating	IP20

DC24V LED DRIVER



EULP-SMT60W24V
24v 60W Dimmable Slimline LED Driver

Colour	White
Specifications	DC24v 60W Power Supply for LED Strip Light Amperage 2.5A
Measurement in cm	Height: 2 Width: 3 Length: 30
Wattage	220-240v 60W
IP Rating	IP20




EULP-SMT96W24V
24v 96W Dimmable Slimline LED Driver

Colour	White
Specifications	DC24v 96W Power Supply for LED Strip Light Amperage 4.0A
Measurement in cm	Height: 2.2 Width: 3 Length: 33
Wattage	220-240v 96W
IP Rating	IP20



EULP-60W24V
24v 60W Non Dimmable Slimline LED Driver

Colour	White
Specifications	DC24v 60W Power Supply for LED Strip Light Amperage 0.35A
Measurement in cm	Height: 1.8 Width: 2.9 Length: 29.8
Wattage	220-240v 60W
IP Rating	IP20



EULP-100W24V
24v 100W Non Dimmable Slimline LED Driver

Colour	White
Specifications	DC24v 60W Power Supply for LED Strip Light Amperage 0.6A
Measurement in cm	Height: 1.8 Width: 2.9 Length: 34.9
Wattage	220-240v 100W
IP Rating	IP20

230V LED STRIP LIGHT IP65



YMW-3528-60/WW

230v 4.8W 60 LED's SMD Silicone Covered Flexi Strip per meter

Colour	White PC Board
Specifications	Silicone Covered Flexi Strip
Kelvin / Lumen	Warm White: 3000K / 258lm per meter
Measurement in mm	Height: 7 Width: 11
LED SMD	60 x 0.08W per meter
Wattage	230v 4.8W per meter
IP Rating	IP65



YMW-3528-60/CW

230v 4.8W 60 LED's SMD Silicone Covered Flexi Strip per meter

Colour	White PC Board
Specifications	Silicone Covered Flexi Strip
Kelvin / Lumen	Cool White: 6000K / 258lm per meter
Measurement in mm	Height: 7 Width: 11
LED SMD	60 x 0.08W per meter
Wattage	230v 4.8W per meter
IP Rating	IP65



YMW-3528-60/B

230v 4.8W 60 LED's SMD Silicone Covered Flexi Strip per meter

Colour	White PC Board
Specifications	Silicone Covered Flexi Strip
Kelvin / Lumen	Blue: 450NM / 390lm per meter
Measurement in mm	Height: 7 Width: 11
LED SMD	60 x 0.08W per meter
Wattage	230v 4.8W per meter
IP Rating	IP65



YMW-COMPONENTS

230v 60 LED's SMD Silicone Covered Flexi Strip, Components

Colour	White and Clear
Components	YMW-POWERCORD Power cord for YMW-3528-60 YMW-T-CONN PVC "T" Connector YMW-L-CONN PVC "L" Connector YMW-I-CONN PVC "I" Connector YMW-ENDCAP PVC End Cap YMW-CLIP PVC Mounting Clip Connecting Pin




ALUMINIUM PROFILES



K. LIGHT®

DESIGN • SERVICE • QUALITY

RECESSED



AP-2507-ALUMINI OR AP-2507-BLACK

Recessed Aluminium Profile with no Cover
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.

Colour	Aluminium or Black	
Specifications	Aluminium	
Measurement in cm	Outside: Height: 0.7 Width: 1.75	Inside: Height: 0.5 Width: 1.22



AP-100/BL OR AP-100/CL OR AP-100/WH


Covers only for AP-2507 Profiles.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.

Colour	Black, Clear or White	
Specifications	PC	
Measurement in cm for Cover only	Outside: Height: 0.8 Width: 1.7	Inside: Height: 0.7 Width: 1.2



AP-2507 Complete Fitting


Recessed Aluminium Profile with Black, Clear or Opal White Cover.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.



AP-2507 COMPONENTS

Recessed Aluminium Profiles with Covers and Components.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.

SURFACE MOUNTED



AP-100-ALUMINI OR AP-100-BLACK
Aluminium Profile with no Cover.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.

Colour	Aluminium or Black	
Specifications	Aluminium	
Measurement in cm	Outside: Height: 0.7 Width: 1.75	Inside: Height: 0.5 Width: 1.22



AP-100/BL OR AP-100/CL OR AP-100/WH
Covers only for AP-100 Profiles.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.

Colour	Black, Clear or White	
Specifications	PC	
Measurement in cm for Cover only	Outside: Height: 0.8 Width: 1.7	Inside: Height: 0.7 Width: 1.2



AP-100 Complete Fitting
Aluminium Profile with Black, Clear or Opal White Cover.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.



AP-100 COMPONENTS
Aluminium Profiles with Covers and Components.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.

PENDANT



AP-2119-ALUMINI OR AP-2119-BLACK

Wide Aluminium Profile with no Cover.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.

Colour	Aluminium or Black	
Specifications	No Cover	
Measurement in cm	Outside: Height: 1.1 Width: 2	Inside: Height: 0.6 Width: 1.6



AP-2119 and AP-2119/B

Wide Aluminium Profile with Short PC Opal White Cover.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.

Colour	Aluminium	
Specifications	Short Acrylic Opal White Cover	
Measurement in cm for Cover only	Outside: Height: 2.1 Width: 2	Inside: Height: 1.6 Width: 1.6



AP-2119 and AP-2119/C

Wide Aluminium Profile with High PC Opal White Cover.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.

Colour	Aluminium	
Specifications	High Acrylic Opal White Cover	
Measurement in cm for Cover only	Outside: Height: 3.6 Width: 2	Inside: Height: 3 Width: 1.6



AP-2119 COMPONENTS

Wide LED Aluminium Profiles with hanging Components.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.

**AP-2119/B-PEN/B**

Complete 1 meter Pendant with 1.4 m Cable
with Short PC Opal Cover

**AP-2119/C-PEN/A**

Complete 1 meter Pendant with 1.4 m Cable
with High PC Opal Cover

SURFACE MOUNTED



AP-500/BL+BL(SURFACE MOUNTED)

Complete 1 meter Black Aluminium U-Channel Surface Mounted Fitting with Black Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	Black with Black Polycarbonate Cover
Specifications	Dimmable or Non Dimmable With: Surface Kit 1 x 1m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

AP-500/BL+FR(SURFACE MOUNTED)

Complete 1 meter Black Aluminium U-Channel Surface Mounted Fitting with Frosted Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	Black with Frosted Polycarbonate Cover
Specifications	Dimmable or Non Dimmable With: Surface Kit 1 x 1m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

AP-500/WH+BL(SURFACE MOUNTED)

Complete 1 meter White Aluminium U-Channel Surface Mounted Fitting with Black Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	White with Black Polycarbonate Cover
Specifications	Dimmable or Non Dimmable With: Surface Kit 1 x 1m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

AP-500/WH+FR(SURFACE MOUNTED)

Complete 1 meter White Aluminium U-Channel Surface Mounted Fitting with Frosted Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	White with Frosted Polycarbonate Cover
Specifications	Dimmable or Non Dimmable With: Surface Kit 1 x 1m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

PENDANT



AP-500/BL+BL

Complete 1 meter Black Aluminium U-Channel Pendant with Black Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	Black with Black Polycarbonate Cover
Specifications	Dimmable or Non Dimmable available With: 2 x 1.4m Suspension Cables 1 x 1.5m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

AP-500/BL+FR

Complete 1 meter Black Aluminium U-Channel Pendant with Frosted Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	Black with Frosted Polycarbonate Cover
Specifications	Dimmable or Non Dimmable available With: 2 x 1.4m Suspension Cables 1 x 1.5m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

AP-500/WH+BL

Complete 1 meter White Aluminium U-Channel Pendant with Black Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	White with Black Polycarbonate Cover
Specifications	Dimmable or Non Dimmable available With: 2 x 1.4m Suspension Cables 1 x 1.5m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm, Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

AP-500/WH+FR

Complete 1 meter White Aluminium U-Channel Pendant with Frosted Polycarbonate Cover, including 24v 32W LED Strip Light

Colour	White with Frosted Polycarbonate Cover
Specifications	Dimmable or Non Dimmable available With: 2 x 1.4m Suspension Cables 1 x 1.5m Electrical Cable 2 x 1m YM-100-24v 16W LED Flexi Strip (Driver price is excluded from fitting price)
Kelvin / Lumen	Cool White: 6000K / 4000lm , Natural White: 4000K / 4000lm Or Warm White: 3000K / 4000lm
Measurement in cm	Fitting: Length 100 (can be up to 300) Height: 6.5 Width: 4
Lamps/Wattage	2 x (240 x 0.0667W SMD LEDs) 24v 32W
IP Rating	IP20

INNER LOOK



AP-500/BL+BL(Inner Look)
U Channel Black with Black Cover



AP-500/BL+WH(Inner Look)
U Channel Black with Frosted Cover



AP-500/WH+BL(Inner Look)
U Channel White with Black Cover



AP-500/WH+WH(Inner Look)
U Channel White with Frosted Cover

SKIRTING



AP-700 with Cool White LED Strip

Cool White LED strip in Aluminium Skirting Profile.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.



AP-700 with Warm White LED Strip

Warm White LED strip in Aluminium Skirting Profile.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.



AP-700 with Components

Aluminium Skirting Profile with components.
Imported in 3 meter lengths, available in custom sizing.
Charged per meter.



K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



STEP LIGHTS

- 230v LED INDOOR RECESSED STEP LIGHTS
- 230v LED OUTDOOR RECESSED STEP LIGHTS
- 230v LED OUTDOOR SURFACE MOUNTED STEP LIGHTS
- 230v LED OUTDOOR RECESSED GROUND LIGHT



K. LIGHT®

DESIGN • SERVICE • QUALITY



ST-LED-106/BL
230v 1W LED SMD Square Recessed Step Light

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 80lm
Measurement in cm	Height: 9 Width: 8.5 Depth: 3
LED SMD	1W
Wattage	230v 1W
IP Rating	IP20



ST-LED-106/ST
230v 1.5W LED SMD Square Recessed Step Light

Colour	Satin
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 120lm
Measurement in cm	Height: 9 Width: 8.5 Depth: 3
LED SMD	1.5W
Wattage	230v 1.5W
IP Rating	IP20



ST-LED-107/WH
230v 1.5W LED SMD Square Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 120lm
Measurement in cm	Height: 8.5 Width: 8.5 Depth: 3
LED SMD	1.5W
Wattage	230v 1.5W
IP Rating	IP20



ST-LED-108/BG
230v 1.5W LED SMD Rectangular Recessed Step Light

Colour	Satin
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 120lm
Measurement in cm	Height: 7.5 Width: 11.7 Depth: 3
LED SMD	1.5W
Wattage	230V 1.5W
IP Rating	IP20



ST-LED-105RD/BA
230v 1W LED SMD Round Recessed Step Light

Colour	Brushed Aluminium
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K, 110lm
Measurement in cm	Depth: 7.5 Diameter: 8
LED SMD	1W
Wattage	230v 1W
IP Rating	IP20



ST-LED-105RD/WH
230v 1W LED SMD Round Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 110lm
Measurement in cm	Depth: 7.5 Diameter: 8
LED SMD	1W
Wattage	230v 1W
IP Rating	IP20



ST-LED-105SQ/BA
230v 1W LED SMD Square Recessed Step Light

Colour	Brushed Aluminium
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 110lm
Measurement in cm	Height: 8 Width: 8 Depth: 7.5
LED SMD	1W
Wattage	230v 1W
IP Rating	IP20



ST-LED-105SQ/WH
230v 1W LED SMD Square Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 110lm
Measurement in cm	Height: 8 Width: 8 Depth: 7.5
LED SMD	1W
Wattage	230V 1W
IP Rating	IP20



ST-LED-695S/BL
230v 1W LED SMD Small Square Recessed Step Light

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K, 40lm
Measurement in cm	Height: 5.5 Width: 5.5 Depth: 5
LED SMD	1W
Wattage	230v 1W
IP Rating	IP65



ST-LED-695S/WH
230v 1W LED SMD Small Square Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 40lm
Measurement in cm	Height: 5.5 Width: 5.5 Depth: 5
LED SMD	1W
Wattage	230v 1W
IP Rating	IP65



ST-LED-695M/BL
230v 1W LED SMD Medium Square Recessed Step Light

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 80lm
Measurement in cm	Height: 8.5 Width: 8.5 Depth: 5
LED SMD	1W
Wattage	230v 1W
IP Rating	IP65



ST-LED-695M/WH
230v 1W LED SMD Medium Square Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 80lm
Measurement in cm	Height: 8.5 Width: 8.5 Depth: 5
LED SMD	1W
Wattage	230V 1W
IP Rating	IP65

**ST-LED-102RD/WH**

230v 2W LED SMD Round Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K, 160lm
Measurement in cm	Depth: 8 Diameter: 4.5 Cut out: Diameter: 4
LED SMD	2W
Wattage	230v 2W
IP Rating	IP54

**ST-LED-102RD/BL**

230v 2W LED SMD Round Recessed Step Light

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 160lm
Measurement in cm	Depth: 8 Diameter: 4.5 Cut out: Diameter: 4
LED SMD	2W
Wattage	230v 2W
IP Rating	IP54

**ST-LED-102SQ/WH**

230v 2W LED SMD Square Recessed Step Light

Colour	White
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 160lm
Measurement in cm	Height: 4.5 Width: 4.5 Depth: 8 Cut out: Diameter: 4
LED SMD	2W
Wattage	230v 2W
IP Rating	IP54

**ST-LED-102SQ/BL**

230v 2W LED SMD Square Recessed Step Light

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 160lm
Measurement in cm	Height: 4.5 Width: 4.5 Depth: 8 Cut out: Diameter: 4
LED SMD	2W
Wattage	230V 2W
IP Rating	IP54

**R-LED-601**

230v 1W LED SMD Square Recessed Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K, 25lm
Measurement in cm	Height: 9 Width: 9 Depth: 7.5
LED SMD	15 x 0.066W
Wattage	230v 1W
IP Rating	IP65

**R-LED-602**

230v 3W LED SMD Rectangular Recessed Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 400lm
Measurement in cm	Height: 7 Width: 14 Depth: 7.5
LED SMD	15 x 0.2W
Wattage	230v 9W
IP Rating	IP65

**R-LED-603**

230v 3W LED SMD Square Recessed Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 90lm
Measurement in cm	Height: 14 Width: 14 Depth: 7.5
LED SMD	15 x 0.2W
Wattage	230v 3W
IP Rating	IP65

**ST-LED-657/G**

230v 3W LED SMD Vertical Recessed Step Light

Colour	Grey
Specifications	Non Dimmable
Kelvin / Lumen	Warm White: 3000K, 240lm
Measurement in cm	Height: 18.5 Width: 4 Depth: 5
LED SMD	3W
Wattage	230v 3W
IP Rating	IP65

**R-LED-2601**

230v 4W LED SMD Square Surface Mounted Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 100lm
Measurement in cm	Height: 9 Width: 9 Depth: 5.3
LED SMD	15 x 0.266W
Wattage	230v 4W
IP Rating	IP54

**R-LED-2602**

230v 6W LED SMD Square Surface Mounted Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 170lm
Measurement in cm	Height: 14 Width: 14.4 Depth: 5.7
LED SMD	20 x 0.3W
Wattage	230v 6W
IP Rating	IP54

**JB-KLG-316**

230v 35W GU10 Recessed Ground Light


Colour	316 Stainless Steel
Measurement in cm	Depth: 14.5 Diameter: 11
Lamps	1 x GU10
Wattage	230v 35W
IP Rating	IP67



K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



GARDEN & OUTDOOR WALL LIGHTS

- 230v LED Surface Mounted
- 230v LED Wall Lights
- 230v E27 Wall Lights & Pendant
- 230v GU10 Wall Lights
- 230v LED Semi Recessed Wall Lights



K. LIGHT®

DESIGN • SERVICE • QUALITY

**R-LED-9001**

230v 3W LED SMD Curved Small Rectangular
Surface Mounted Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 150lm
Measurement in cm	Height: 5.5 Width: 13 Depth: 3
LED SMD	15 x 0.2W
Wattage	230v 3W
IP Rating	IP54

**R-LED-9002**

230v 6W LED SMD Curved Medium Rectangular
Surface Mounted Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 260lm
Measurement in cm	Height: 6 Width: 17 Depth: 3.1
LED SMD	23 x 0.2608W
Wattage	230v 6W
IP Rating	IP54

**R-LED-9003**

230v 8W LED SMD Curved Large Rectangular
Surface Mounted Step Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 350lm
Measurement in cm	Height: 8.2 Width: 24 Depth: 4.5
LED SMD	26 x 0.307W
Wattage	230v 8W
IP Rating	IP54

**L-LED 1483/SL**

230v 3.2W LED SMD Eyelid Rectangular
Surface Mounted Step Light

Colour	Matt Grey with Opal White PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 130lm
Measurement in cm	Height: 7.7 Width: 23 Depth: 4.3
LED SMD	16 x 0.2W
Wattage	230v 3.2W
IP Rating	IP54

**R-LED-9801/B**

230v 16W LED SMD Up & Down Skyline Wall Light

Colour	Matt Black with Opal White PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 1100lm
Measurement in cm	Height: 6 Width: 22 Depth: 7
LED SMD	27 x 0.296W UP 27 x 0.296W DOWN
Wattage	230v 16W
IP Rating	IP54

**R-LED-9802/B**

230v 8W LED SMD Down Skyline Wall Light

Colour	Matt Black with Opal White PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 550lm
Measurement in cm	Height: 4 Width: 22 Depth: 7.5
LED SMD	27 x 0.296W
Wattage	230v 8W
IP Rating	IP54

**R-LED-1002**

230v 9W LED SMD Up & Down Large Brick Wall Light

Colour	Matt Black with Frosted Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 400lm
Measurement in cm	Height: 6.5 Width: 18 Depth: 7.5
LED SMD	24 x 0.1875W UP 24 x 0.1875W DOWN
Wattage	230v 9W
IP Rating	IP54

**I-LED-51/1**

230v 5W LED SMD Coastal Round Aluminium Wall Light

Colour	Black with PC Shade
Specifications	Aluminium with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 9 Width: 9.5 Depth: 10.5
LED SMD	5W
Wattage	230v 5W
IP Rating	IP54

**I-LED-53/1**

230v 5W LED SMD Coastal Square Aluminium Wall Light

Colour	Black with PC Shade
Specifications	Aluminium with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 8.5 Width: 9.5 Depth: 10.5
LED SMD	5W
Wattage	230v 5W
IP Rating	IP54

**I-LED-51/2**

230v 2 x 5W LED SMD Coastal Up & Down Round Aluminium Wall Light

Colour	Black with PC Shade
Specifications	Aluminium with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 13 Width: 9.5 Depth: 11
LED SMD	2 x 5W
Wattage	230v 5W
IP Rating	IP54

**I-LED-53/2**

230v 2 x 5W LED SMD Coastal Up & Down Square Aluminium Wall Light

Colour	Black with PC Shade
Specifications	Aluminium with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 12 Width: 18.5 Depth: 8.5
LED SMD	2 x 5W
Wattage	230v 5W
IP Rating	IP54

**I-LED-56/1**

230v 6W LED SMD Coastal Oval Aluminium Wall Light

Colour	Black with PC Shade
Specifications	Aluminium with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 8 Width: 18 Depth: 8.5
LED SMD	6W
Wattage	230v 6W
IP Rating	IP54

**I-LED-56/2**

230v 2 x 6W LED SMD Coastal Up & Down Oval Aluminium Wall Light

Colour	Black with PC Shade
Specifications	Aluminium with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 12 Width: 18.5 Depth: 8.5
LED SMD	2 x 6W
Wattage	230v 6W
IP Rating	IP54

**LED-5008**

230v 1W LED SMD Outdoor Wall Light

Colour	Matt Silver with Frosted Line Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 35lm
Measurement in cm	Height: 13 Width: 9.5 Depth: 12.3
LED SMD	12 x 0.0833W
Wattage	230v 1W
IP Rating	IP54

**JB-LED-007S/BL**

230v 6W LED SMD Up & Down Square Beam
Adjustable Wall Light

Colour	Matt Black
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 310lm
Measurement in cm	Height: 10 Width: 10 Depth: 10
LED SMD	12 x 0.25W UP 12 x 0.25W DOWN
Wattage	230v 6W
IP Rating	IP54

**JB-LED-007S/DG**

230v 6W LED SMD Up & Down Square Beam
Adjustable Wall Light

Colour	Dark Grey
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 310lm
Measurement in cm	Height: 10 Width: 10 Depth: 10
LED SMD	12 x 0.25W UP 12 x 0.25W DOWN
Wattage	230v 6W
IP Rating	IP54

**JB-LED-007S/WH**

230v 6W LED SMD Up & Down Square Beam
Adjustable Wall Light

Colour	White
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 310lm
Measurement in cm	Height: 10 Width: 10 Depth: 10
LED SMD	12 x 0.25W UP 12 x 0.25W DOWN
Wattage	230v 6W
IP Rating	IP54

**JB-LED-007R/BL**

230v 6W LED SMD Up & Down Round Beam
Adjustable Wall Light

Colour	Black
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 310lm
Measurement in cm	Height: 10 Width: 14 Depth: 12
LED SMD	12 x 0.25W UP 12 x 0.25W DOWN
Wattage	230v 6W
IP Rating	IP54

**JB-LED-007R/DG**

230v 6W LED SMD Up & Down Round Beam
Adjustable Wall Light

Colour	Dark Grey
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 310lm
Measurement in cm	Height: 10 Width: 14 Depth: 12
LED SMD	12 x 0.25W UP 12 x 0.25W DOWN
Wattage	230v 6W
IP Rating	IP54

**JB-LED-007R/WH**

230v 6W LED SMD Up & Down Round Beam
Adjustable Wall Light

Colour	White
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 310lm
Measurement in cm	Height: 10 Width: 14 Depth: 12
LED SMD	12 x 0.25W UP 12 x 0.25W DOWN
Wattage	230v 6W
IP Rating	IP54



JB-LED-237S/WH
230v 6W LED SMD Small Slim Up & Down Wall Light

Colour	Matt White with Frosted PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 330lm
Measurement in cm	Height: 10 Width: 11 Depth: 3
LED SMD	3W UP 3W DOWN
Wattage	230v 6W
IP Rating	IP54



JB-LED-237M/WH
230v 10W LED SMD Medium Slim Up & Down Wall Light

Colour	Matt White with Frosted PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 546lm
Measurement in cm	Height: 10 Width: 17.5 Depth: 3
LED SMD	5W UP 5W DOWN
Wattage	230v 10W
IP Rating	IP54



JB-LED-237L/WH
230v 20W LED SMD Large Slim Up & Down Wall Light

Colour	Matt White with Frosted PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 1460lm
Measurement in cm	Height: 11.5 Width: 40 Depth: 4.5
LED SMD	10W UP 10W DOWN
Wattage	230v 20W
IP Rating	IP54

**JB-LED-237S/BL**


230v 6W LED SMD Small Slim Up & Down Wall Light

Colour	Matt Black with Frosted PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 330lm
Measurement in cm	Height: 10 Width: 11 Depth: 3
LED SMD	3W UP 3W DOWN
Wattage	230v 6W
IP Rating	IP54

**JB-LED-237M/BL**

230v 10W LED SMD Medium Slim Up & Down Wall Light

Colour	Matt Black with Frosted PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 546lm
Measurement in cm	Height: 10 Width: 17.5 Depth: 3
LED SMD	5W UP 5W DOWN
Wattage	230v 10W
IP Rating	IP54

**JB-LED-237L/BL**

230v 20W LED SMD Large Slim Up & Down Wall Light

Colour	Matt Black with Frosted PC Diffuser
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 1460lm
Measurement in cm	Height: 11.5 Width: 40 Depth: 4.5
LED SMD	10W UP 10W DOWN
Wattage	230v 20W
IP Rating	IP54

**JB-LED-792/BL**

230v 6W LED COB Up & Down Oval Wall Light

Colour	Matt Black with Clear Glass cover
Specifications	Die Cast Aluminium Warm White: 3000K / 245lm OSRAM COB
Measurement in cm	Height: 7 Width: 11 Depth: 11
LED COB	6W
Wattage	230v 6W
IP Rating	IP54

**JB-LED-792/WH**

230v 6W LED COB Up & Down Oval Wall Light

Colour	Matt White with Clear Glass cover
Specifications	Die Cast Aluminium Warm White: 3000K / 245lm OSRAM COB
Measurement in cm	Height: 7 Width: 11 Depth: 11
LED COB	6W
Wattage	230v 6W
IP Rating	IP54

**JB-LED-793/BL**

230v 6W LED COB Up & Down Round Wall Light

Colour	Matt Black with Clear Glass cover
Specifications	Die Cast Aluminium Warm White: 3000K / 245lm OSRAM COB
Measurement in cm	Height: 7 Width: 9 Depth: 13.5
LED COB	6W
Wattage	230v 6W
IP Rating	IP54



JB-LED-787/BL
230v 9W LED COB Open Oval Wall Light

Colour	Matt Black
Specifications	Die Cast Aluminium Warm White: 3000K / 620lm OSRAM COB
Measurement in cm	Height: 7.5 Width: 18 Depth: 11.7
LED COB	9W
Wattage	230v 9W
IP Rating	IP54



JB-LED-787/WH
230v 9W LED COB Open Oval Wall Light

Colour	Matt White
Specifications	Die Cast Aluminium Warm White: 3000K / 620lm OSRAM COB
Measurement in cm	Height: 7.5 Width: 18 Depth: 11.7
LED COB	9W
Wattage	230v 9W
IP Rating	IP54



JB-LED-789/BL
230v 4W LED COB Hook Wall Light

Colour	Matt Black
Specifications	Die Cast Aluminium Warm White: 3000K / 245lm OSRAM COB
Measurement in cm	Height: 6 Width: 11 Depth: 9.5
Lamps	4W COB LED
Wattage	230v 4W
IP Rating	IP54



JB-LED-789/WH
230v 4W LED COB Hook Wall Light

Colour	Matt White
Specifications	Die Cast Aluminium Warm White: 3000K / 245lm OSRAM COB
Measurement in cm	Height: 6 Width: 11 Depth: 9.5
Lamps	4W COB LED
Wattage	230v 4W
IP Rating	IP54



KLK-1135
230v 60W E27 Chic Flush Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 24 Width: 11.5 Depth: 11.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



KLK-1138
230v 60W E27 Chic Flush Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 26 Width: 13 Depth: 8
Lamps	1 x E27 (Recommended only G45 Golfball)
Wattage	230v 60W
IP Rating	IP44



KLK-1123
230v 60W E27 Chic Flush Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 30 Width: 18 Depth: 17.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



KLK-1160
230v 40W E27 XLarge Flush Wall Light

Colour	Black
Specifications	-
Measurement in cm	Height: 56 Width: 37 Depth: 20
Lamps	2 x E27 (Excluding Lamp)
Wattage	230v 40W
IP Rating	IP44

**KLG-1128**

230v 60W E27 Chic Bracket Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 29.5 Width: 14 Depth: 19.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44

**KLG-1130**

230v 60W E27 Chic Bracket Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 22 Width: 13 Depth: 17.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44

**KLG-1133**

230v 60W E27 Chic Bracket Wall Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 35 Width: 17 Depth: 17
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44

**KLG-1134**

230v 60W E27 Chic Pendant Light

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Fitting Height: 126.5 Shade Height: 30 Shade Width: 17-14
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



KLK-1132 230v 60W E27 Chic Bracket Wall Light	
Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 36 Width: 15.5 Depth: 23.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



KLK-1131 230v 60W E27 Chic Bracket Wall Light	
Colour	Matt Black with Seedy Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 35 Diameter: 29 Depth: 37.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



KLK-1148 230v 40W E27 Outdoor Chic Lantern Wall Light	
Colour	Black
Specifications	-I
Measurement in cm	Height: 33 Width: 12.5 Depth: 18.5
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44

**JB-KLG-2613**

230v 40W E27 Lighthouse Outdoor Wall Light

Colour	Black with Polycarbonate Diffuser
Specifications	-
Measurement in cm	Height: 31.5 Width: 11 Depth: 15
Lamps	1 x E27
Wattage	230v 40W
IP Rating	IP54

**JB-KLG-2763**

230v 40W E27 Candle Outdoor Wall Light

Colour	Black with Polycarbonate Diffuser
Specifications	-
Measurement in cm	Height: 25.5 Width: 6 Depth: 13
Lamps	1 x E27
Wattage	230v 40W
IP Rating	IP54

**KLG-1150**

230v 40W E27 Opal Ball Wall Light

Colour	Black
Specifications	-
Measurement in cm	Height: 26 Width: 28 Diameter: 20
Lamps	1 x E27
Wattage	230v 40W
IP Rating	IP44

**L-KLG-1801/1S-B**

230v 35W GU10 Square Down Only Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 8 Width: 6.8 Depth: 9.3
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP44

**L-KLG-1801/2S-B**

230v 70W GU10 Square Up & Down Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15 Width: 6.8 Depth: 9.3
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP44

**L-KLG-1801/1R-B**

230v 35W GU10 Round Down Only Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 8 Width: 6.8 Depth: 9.3
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP44

**L-KLG-1801/2R-B**

230v 70W GU10 Round Up & Down Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15 Width: 6.8 Depth: 9.3
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP44

**L-KLG-1801/1S-G**

230v 35W GU10 Square Down Only Wall Light

Colour	Dark Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 8 Width: 6.8 Depth: 9.3
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP44

**L-KLG-1801/2S-G**

230v 70W GU10 Square Up & Down Wall Light

Colour	Dark Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15 Width: 6.8 Depth: 9.3
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP44

**L-KLG-1801/1R-G**

230v 35W GU10 Round Down Only Wall Light

Colour	Dark Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 8 Width: 6.8 Depth: 9.3
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP44

**L-KLG-1801/2R-G**

230v 70W GU10 Round Up & Down Wall Light

Colour	Dark Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15 Width: 6.8 Depth: 9.3
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP44



Y-KLG-1801/2C-SG
230v 70W GU10 Curved Square Wall Light

Colour	Matt Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 20 Width: 10.7 Depth: 9.3
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54



Y-KLG-1801/2C-SB
230v 70W GU10 Curved Square Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 20 Width: 10.7 Depth: 9.3
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54



Y-KLG-1801/2C-RG
230v 70W GU10 Curved Round Wall Light

Colour	Matt Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 20 Width: 10.7 Depth: 10.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54



Y-KLG-1801/2C-RB
230v 70W GU10 Curved Round Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 20 Width: 10.7 Depth: 10.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54

**L-KLG-1805/25-B**

230v 3W GU10 Square Up and Down with Bracket Wall Light

Colour	Black
Specifications	-
Kelvin / Lumen	-
Measurement in cm	Height: 16 Depth: 11.5 Diameter: 6.5
Lamps	2 x GU10
Wattage	230v 3W
IP Rating	IP54

**JB-KLG-800/1**

230v 35W GU10 Single Adjustable Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 9 Width: 13.5 Depth: 9.5
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54

**JB-KLG-800/2**

230v 70W GU10 Double Adjustable Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 9 Width: 20.5 Depth: 9.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54



Y-KLG-1801/1LSG
230v 35W GU10 Square 180° Tilt with Lens Wall Light

Colour	Matt Grey
Specifications	Die Cast Aluminium
Measurement in cm	Height: 16 Width: 6 Depth: 10
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



Y-KLG-1801/1LSB
230v 35W GU10 Square 180° Tilt with Lens Wall Light

Colour	Matt Black
Specifications	Die Cast Aluminium
Measurement in cm	Height: 16 Width: 6 Depth: 10
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



Y-KLG-1801/1LRG
230v 35W GU10 Round 180° Tilt with Lens Wall Light

Colour	Matt Grey
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15.4 Diameter: 6.5 Depth: 11
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



Y-KLG-1801/1LRB
230v 35W GU10 Round 180° Tilt with Lens Wall Light

Colour	Matt Black
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15.4 Diameter: 6.5 Depth: 11
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



KLG-1801/1GU-G or KLG-1801/1E27-G
230v 35W GU10 Up or Down Wall Light

Colour	Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 18.5 Width: 9.5 Depth: 13
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



KLG-1801/1GU-BL or KLG-1801/1E27-BL
230v 35W GU10 Up or Down Wall Light

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 18.5 Width: 9.5 Depth: 13
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



KLG-1801/1GU-SS
230v 35W GU10 Up or Down Wall Light

Colour	Shiny Silver with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 15 Width: 9.5 Depth: 13
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



KLG-1801/1GU-DG or KLG-1801/1E27-DG
230v 35W GU10 Up or Down Wall Light

Colour	Dark Grey with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 18.5 Width: 9.5 Depth: 13
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



LED-K03/B
230v 1W LED SMD Small Round Semi Recessed Light

Colour	Chrome base with Clear Line Glass
Specifications	Die Cast Aluminium Blue LEDs Non Dimmable
Measurement in cm	Height: 11 Diameter: 10.5 Cut Out: 10
LED SMD	14 x 0.071W
Wattage	230v 1W
IP Rating	IP54




LED-K04/B
230v 1.6W LED SMD Medium Round Semi Recessed Light

Colour	Chrome base with Clear Line Glass
Specifications	Die Cast Aluminium Blue LEDs Non Dimmable
Measurement in cm	Height: 11 Diameter: 12.5 Cut Out: 12
LED SMD	25 x 0.056W
Wattage	230v 1.6W
IP Rating	IP54



LED-K04
230v 1.6W LED SMD Medium Round Semi Recessed Light

Colour	Chrome base with Clear Line Glass
Specifications	Die Cast Aluminium Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 45lm
Measurement in cm	Height: 11 Diameter: 12.5 Cut Out: 12
LED SMD	25 x 0.056W
Wattage	230v 1.6W
IP Rating	IP54



GARDEN & OUTDOOR COASTAL WALL LIGHTS

(PC + ABS Body)

- 230v LED Polycarbonate + ABS Wall Lights
- 230v GU10 LED Polycarbonate + ABS Wall Lights
- 230v E27 LED Polycarbonate + ABS Wall Lights
- + GU10 Garden Spike Light



K. LIGHT®

DESIGN • SERVICE • QUALITY

**P-KLB-LED-402**

230v 20W LED SMD Coastal Vertical Bulkhead

Colour	Black
Specifications	ABS Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 24.5 Depth: 10 Width: 11
LED SMD	20W
Wattage	230v 20W
IP Rating	IP54

**P-KLB-LED-403**

230v 20W LED SMD Coastal Framed Vertical Bulkhead

Colour	Black
Specifications	ABS Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 24.5 Depth: 10 Width: 11
LED SMD	20W
Wattage	230v 20W
IP Rating	IP54

**P-KLB-LED-613**

230v 20W LED SMD Coastal Square Grid Bulkhead

Colour	Black
Specifications	ABS Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 20 Depth: 5 Width: 16
LED SMD	20W
Wattage	230v 20W
IP Rating	IP54

**P-KLB-LED-612**

230v 20W LED SMD Coastal Square Plain Bulkhead

Colour	Black
Specifications	ABS Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 20 Depth: 5 Width: 16
LED SMD	20W
Wattage	230v 20W
IP Rating	IP54

**KLB-LED-161**

230v 25W LED SMD Coastal Horizontal Wall Light

Colour	Black
Specifications	Polypropylene Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Length: 32 Height: 13 Depth: 10
LED SMD	25W
Wattage	230v 25W
IP Rating	IP65

**KLB-LED-290**

230v 20W LED SMD Coastal Curved Wall Light

Colour	Black
Specifications	Polypropylene Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Length: 25 Height: 13 Depth: 12.5
LED SMD	20W
Wattage	230v 20W
IP Rating	IP65

**KLG-LED-291**

230v 20W LED SMD Coastal Vertical Wall Light

Colour	Black
Specifications	Polypropylene Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 27 Width: 14 Depth: 10
LED SMD	20W
Wattage	230v 40W
IP Rating	IP44

**KLB-LED-292**

230v 15W LED SMD Coastal Eyelid Wall Light

Colour	Black
Specifications	Polypropylene Body PC Diffuser
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 23 Width: 12 Depth: 7
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65

**I-LED-51/1-ABS**

230v 4W LED SMD Coastal Round ABS Wall Light

Colour	Black with PC Shade
Specifications	ABS with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 9 Width: 9.5 Depth: 10.5
LED SMD	4W
Wattage	230v 4W
IP Rating	IP44

**I-LED-53/1-ABS**

230v 4W LED SMD Coastal Square ABS Wall Light

Colour	Black with PC Shade
Specifications	ABS with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 8.5 Width: 9.5 Depth: 10.5
LED SMD	4W
Wattage	230v 4W
IP Rating	IP44

**I-LED-51/2-ABS**

230v 2 x 4W LED SMD Coastal Up & Down Round ABS Wall Light

Colour	Black with PC Shade
Specifications	ABS with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 13 Width: 9.5 Depth: 11
LED SMD	2 x 4W
Wattage	230v 4W
IP Rating	IP44

**I-LED-53/2-ABS**

230v 2 x 4W LED SMD Coastal Up & Down Square ABS Wall Light

Colour	Black with PC Shade
Specifications	ABS with PC Shade
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 12 Width: 18.5 Depth: 8.5
LED SMD	2 x 4W
Wattage	230v 4W
IP Rating	IP44

**P-KLG-8110**

230v 7W GU10 LED Coastal Polycarbonate + ABS Square Down Wall Light

Colour	Black
Specifications	Polycarbonate + ABS Body Glass Diffuser
Measurement in cm	Height: 8.1 Width: 5.8 Depth: 9.2
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 7W LED
IP Rating	IP54

**P-KLG-9210**

230v 7W GU10 LED Coastal Polycarbonate + ABS Round Down Wall Light

Colour	Black
Specifications	Polycarbonate + ABS Body Glass Diffuser
Measurement in cm	Height: 8.1 Width: 5.8 Depth: 9.2
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 7W LED
IP Rating	IP54

**P-KLG-8111**

230v 7W GU10 LED Coastal Polycarbonate + ABS Square Up & Down Wall Light

Colour	Black
Specifications	Polycarbonate + ABS Body Glass Diffuser
Measurement in cm	Height: 15 Width: 5.8 Depth: 9.2
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 14W LED
IP Rating	IP54

**P-KLG-9211**

230v 7W GU10 LED Coastal Polycarbonate + ABS Round Up & Down Wall Light

Colour	Black
Specifications	Polycarbonate + ABS Body Glass Diffuser
Measurement in cm	Height: 15 Width: 5.8 Depth: 9.2
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 14W LED
IP Rating	IP54

**SLM111DL15W**

230v 15W LED SMD Coastal Eyelid Bulkhead

Colour	White
Specifications	Polycarbonate
Kelvin / Lumen	Warm White: 3000K / 1275lm
Measurement in cm	Diameter: 17 Depth: 5.5
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65

**SLM105DL15W**

230v 15W LED SMD Coastal Round Bulkhead

Colour	White
Specifications	Polycarbonate
Kelvin / Lumen	Warm White: 3000K / 1275lm
Measurement in cm	Diameter: 17 Depth: 5.5
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65

**SLM109DL20W**

230v 20W LED SMD Coastal Round Bulkhead

Colour	White
Specifications	Polycarbonate
Kelvin / Lumen	Warm White: 3000K / 1700lm
Measurement in cm	Diameter: 27 Depth: 6.5
LED SMD	20W
Wattage	230v 20W
IP Rating	IP65

**MB-001/10**

230v 10W LED SMD Oval Bulkhead

Colour	White with Opal White PC Cover
Specifications	Poly Carbonate Non Dimmable
Kelvin / Lumen	Cool White: 6500K / 550lm
Measurement in cm	Height: 9.8 Width: 19.8 Depth: 4.3
LED SMD	48 x 0.208W
Wattage	230v 10W
IP Rating	IP44

**MB-001/15**

230v 15W LED SMD Oval Bulkhead

Colour	White with Opal White PC Cover
Specifications	Poly Carbonate Non Dimmable
Kelvin / Lumen	Cool White: 6500K / 850lm
Measurement in cm	Height: 10.4 Width: 23 Depth: 4.3
LED SMD	72 x 0.208W
Wattage	230v 15W
IP Rating	IP44

**P-KLG-6410/BL**

230v 40W E27 Coastal Polypropylene Half Lantern Wall Light

Colour	Black
Specifications	Polypropylene Body PC Diffuser
Measurement in cm	Height: 36 Width: 18 Depth: 9
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 40W
IP Rating	IP44

**P-KLG-6410/WH**

230v 40W E27 Coastal Polypropylene Half Lantern Wall Light

Colour	White
Specifications	Polypropylene Body PC Diffuser
Measurement in cm	Height: 36 Width: 18 Depth: 9
Lamps	1 x E27 (Excluding Lamp)
Wattage	230v 40W
IP Rating	IP44

**P-LED-8217**

230v 9W LED SMD Coastal Polycarbonate + ABS Medium Vogue Up & Down Wall Light

Colour	Black
Specifications	Polycarbonate + ABS Body PC Diffuser Non Dimmable
Kelvin / Lumen	Warm White: 3000K / 600lm
Measurement in cm	Height: 4.6 Width: 17 Depth: 8
LED SMD	2 x 4.5W
Wattage	230v 9W
IP Rating	IP65

**P-KLG-4901**

230v 5W GU10 LED Coastal Polycarbonate + ABS Single Adjustable Spike

Colour	Black
Specifications	Polycarbonate + ABS Body PC Diffuser
Measurement in cm	Height: 11 Diameter: 6
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 5W LED
IP Rating	IP65




GARDEN & OUTDOOR BULKHEADS

- 230v LED Bulkheads
- 230v E27 Bulkheads



K. LIGHT®

DESIGN • SERVICE • QUALITY



In order to set the colour temperature of your choice, there is a switch at the back of the fitting that needs to be set BEFORE installation.

KLB-LED-305

230v 20W LED SMD Polar Large Square Bulkhead

Colour	Black & White
Specifications	PC with a Metal Bracket
Kelvin / Lumen	CCT - NW, WW & CW
Measurement in cm	Height: 25.5 Width: 25.5 Depth: 8
LED SMD	20W
Wattage	230v 20W
IP Rating	IP65




In order to set the colour temperature of your choice, there is a switch at the back of the fitting that needs to be set BEFORE installation.

KLB-LED-302

230v 20W LED SMD Arctic Large Square Bulkhead

Colour	White
Specifications	PC
Kelvin / Lumen	CCT - NW, WW & CW
Measurement in cm	Height: 25 Width: 25 Depth: 7.5
LED SMD	20W
Wattage	230v 20W
IP Rating	IP65



In order to set the colour temperature of your choice, there is a switch at the back of the fitting that needs to be set BEFORE installation.

KLB-LED-304

230v 15W LED SMD Polar Rectangular Bulkhead

Colour	Black & White
Specifications	PC with a Metal Bracket
Kelvin / Lumen	CCT - NW, WW & CW
Measurement in cm	Height: 30.5 Width: 10.5 Depth: 8
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65




In order to set the colour temperature of your choice, there is a switch at the back of the fitting that needs to be set BEFORE installation.

KLB-LED-301

230v 15W LED SMD Rectangular Arctic Bulkhead

Colour	White
Specifications	PC
Kelvin / Lumen	CCT - NW, WW & CW
Measurement in cm	Height: 30 Width: 10 Depth: 7.5
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65



In order to set the colour temperature of your choice, there is a switch at the back of the fitting that needs to be set BEFORE installation.

KLB-LED-300 or KLB-LED-303

230v 5W LED SMD Polar Small Square Bulkhead

Colour	Black & White
Specifications	PC with a Metal Bracket
Kelvin / Lumen	CCT - NW, WW & CW
Measurement in cm	Height: 10.5 Width: 10.5 Depth: 7.5 or 8
LED SMD	5W
Wattage	230v 5W
IP Rating	IP65



In order to set the colour temperature of your choice, there is a switch at the back of the fitting that needs to be set BEFORE installation.

KLB-LED-300 or KLB-LED-303

230v 5W LED SMD Arctic Small Square Bulkhead

Colour	White
Specifications	PC
Kelvin / Lumen	CCT - NW, WW & CW
Measurement in cm	Height: 10.5 Width: 10.5 Depth: 7.5 or 8
LED SMD	5W
Wattage	230v 5W
IP Rating	IP65



MB-001/10

230v 10W LED SMD Oval Bulkhead

Colour	White with Opal White PC Cover
Specifications	Poly Carbonate Non Dimmable
Kelvin / Lumen	Cool White: 6500K / 550lm
Measurement in cm	Height: 9.8 Width: 19.8 Depth: 4.3
LED SMD	48 x 0.208W
Wattage	230v 10W
IP Rating	IP44



MB-001/15

230v 15W LED SMD Oval Bulkhead

Colour	White with Opal White PC Cover
Specifications	Poly Carbonate Non Dimmable
Kelvin / Lumen	Cool White: 6500K / 850lm
Measurement in cm	Height: 10.4 Width: 23 Depth: 4.3
LED SMD	72 x 0.208W
Wattage	230v 15W
IP Rating	IP44



SLM111DL15W
230v 15W LED SMD Coastal Eyelid Bulkhead

Colour	White
Specifications	Polycarbonate
Kelvin / Lumen	Warm White: 3000K / 1275lm
Measurement in cm	Diameter: 17 Depth: 5.5
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65



SLM105DL15W
230v 15W LED SMD Coastal Round Bulkhead

Colour	White
Specifications	Polycarbonate
Kelvin / Lumen	Warm White: 3000K / 1275lm
Measurement in cm	Diameter: 17 Depth: 5.5
LED SMD	15W
Wattage	230v 15W
IP Rating	IP65



SLM109DL20W
230v 20W LED SMD Coastal Round Bulkhead

Colour	White
Specifications	Polycarbonate
Kelvin / Lumen	Warm White: 3000K / 1700lm
Measurement in cm	Diameter: 27 Depth: 6.5
LED SMD	20W
Wattage	230v 20W
IP Rating	IP65



JB-LED-701/BL
230v 12W LED SMD Vertical Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Kelvin / Lumen	Warm White: 3000K / 1080lm
Measurement in cm	Height: 18 Width: 9 Depth: 7
LED SMD	12W
Wattage	230v 12W
IP Rating	IP65



JB-LED-702/BL
230v 12W LED SMD Horizontal Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Kelvin / Lumen	Warm White: 3000K / 1130lm
Measurement in cm	Height: 9 Width: 18 Depth: 9
LED SMD	12W
Wattage	230v 12W
IP Rating	IP65



KLB-LED-401
230v 12W LED SMD Horizontal Bulkhead

Colour	Black
Specifications	Die Cast Aluminium with PC
Kelvin / Lumen	Warm White: 3000K / 840lm
Measurement in cm	Height: 12.5 Width: 26 Depth: 12.5
LED SMD	12W
Wattage	230v 12W
IP Rating	IP65



KLB-5522-G/SL
230v 18W E27 Round Grid Bulkhead

Colour	Matt Grey with Opal White PC Cover
Specifications	Die Cast Aluminium Aluminium Reflector Included
Measurement in cm	Diameter: 30 Depth: 7
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



KLB-5522-P/BL
230v 18W E27 Round Plain Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Diameter: 30 Depth: 7
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



KLB-5533/BL
230v 18W E27 Round Patterned Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Diameter: 30 Depth: 9
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



KLB-5521-P/BL
230v 18W E27 Square Plain Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Height: 30 Width: 30 Depth: 7.5
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



KLB-5521-G/BL
230v 18W E27 Square Grid Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Height: 30 Width: 30 Depth: 9
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



KLB-5523-P/BL
230v 18W E27 Rectangular Plain Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Height: 29 Width: 17.5 Depth: 9
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



KLB-5523-G/BL
230v 18W E27 Rectangular Grid Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Height: 29 Width: 17.5 Depth: 9
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



KLB-5523-E/BL
230v 18W E27 Rectangular Eyelid Bulkhead

Colour	Matt Black with Opal White PC Cover
Specifications	Die Cast Aluminium
Measurement in cm	Height: 29 Width: 17.5 Depth: 9
Lamps	2 x E27
Wattage	230v 18W
IP Rating	IP54



K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



GARDEN & OUTDOOR BOLLARDS

- 230v LED Bollards
- 230v GU10 Bollards & Spikes
- 230v E27 Bollards



K. LIGHT®

DESIGN • SERVICE • QUALITY



L-LED-024/BL
230v 7W LED COB Bollard

Colour	Matt Black
Specifications	Die Cast Aluminium
Kelvin / Lumen	Warm White: 3000K / 570lm CREE COB
Measurement in cm	Height: 60 Diameter: 11 Base Diameter: 15.5
LED COB	7W
Wattage	230v 7W
IP Rating	IP54



LED-051/BL
230v 7W LED COB Bollard

Colour	Matt Black
Specifications	Die Cast Aluminium
Kelvin / Lumen	Warm White: 3000K / 570lm CREE COB
Measurement in cm	Height: 40 Width: 15 Depth: 4
LED COB	7W
Wattage	230v 7W
IP Rating	IP54



L-LED-054/BL
230v 7W LED COB Bollard

Colour	Matt Black
Specifications	Die Cast Aluminium
Kelvin / Lumen	Warm White: 3000K / 570lm CREE COB
Measurement in cm	Height: 90 Width: 12 Depth: 14
LED COB	7W
Wattage	230v 7W
IP Rating	IP54



L-LED-058/BL
230v 5W LED COB Bollard

Colour	Matt Black	
Specifications	Die Cast Aluminium	
Kelvin / Lumen	Warm White: 3000K / 450lm CREE COB	
Measurement in cm	Height: 70 Width: 10 Depth: 14.8	Base Depth: 10 Base Width: 10
LED COB	5W	
Wattage	230v 5W	
IP Rating	IP54	

**L-LED-767/30**

230v 30W LED Light Saber Bollard

Colour	Black
Kelvin / Lumen	Warm White: 3000K
Measurement in cm	Height: 100 Diameter: 10 Base Diameter: 18
LED	30W
Wattage	230v 30W
IP Rating	IP54

**L-LED-005**

230v 7W LED Bollard

Colour	Black
Specifications	Aluminium
Kelvin / Lumen	Warm White: 3000K / 570lm
Measurement in cm	Height: 60 Diameter: 8.6
LED COB	7W
Wattage	230v 7W
IP Rating	IP65

**L-LED-009**

230v 8W LED Bollard

Colour	Black
Specifications	Aluminium + PC
Kelvin / Lumen	Warm White: 3000K / 600lm
Measurement in cm	Height: 70 Diameter: 9
LED COB	8W
Wattage	230v 8W
IP Rating	IP65



JB-KLG-905/1
230v 35W GU10 Single Adjustable Bollard

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 55.5 Diameter: 7 Width including the 1 Spot: 14
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



JB-KLG-905/2
230v 70W GU10 Double Adjustable Bollard

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 55.5 Diameter: 7 Width including the 2 Spots: 20.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54



JB-KLG-900/1
230v 35W GU10 Single Adjustable Spike

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 29 Diameter: 7 Width including the 1 Spot: 14
Lamps	1 x GU10 (Excluding Lamp)
Wattage	230v 35W
IP Rating	IP54



JB-KLG-900/2
230v 70W GU10 Double Adjustable Spike

Colour	Matt Black with Clear Glass
Specifications	Die Cast Aluminium
Measurement in cm	Height: 29 Diameter: 7 Width including the 2 Spots: 20.5
Lamps	2 x GU10 (Excluding Lamps)
Wattage	230v 70W
IP Rating	IP54

**KLG-1151**

230v 40W E27 Opal Ball Bollard

Colour	Black
Specifications	-
Measurement in cm	Height: 105 Width: 20 Depth: 35
Lamps	1x E27
Wattage	230v 40W
IP Rating	IP44

**JB-KLG-2764**

230v 40W E27 Candle Bollard

Colour	Black with Polycarbonate Diffuser
Specifications	-
Measurement in cm	Height: 65 Diameter: 6 Base Diameter: 12
Lamps	1 x E27 Recommended 14W Energy Saver Bulb
Wattage	230v 40W
IP Rating	IP54

**JB-KLG-2614**

230v 40W E27 Lighthouse Bollard

Colour	Black with Polycarbonate Diffuser
Specifications	-
Measurement in cm	Height: 71 Diameter: 11
Lamps	1 x E27
Wattage	230v 40W
IP Rating	IP54

**KLG-1136**

230v 60W E27 Chic Bollard

Colour	Matt Black with Clear Glass
Specifications	Iron (Non Coastal)
Measurement in cm	Height: 34.5 Width: 17.5 Depth: 17.5
Lamps	1x E27 (Excluding Lamp)
Wattage	230v 60W
IP Rating	IP44



SOLAR



K. LIGHT®

DESIGN • SERVICE • QUALITY

**SOLAR-10W**

230v 10W LED COB Security Day Night and Sensor Wall Lamp

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 1800lm
Measurement in cm	Height: 24 Width: 29 Depth: 23
LED COB	10W
Wattage	230v 10W
IP Rating	IP65

**SOLAR-20W**

230v 20W LED COB Security Day Night and Sensor Wall Lamp

Colour	Black
Specifications	Non Dimmable
Kelvin / Lumen	Cool White: 6000K / 3600lm
Measurement in cm	Height: 37 Width: 29 Depth: 23
LED COB	20W
Wattage	230v 20W
IP Rating	IP65



INDUSTRIAL



K. LIGHT®

DESIGN • SERVICE • QUALITY

**K-LED-UFO**

230v -240v 200W LED High Bay Industrial Light

Colour	Black
Specifications	Non Dimmable Beam Angle 80° The Surge Protection is 6KV
Kelvin / Lumen	Cool White: 6500K / 28000lm
Measurement in cm	Height: 20 Diameter: 28
LED COB	Max 200W LED
Wattage	230v-240v 50Hz 200W
IP Rating	IP65



K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



DECORATIVE BULBS

- 240v E14 LED Dimmable Filament Bulbs
- 240v E27 LED Dimmable Filament Bulbs
- 240v LED Crystal Bulbs
- 240v LED SMD Bulbs
- 240v GU10 LED SMD Bulbs



K. LIGHT®

DESIGN • SERVICE • QUALITY



HX-CN35-4W/WW
240v 4W E14 LED SMD Filament Candle Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 9.5 Diameter: 3.5
Lifespan	15,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20



HX-CN35-4W/CW
240v 4W E14 LED SMD Filament Candle Bulb

Colour	Clear
Specifications	Cool White: 6500K / 340-360lm Dimmable
Measurement in cm	Height: 9.5 Diameter: 3.3
Lifespan	15,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20



HX-CN35-4W/WW
240v 4W E27 LED SMD Filament Candle Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 9.5 Diameter: 3.5
Lifespan	15,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20



HX-CN35-4W/CW
240v 4W E27 LED SMD Filament Candle Bulb

Colour	Clear
Specifications	Cool White: 6500K / 340-360lm Dimmable
Measurement in cm	Height: 9.5 Diameter: 3.3
Lifespan	15,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20



HX-GL45-4W/WW
240v 4W E14 LED Filament Golf Ball Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 8 Diameter: 4.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



HX-GL45-4W/CW
240v 4W E14 LED Filament Golf Ball Bulb

Colour	Clear
Specifications	Cool White: 6500K / 340-360lm Dimmable
Measurement in cm	Height: 8 Diameter: 4.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



HX-GB45-4W/WW
240v 4W E27 LED Filament Golf Ball Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 7.5 Diameter: 4.2
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



HX-GB45-4W/CW
240v 4W E27 LED Filament Golf Ball Bulb

Colour	Clear
Specifications	Cool White: 6500K / 340-360lm Dimmable
Measurement in cm	Height: 7.5 Diameter: 4.2
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-CW35-4W/WW**

240v 4W E14 LED SMD Filament Flame Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 11.6 Diameter: 3.5
Lifespan	15,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20

**HX-LST64-4W/WW**

240v 4W E27 LED Filament Balloon T64 Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 14.6 Diameter: 6.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-LST64-4W/CW**

240v 4W E27 LED Filament Balloon T64 Bulb

Colour	Clear
Specifications	Cool White: 6500K / 340-360lm Dimmable
Measurement in cm	Height: 14.2 Diameter: 6.4
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-LSAST64-4W/W**

240v 4W E27 LED Filament Balloon Spiral T64 Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 14.6 Diameter: 6.4
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-LA60-8W**

240v 8W E27 LED Filament A60 Clear Bulb

Colour	Clear
Specifications	Warm White: 2200K / 1200-1240lm Dimmable
Measurement in cm	Height: 10.5 Diameter: 6
Lifespan	15,000 hours
Wattage	240v 8W
IP Rating	IP20

**HX-LA60-4W/WW**

240v 4W E27 LED Filament A60 Clear Bulb

Colour	Clear
Specifications	Warm White: 2200K / 600-620lm Dimmable
Measurement in cm	Height: 10.5 Diameter: 6
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-LA60-4W/CW**

240v 4W E27 LED Filament A60 Clear Bulb

Colour	Clear
Specifications	Cool White: 6500K / 600-620lm Dimmable
Measurement in cm	Height: 10.5 Diameter: 6
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-LA60-4W/OPAL**

240v 4W E27 LED Filament A60 Opal Bulb

Colour	Opal White
Specifications	Warm White: 2200K / 260-280lm Dimmable
Measurement in cm	Height: 10.5 Diameter: 6
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



HX-LSG80-4W/WW
240v 4W E27 LED G80 Ball Spiral Filament Bulb

Colour	Clear
Specifications	Warm White: 2200K / 300-320lm Dimmable
Measurement in cm	Height: 12 Diameter: 8
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



HX-LSG95-4W/WW
240v 4W E27 LED G95 Ball Spiral Filament Bulb

Colour	Clear
Specifications	Warm White: 2200K / 300-320lm Dimmable
Measurement in cm	Height: 12 Diameter: 9.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



HX-LG125-8W/NW
240v 8W E27 LED G125 Ball Filament Bulb

Colour	Clear
Specifications	Natural White: 4000K / 350lm Dimmable
Measurement in cm	Height: 18 Diameter: 12.5
Lifespan	15,000 hours
Wattage	240v 8W
IP Rating	IP20



HX-LG125-4W
240v 4W E27 LED G125 Ball Filament Bulb

Colour	Clear
Specifications	Warm White: 2200K / 340-360lm Dimmable
Measurement in cm	Height: 18 Diameter: 12.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-OPALINA8W/NW**

240v 8W E27 LED SMD G125 Opalina Ball Bulb

Colour	Opal White
Specifications	Natural White: 4000K Dimmable
Measurement in cm	Height: 17 Diameter: 12.5
Lifespan	15,000 hours
Wattage	240v 8W SMD LED
IP Rating	IP20

**HX-OPALINA8W/WW**

240v 8W E27 LED SMD G125 Opalina Ball Bulb

Colour	Opal White
Specifications	Warm White: 2200K Dimmable
Measurement in cm	Height: 17 Diameter: 12.5
Lifespan	15,000 hours
Wattage	240v 8W SMD LED
IP Rating	IP20

**HX-LST30-185/WW**

240v 4W E27 LED Filament Long T18 Spiral Bulb

Colour	Clear
Specifications	Warm White: 2200K / 300-320lm Dimmable
Measurement in cm	Height: 18 Diameter: 3
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-LST30-300/WW**

240v 4W E27 LED Filament Long T30 Spiral Bulb

Colour	Clear
Specifications	Warm White: 2200K / 300-320lm Dimmable
Measurement in cm	Height: 29.6 Diameter: 3
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



CA-CRYS-4W-D/CW
240v 4W E14 LED SMD Crystal Bulb

Colour	K9 Crystal
Specifications	Cool White: 6000K / 400lm Dimmable
Measurement in cm	Height: 9.5 Diameter: 4
Lifespan	10,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20



CA-CRYS-4W-D/WW
240v 4W E14 LED SMD Crystal Bulb

Colour	K9 Crystal
Specifications	Warm White: 2700K / 400lm Dimmable
Measurement in cm	Height: 9.5 Diameter: 4
Lifespan	10,000 hours
Wattage	240v 4W SMD LED
IP Rating	IP20

**HX-G125-4W/AB**

240v 4W E27 LED G125 Wonky Amber Filament Bulb

Colour	Amber
Specifications	Warm White: 2000K / 140lm Dimmable Spiral Filament
Measurement in cm	Height: 17.6 Diameter: 12.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-G125-4W/SM**

240v 4W E27 LED G125 Wonky Smoke Filament Bulb

Colour	Smoke
Specifications	Warm White: 2000K / 140lm Dimmable Spiral Filament
Measurement in cm	Height: 17.6 Diameter: 12.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-PS165-4W/AB**

240v 4W E27 LED A165 Large Pear Amber Filament Bulb

Colour	Amber
Specifications	Warm White: 2000K / 140lm Dimmable
Measurement in cm	Height: 26.5 Diameter: 16.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20

**HX-PS165-4W/SM**

240v 4W E27 LED A165 Large Pear Smoke Filament Bulb

Colour	Smoke
Specifications	Warm White: 2000K / 60-80lm Dimmable
Measurement in cm	Height: 26.5 Diameter: 16.5
Lifespan	15,000 hours
Wattage	240v 4W
IP Rating	IP20



HX-G9D-3.5W/WW
240v 3.5W G9 LED SMD Bulb

Colour	Clear PVC
Specifications	Warm White: 3000K Dimmable
Measurement in cm	Height: 5 Diameter: 2
Lifespan	15,000 hours
Wattage	240v 3.5W SMD LED
IP Rating	IP20



HX-G9-3.5W/FR
240v 3.5W G9 LED SMD Frosted Bulb

Colour	Frosted PVC
Specifications	Warm White: 3000K Non Dimmable
Measurement in cm	Height: 5 Diameter: 2
Lifespan	15,000 hours
Wattage	240v 3.5W SMD LED
IP Rating	IP20



HX-G9-3.5W/WW
230v 3W G9 LED SMD Bulb

Colour	Clear PVC
Specifications	Warm White: 3000K / 350lm Non-Dimmable
Measurement in cm	Height: 5 Diameter: 2
Lifespan	15,000 hours
Wattage	230v 3W SMD LED
IP Rating	IP20



HX-G4D-2W/WW
12v 2W G4 LED SMD Bulb

Colour	Clear PVC
Specifications	Warm White: 3000K Dimmable
Measurement in cm	Height: 3.7 Diameter: 1
Lifespan	15,000 hours
Wattage	12v 2W SMD LED
IP Rating	IP20



HX-7WD-GU10/WW
230v 7W GU10 LED SMD Bulb

Colour	White
Specifications	Warm White: 3000K / 550lm Dimmable
Measurement in cm	Height: 5.5 Diameter: 5
Lifespan	15,000 hours
Wattage	230v 7W SMD LED
IP Rating	IP20



HX-7W-GU10/WW
230v 7W GU10 LED SMD Bulb


Colour	White
Specifications	Warm White: 3000K / 550lm Non-Dimmable
Measurement in cm	Height: 5.5 Diameter: 5
Lifespan	15,000 hours
Wattage	230v 7W SMD LED
IP Rating	IP20



K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



DURA
LAMP

DURALAMP COLLECTION

- 240v Duralamp Incandescent Bulbs
- 240v Duralamp Halogen QI Bulbs
- 240v Duralamp Metal Halide RX7s & G12 Bulbs
- 12v Duralamp UNDER-WATER PAR 56 Halogen Bulbs
- 12v Duralamp MR16 Halogen Dichroic Bulbs
- 12v Duralamp MR16 Halogen Dichroic Colour Bulbs



K. LIGHT®

DESIGN • SERVICE • QUALITY



D00017
230v 25W E14 Incandescent Clear Golf Ball bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Height: 7.5 Diameter: 4.5
Lifespan	1500 hours
Wattage	230v 25W
IP Rating	IP20



D0152BC
240v 60W B22 Incandescent Frosted Flame bulb

Colour	Frosted
Specifications	Warm White: 2700K
Measurement in cm	Height: 12 Diameter: 3.5
Lifespan	1500 hours
Wattage	240v 60W
IP Rating	IP20



D00155
240v 40W E14 Incandescent Clear Flame bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Height: 12.5 Diameter: 3.5
Lifespan	1500 hours
Wattage	240v 40W
IP Rating	IP20



D-01105
240v 150W RX7s WDL 830 Metal Halide bulb

Colour	Clear
Specifications	Warm White: 3000K / WDL 830
Measurement in cm	Length: 14 Diameter: 2.5
Lifespan	1000 hours
Wattage	240v 150W
IP Rating	IP20



D-01107
240v 150W RX7s NDL 942 Metal Halide bulb

Colour	Clear
Specifications	Natural White: 4200K / NDL 942
Measurement in cm	Length: 14 Diameter: 2.5
Lifespan	1000 hours
Wattage	240v 150W
IP Rating	IP20



D-01123
240v 70W G12 WDL 830 Metal Halide bulb

Colour	Clear
Specifications	Warm White: 3000K / WDL 830
Measurement in cm	Length: 10 Diameter: 2.5
Lifespan	1000 hours
Wattage	240v 70W
IP Rating	IP20



D-01123
240v 70W G12 NDL 942 Metal Halide bulb

Colour	Clear
Specifications	Natural White: 4200K / NDL 942
Measurement in cm	Length: 10 Diameter: 2.5
Lifespan	1000 hours
Wattage	240v 70W
IP Rating	IP20



D-02976
240v 200W 118mm QI Halogen bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Length: 11.8 Diameter: 1
Lifespan	1000 hours
Wattage	240v 200W
IP Rating	IP20



D-02987
240v 500W 118mm QI Halogen bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Length: 11.8 Diameter: 1
Lifespan	1000 hours
Wattage	240v 500W
IP Rating	IP20

12v Duralamp UNDER-WATER PAR 56 Halogen Bulbs



D-30012
12v 300W G53 Par 56 Halogen bulb

Colour	Patterned Glass Cover
Specifications	Par 56 Under Water
Measurement in cm	Height: 10 Diameter: 18
Lifespan	3000 hours
Wattage	12v 300W
IP Rating	IP67



D-01991
240v 250W 78mm QI Halogen bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Length: 7.8 Diameter: 1
Lifespan	1000 hours
Wattage	240v 250W
IP Rating	IP20



D-01982
240v 100W 118mm QI Halogen bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Length: 11.8 Diameter: 1
Lifespan	1000 hours
Wattage	240v 100W
IP Rating	IP20



D-01983
240v 150W 118mm QI Halogen bulb

Colour	Clear
Specifications	Warm White: 2700K
Measurement in cm	Length: 11.8 Diameter: 1
Lifespan	1000 hours
Wattage	240v 150W
IP Rating	IP20



D-01269-FG
12v 50W G5.3 MR16 Halogen Dichroic bulb

Colour	Frosted Cover
Specifications	Beam angle: 38° Warm White
Measurement in cm	Height: 4.5 Diameter: 5
Lifespan	3000 hours
Wattage	12v 50W
IP Rating	IP20



D-01280
12v 50W G5.3 MR16 Halogen Dichroic bulb

Colour	Clear Cover
Specifications	Beam angle: 60° Warm White
Measurement in cm	Height: 4.5 Diameter: 5
Lifespan	3000 hours
Wattage	12v 50W
IP Rating	IP20



D-01569
12v 50W G5.3 MR16 Halogen Dichroic bulb

Colour	Clear Cover
Specifications	Beam angle: 38° Warm White: Alu-Lamp
Measurement in cm	Height: 4.5 Diameter: 5
Lifespan	3000 hours
Wattage	12v 50W
IP Rating	IP20

**D-01269R**

12v 50W G5.3 MR16 Halogen Dichroic bulb

Colour	RED Mirror Cover
Specifications	Beam angle: 38°
Measurement in cm	Height: 4.5 Diameter: 5
Lifespan	3000 hours
Wattage	12v 50W
IP Rating	IP20

**D-01269V**

12v 50W G5.3 MR16 Halogen Dichroic bulb

Colour	GREEN Mirror Cover
Specifications	Beam angle: 38°
Measurement in cm	Height: 4.5 Diameter: 5
Lifespan	3000 hours
Wattage	12v 50W
IP Rating	IP20

**D-01269Y**

12v 50W G5.3 MR16 Halogen Dichroic bulb

Colour	YELLOW Mirror Cover
Specifications	Beam angle: 38°
Measurement in cm	Height: 4.5 Diameter: 5
Lifespan	3000 hours
Wattage	12v 50W
IP Rating	IP20



K. LIGHT®

DESIGN • SERVICE • QUALITY

www.klight.co.za



Cape Town
7 Kunene Circle
Omuramba Business Park
Milnerton
Tel: 021 552 4370

Johannerburg
Units 8 & 9, The Arena
Capital Hill Business Park
Halfway House, Midrand
Tel: 011 312 1247